

Lecture Notes

-

Progettazione Assistita di Organi di Macchina

Progettazione del Telaio

FEM Fundamentals and Chassis Design

Enrico Bertocchi

March 17, 2022

Contents

| | | |
|----------|--|----------|
| 1 | Spatial beam structures | 4 |
| 1.1 | Beam axis and cross section definition | 5 |
| 1.2 | Joints and angular points | 6 |
| 1.3 | Cross-sectional resultants for the spatial beam | 6 |
| 1.4 | A worked example | 9 |
| 1.5 | Symmetry and skew-symmetry conditions | 14 |
| 1.6 | Periodicity conditions | 16 |
| 1.7 | Axial load and uniform bending | 17 |
| 1.8 | Stresses due to the shear cross section resultants | 24 |
| 1.8.1 | The Jourawsky approach and its extension for a general section | 25 |
| 1.8.2 | Shear induced stresses in an open section, thin walled beam | 27 |
| 1.8.3 | Shear induced stresses in an closed section, thin walled beam | 28 |
| 1.9 | Shear stresses due to the St. Venant torsion | 32 |
| 1.9.1 | Solid section beam | 32 |
| 1.9.2 | Closed section, single-celled thin walled beam | 33 |
| 1.9.3 | Closed section, multi-celled thin walled beam | 34 |
| 1.9.4 | Open section, thin walled beam | 34 |
| 1.9.5 | Torsional stiffening due to restrained warping at profile ends: Vlasov torsion theory | 35 |
| 1.10 | Castigliano's second theorem and its applications | 40 |
| 1.11 | Internal energy for the spatial straight beam | 40 |
| 1.12 | A semi-worked example: a rollbar-like frame | 44 |
| 1.13 | A semi-worked example: a simplified ladder frame chassis | 51 |

| | | |
|----------|---|-----------|
| 2 | Fundamentals of Finite Element Method for structural applications | 61 |
| 2.1 | Basic formulation for plates and shells | 62 |
| 2.1.1 | Some assumptions for the kinematic model of the plate | 62 |
| 2.1.2 | Local and generalized strains | 68 |
| 2.1.3 | Stresses, and their through-thickness resultants . | 71 |
| 2.1.4 | Constitutive equations for the plate | 73 |
| 2.1.5 | The transverse shear stress/strain components . | 74 |
| 2.1.6 | Hooke's law for the orthotropic lamina | 76 |
| 2.1.7 | An application: the four point bending test specimen. | 77 |
| 2.1.8 | Final Notes. | 79 |
| 2.2 | Preliminary results | 81 |
| 2.2.1 | Interpolation functions for the quadrilateral domain | 81 |
| 2.2.2 | Gaussian quadrature rules for some relevant domains. | 87 |
| 2.3 | The bilinear isoparametric shear-deformable shell element | 94 |
| 2.3.1 | Element geometry | 94 |
| 2.3.2 | Displacement and rotation fields | 96 |
| 2.3.3 | Strains | 97 |
| 2.3.4 | Stresses | 100 |
| 2.3.5 | The element stiffness matrix. | 100 |
| 2.3.6 | The shear locking flaw | 104 |
| 2.4 | Mass matrix for the finite element | 109 |
| 2.4.1 | Energy consistent formulation for the mass matrix | 109 |
| 2.4.2 | Lumped mass matrix formulation | 111 |
| 2.5 | External forces | 112 |
| 2.6 | Joining elements into structures. | 114 |
| 2.6.1 | Displacement and rotation field continuity | 114 |
| 2.6.2 | Expressing the element stiffness matrix in terms of global degree of freedom (DOF)s | 114 |
| 2.6.3 | External forces assembly | 121 |
| 2.7 | Constraints. | 123 |
| 2.7.1 | A pedagogical example. | 123 |
| 2.7.2 | General formulation | 124 |

| | | |
|-------|---|-----|
| 2.7.3 | A first solution procedure for the constrained system | 125 |
| 2.7.4 | An alternative constraining procedure | 128 |
| 2.7.5 | Retrieval of element based results | 133 |
| 2.8 | Notable Multi Point Constraints | 133 |
| 2.8.1 | Rigid body link RBE2 | 133 |
| 2.8.2 | Distributed load / averaged motion link RBE3 . | 134 |
| 2.9 | Advanced modeling tools | 136 |
| 2.9.1 | Inertia relief | 137 |
| 2.9.2 | Harmonic response analysis | 139 |
| 2.9.3 | Modal analysis | 141 |
| 2.9.4 | Harmonic response through mode superposition . | 143 |
| 2.9.5 | Linearized pre-buckling analysis | 147 |

Chapter 1

Spatial beam structures

1.1 Beam axis and cross section definition

¹ A necessary condition for identifying a portion of deformable body as a beam – and hence applying the associated framework – is that its centroidal curve is at least loosely recognizable.

Once such centroidal line has been roughly defined, locally perpendicular planes may be derived whose intersection with the body itself defines the local beam cross section. Then, the G center of gravity position may be computed for each of the local cross sections, thus defining a second, refined centroidal line. A potentially iterative definition for the beam centroidal axis² is hence obtained.

A rather arbitrary orientation may then be chosen for the centroidal curve.

A *local* cross-sectional reference system may be defined by aligning the normal z axis with the oriented centroidal curve, and by employing as the first in-section axis, namely x , the projection onto the cross-section plane of a given global \hat{v} vector, that is assumed to be not parallel to the beam axis.

The second in-section axis y is then derived, in order to obtain a local $Gxyz$ right-handed coordinate system, whose unit vectors are $\hat{i}, \hat{j}, \hat{k}$.

Such construction of the local reference system for the beam branch is consistent with most the Finite Element (FE) codes.

If a thin walled profile is considered in place of a solid cross section member – i.e., the section wall midplane is recognizable too (see paragraph XXX below), then a curvilinear coordinate s may be defined that spans the in-cross-section wall midplane. Such in-cross-section wall midplane consists in a possibly multi-branched curve, which is parametrically defined by a pair of $x(s), y(s)$ functions, with s spanning the conventional $[0, l]$ interval.

In the case material is homogeneous along the wall thickness, the local thickness value $t(s)$ is some relevance, along with a local through-wall-thickness coordinate $r \in [-t(s)/2, +t(s)/2]$.

¹This work by Enrico Bertocchi, orcid.org/0000-0001-7258-7961, is licensed under the Creative Commons Attribution-ShareAlike 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-sa/4.0/>.

²here, centroidal curve, centroidal line, centroidal axis, or simply beam axis are treated as synonyms.

Such s, r , in-section coordinates based on the profile wall may be employed in place of their cartesian x, y counterparts, if favourable.

1.2 Joints and angular points

Beam axis may be discontinuous at sudden body geometry changes; a rigid body connection is ideally assumed to restrict the relative motion of the proximal segments.

Such rigid joint modeling may be extended to more complex n -way joints; if the joint finite stiffness is to be taken into account, it has to be described through the entries of a rank $6(n - 1)$ symmetric square matrix³.

At joints and at the beam axis angular points the cylindrical bodies obtained by sweeping the cross sections along the centroidal curve branches do usually overlap, and in general they only loosely mimic the actual deformable body geometry.

The results obtained through the local application of the elementary beam theory are of a problematic nature; they may at most be employed to scale the triaxial local stress/strain fields⁴ that are evaluated resorting to more complex modelings.

1.3 Cross-sectional resultants for the spatial beam

At any point along the axis the beam may be notionally split, thus obtaining two facing cross sections, whose interaction is limited to three components of interfacial stresses, namely the axial normal stress σ_z and the two shear components τ_{yz}, τ_{zx} .

Three force resultant components may be defined by integration along the cross section area, namely the normal force, the y - and the

³i.e., joint stiffness is unfortunately not a scalar value.

⁴The peak stress values obtained through the elementary beam theory may be profitably employed as *nominal stresses* within the stress concentration effect framework.

x - oriented shear forces, respectively defined as

$$\begin{aligned} N &= \int_{\mathcal{A}} \sigma_{zz} d\mathcal{A} \\ Q_y &= \int_{\mathcal{A}} \tau_{yz} d\mathcal{A} \\ Q_x &= \int_{\mathcal{A}} \tau_{zx} d\mathcal{A} \end{aligned}$$

Three moment resultant components may be similarly defined, namely the x - and y - oriented bending moments, and the torsional moment. However, if the centroid is the preferred fulcrum for evaluating the bending moments, the below discussed C shear center is employed for evaluating the torsional moment; the two points might coincide, e.g. if the cross section is twice symmetric, but they are distinct in general. We hence define

$$\begin{aligned} M_x &\equiv M_{(G,x)} = \int_{\mathcal{A}} \sigma_z y d\mathcal{A} \\ M_y &\equiv M_{(G,y)} = - \int_{\mathcal{A}} \sigma_z x d\mathcal{A} \\ M_t &\equiv M_{(C,z)} = \int_{\mathcal{A}} [\tau_{yz}(x - x_C) - \tau_{zx}(y - y_C)] d\mathcal{A} \end{aligned}$$

The applied vector associated to the normal force component ($G, N\hat{k}$) is located at the section center of gravity, whereas the shear force ($C, Q_x\hat{i} + Q_y\hat{j}$) is supposed to act at the shear center; such convention decouples the energy contribution of force and moment components for the straight beam.

Common alternative names for such resultants are *component of internal action*, *(beam) generalized stress components* etc.; they may also be interpreted as the reactions of an internal clamp constraint that joins the upstream and downstream portions of the structure, notionally severed at the cross section under scrutiny.

Most of the sign rules for the resultant force and moment components introduced for the plane problem lose their significance in the spatial realm.

The following convention is proposed for the few cases in which a sign characterization for the stress resultant components is required,




Figure 1.1: Stress resultants for the beam segment and the associated sign convention; for the sake of readability, symmetric and skew-symmetric components are split apart in Figure. Please remind that – even if visually applied at notable locations – the moment components have no definite application point within the cross section.

which originates from the definition of the local reference system, which in turn derives from the oriented nature of the beam branch, and from the \hat{v} orientation vector, as discussed above; such rule is widely employed by FE codes.

Let's consider to the beam segment of Fig. 1.1 (a) and (b): positive resultant components adopt the direction of the associated local axis at the beam segment end that shows an outward-oriented local z axis; at beam segment ends characterized by an inward-oriented local z axis, the same positive stress resultant components are counter-oriented to the respective local axes.

According to such a rule, axial load is positive if tractive, and the torsional moment is positive if deflects into a right helix a line traced parallel to the axis on the undeformed profile. No intuitive formulations are however available for the bending moment and shear components.

Cross section resultants may be obtained, based on equilibrium for a statically determinate structure. The ordinary procedure consists in

- notionally splitting the structure at the cross section whose resultants are under scrutiny;

- isolating a portion of the structure that ends at the cut, whose locally applied loads are all known; the structure has to be preliminarily solved for the all the constraint reactions that act on the isolated portion;
- setting the equilibrium equations for the isolated substructure, according to which the cross-sectional resultants are in equilibrium with all the loads locally applied to the isolated portion.

1.4 A worked example

The present paragraph is devoted to the evaluation of the stress resultants along the BD beam segment⁵ of the simple structure of Figure 1.2c, which mimics from within the spatial beam framework boundaries the deformable body of Figure 1.2a.

The assumed distribution for the shear stress components τ_{zx} and τ_{yz} along the C-section thin wall, which is derived from a generalized application of the Jourawsky shear theory, locates its resultants in a shear center C which is external to the cross section convex envelope, as shown in Fig. 1.2b.

The shear center locus is represented in Fig. 1.2c as a dotted line, wherever distinct from the centroidal line.

The l distance from the B corner parametrically pinpoints a section along the BD segment, in correspondence of which the stress resultant components are evaluated.

The structure is then notionally partitioned in two substructures, and the portion spanning from the section under scrutiny to the free end is elected for further equilibrium analysis. Equilibrium equations for the other portion would involve the preliminary evaluation of the six constraint reaction components at D, based on global equilibrium.

Figure 1.2d collects the loads applied to such isolated substructure, including the six components of internal action at the section under scrutiny; the following equilibrium equations are set:

- translational equilibrium along the local x axis, namely

$$\text{tx} : + F + Q_x = 0;$$

⁵The more straightforward treatise of the AB segment is left to the reader; results will be here reported for discussion.




Figure 1.2: A planar beam structure, loaded both in-plane and out of plane. Please note that the plane the structure lies on is a symmetry plane for the material and for the constraints; the applied load may hence be decomposed into symmetric and skew-symmetric parts, leading to two uncoupled problems. A general spatial structure may be derived e.g. by turning the C-profile 90° on its axis.

- translational equilibrium along the local y axis, namely

$$t_y : + Q_y = 0;$$

- translational equilibrium along the local z axis, namely

$$t_z : - R + N = 0;$$

- rotational equilibrium with respect to the centroidal, x -aligned axis, namely

$$r_{Gx} : + Rb + M_x = 0;$$

.

- rotational equilibrium with respect to the centroidal, y -aligned axis, namely

$$r_{Gy} : - Fl + M_y = 0;$$

.

- rotational equilibrium with respect to z -aligned axis passing through the shear center, namely

$$r_{Cz} : + Fa + M_t = 0;$$

from which the stress resultants may be trivially obtained.

The meditated choice for the rotational equilibrium axis makes the arm of the possibly unknown axial and shear forces vanish, thus decoupling the equations.

Also, it is suggested to analyze the contributions to the rotational equilibrium with respect to a given axis by resorting to a projected view of the isolated substructure in which such axis is aligned with the line of sight⁶, see Figure 1.3; the information lost in the projection are in fact of null relevance for the rotational equilibrium under scrutiny.

Figure 1.2e depicts the equilibrium state of the isolated substructure, and the visual comparison with its 1.2d counterpart offers an overview for the components of internal action.

A few final remarks follow.

⁶i.e. a view in which such axis is exiting (or entering) the plane of view




Figure 1.3: Projected views useful for discussing the isolated substructure rotational equilibrium. TODO.

The stress resultants at each section depend on the location of its center of gravity and shear center, and on the orientation of the local reference system; any variation of the cross section design which preserves the named elements does not require a reevaluation of the stress resultants.

Even if the described procedure is of general application within the spatial beam realm, the simple structure discussed exhibits elastic domain symmetry with respect to the plane the two centroidal segments lie on, a non-general property this, which is also respected by the specific constraints.

Such a peculiarity, along with the assumed linearity of the structure response, allows for the decomposition of the problem into a symmetric part, and into a skew-symmetric part. The symmetric portion of the applied load is embodied by the R force, whereas the skew-symmetric load portion is embodied by F .

Abetted by the fortunate orientation of the local axes⁷ the three N, Q_y, M_x in-plane resultants are produced by R alone, whereas the three Q_x, M_y, M_t out-of-plane resultants are induced by F alone. In-plane (out-of-plane) resultants are in fact symmetric (skew-symmetric) with respect to the plane the beam branches lies on, and the two symmetric and skew-symmetric parts of the problem are uncoupled.

Such property is useful in analyzing plane structures subject to mixed in-plane and out-of-plane loads, as the one under scrutiny.

It is finally noted that a general spatial structure may be derived from the proposed one e.g. by turning the C-profile 90° on its centroidal axis, and thus losing the elastic body symmetry.

⁷one parallel and one orthogonal to the symmetry plane




Figure 1.4: An overview of symmetrical and skew-symmetrical (generalized) loading and displacements.

1.5 Symmetry and skew-symmetry conditions

Symmetric and skew-symmetric loading conditions are mostly relevant for linearly-behaving systems; a nonlinear system may develop an asymmetric response to symmetric loading (e.g. column buckling).

Figure 1.4 collects symmetrical and skew-symmetrical pairs of vectors and moment vectors (moments); those (generalized) vectors are applied at symmetric points in space with respect to the reference plane. Vectors which are either normal or parallel to the plane are considered, that may embody the same named components of a generally oriented vector.

It may be observed that the symmetric/skew-symmetric condition for otherwise analogous pairs swaps in moving from vectors to moment vectors, and from the orthogonal to the parallel orientation.

The pair members may be moved towards the reference plane up

to a vanishing distance ϵ ; for null ϵ both the point and the image lie on the plane, and they coincide. In the case different (in particular, opposite and nonzero) vectors are associated to the two coincident pair members, the physical field that such vectors are assumed to represent (displacements, applied forces, etc.) is not single-valued at the reference plane; such condition deserves an attentive rationalization.

Vector and moment pairs in Figure 1.4 may embody, depending on the context, displacements (denoted as u), rotations (θ), forces (F) and moments (M); the latter may be both related to internal and external actions; in the following, the feasibility of nonzero magnitude pairs is discussed as the members approach the reference plane ($\epsilon \rightarrow 0$).

The (generalized) displacement components decorated with the $*$ marker may induce material discontinuity at points laying on the [skew-]symmetry plane, if nonzero. Except for specific cases in which the discontinuity is expected – e.g. or notionally infinitesimal openings at the symmetry plane – they have to be constrained to zero at those points, thus introducing the so-called [skew-]symmetry constraints.

When an halved portion of the structure is modeled in place of the whole, since the response is expected to be [skew-]symmetric, these constraints act in place of the portion of the structure that is omitted from our model, and their reactions may be interpreted as internal action components at the coupling interface between the two halves.

In case of symmetry, a constraint equivalent to a planar joint is to be applied at points laying on the symmetry plane for ensuring displacement/rotation continuity between the modeled portion of the structure, and its image. In case of skew-symmetry, a constraint equivalent to a *doweled sphere - slotted cylinder* joint (see Figure 1.5), where the guide axis is orthogonal to the skew-symmetry plane, is applied at the points belonging to the intersection between the deformable body and the plane.

The \diamond internal action components are null at points pertaining to the [skew-]symmetry plane, since they would otherwise violate the action-reaction law. The complementary \dagger internal action components are generally nonzero at the [skew-]symmetry plane.

The \dagger external action components are not allowed at points along the [skew-]symmetry plane; instead, the complementary \diamond generalized force components are allowed, if they are due to locally applied external actions.




Figure 1.5: The doweled sphere - slotted cylinder joint, which is associated to the skew-symmetry constraint. In this particular application, the cylindrical guide may be considered as grounded.

In the case of a symmetric structure, generally asymmetric applied loads and imposed deflections may be decomposed in a symmetric part and in a skew-symmetric part; the problem may be solved by employing a half structure model for both the loadcases; the results may finally be superposed since the system is assumed linear.

1.6 Periodicity conditions

TODO, if required.

1.7 Axial load and uniform bending

It is preliminarily noted that the elementary extensional-flexural solution is exact with respect to the Theory of Elasticity if the following conditions hold:

- beam constant section;
- beam rectilinear axis;
- absence of locally applied loads;
- absence of shear resultants⁸ (i.e. constant bending moments);
- principal material directions of orthotropy are uniform along the section, and one of them is aligned with the beam axis;
- the ν_{31} and the ν_{32} Poisson's ratios⁹ are constant along the section, where 3 means the principal direction of orthotropy aligned with the axis. Please note that $E_i\nu_{ji} = E_j\nu_{ij}$, and hence $\nu_{ji} \neq \nu_{ij}$ for a generally orthotropic material.

Most of the above conditions are in fact violated in many textbook structural calculations, thus suggesting that the elementary beam theory is robust enough to be adapted to practical applications, i.e. limited error is expected if some laxity is used in circumscribing its scope¹⁰.

The extensional-flexural solution builds on the basis of the following simplifying assumptions:

- the in-plane¹¹ stress components $\sigma_x, \sigma_y, \tau_{xy}$ are null;
- the out-of-plane shear stresses τ_{yz}, τ_{zx} are also null;

⁸A locally pure shear solution may be in fact superposed; such solution may however not be available for a general cross section.

⁹We recall that ν_{ij} is the Poisson's ratio that corresponds to a contraction in direction j , being a unitary extension applied in direction i in a manner that the elastic body is subject to a uniaxial stress state.

¹⁰Measures for both the error and the violation have to be supplied first in order to quantify the approximation.

¹¹Both the *in-plane* and the *out-of-plane* expressions for the characterization of the stress/strain components refer to the cross sectional plane.

- the axial elongation ϵ_z linearly varies along the cross section, namely

$$\epsilon_z = a + bx + cy \quad (1.1)$$

or, equivalently¹², each cross section is assumed to remain planar in the deformed configuration.

The three general constants a , b and c possess a physical meaning; in particular a represents the axial elongation e as measured at the centroid¹³, c represents the $1/\rho_x$ curvature¹⁴ whereas b represent the $1/\rho_y$ curvature, apart from its sign.

Figure 1.6 (c) justifies the equality relation $c = 1/\rho_x$; the beam axial fibers with a Δz initial length are elongated by the curvature up to a $\Delta\theta(\rho_x + y)$ deformed length, where $\Delta\theta\rho_x$ equates Δz based on the length of the unextended fibre at the centroid. By evaluating the axial strain value for a general fiber, it follows that $\epsilon_z = 1/\rho_x y$.

In addition, Figure 1.6 (c) relates the $1/\rho_x$ curvature to the displacement component in the local y direction, namely v , and to the section rotation angle with respect to the local x axis, namely θ , thus obtaining

$$\frac{d\theta}{dz} = \frac{1}{\rho_x}, \quad \theta = -\frac{dv}{dz}, \quad \frac{d^2v}{dz^2} = -\frac{1}{\rho_x} \quad (1.2)$$

Following analogous considerations, see 1.6 (e), we may similarly obtain

$$\frac{d\phi}{dz} = \frac{1}{\rho_y}, \quad \phi = +\frac{du}{dz}, \quad \frac{d^2u}{dz^2} = +\frac{1}{\rho_y} \quad (1.3)$$

where ϕ is the cross section rotation about the local y axis, and u is the x displacement component.

According to the assumptions in the preamble, a uniaxial stress state is assumed, where the only nonzero σ_z stress component may be determined as

$$\sigma_z = E_z\epsilon_z; \quad \epsilon_z = e - \frac{1}{\rho_y}x + \frac{1}{\rho_x}y \quad (1.4)$$

¹²The axial, out-of-plane displacement $\Delta w = \int_{\Delta l} \epsilon_z dz = \Delta l (a + bx + cy)$ accumulated between two contiguous cross sections with an Δl initial distance, is consistent with that of a relative rigid body motion.

¹³or, equivalently, the average elongation along the section, in an integral sense.

¹⁴namely the inverse of the beam curvature radii as observed with a line of sight aligned with the x axis. Curvature is assumed positive if the associated θ section rotation grows with increasing z , i.e. $d\theta/dz > 0$.




Figure 1.6: A differential fibre elongation proportional to the y coordinate induces a curvature $1/\rho_x$ on the normal plane with respect to the x axis. A differential fibre contraction proportional to the x coordinate induces a curvature $1/\rho_y$ on the normal plane with respect to the y axis. The didascalical trapezoidal deformation modes (b) and (e) clearly associate the differential elongation/contraction with the positive relative end rotation; they are however affected by a spurious shear deformation as evidenced by the skewed corner.




Figure 1.7: Positive x and y bending moment components adopt the same direction of the associated local axes at the beam segment end showing an outward-oriented arclength coordinate axis; at beam segment ends characterized by an inward-oriented local z axis, the same positive bending moment components are locally counter-oriented to the respective axes.

Stress resultants may easily be evaluated based on Fig. 1.7 as

$$N = \iint_{\mathcal{A}} E_z \epsilon_z dA = \overline{E} \overline{A} e \quad (1.5)$$

$$M_x = \iint_{\mathcal{A}} E_z \epsilon_z y dA = \overline{E} \overline{J}_{xx} \frac{1}{\rho_x} - \overline{E} \overline{J}_{xy} \frac{1}{\rho_y} \quad (1.6)$$

$$M_y = - \iint_{\mathcal{A}} E_z \epsilon_z x dA = -\overline{E} \overline{J}_{xy} \frac{1}{\rho_x} + \overline{E} \overline{J}_{yy} \frac{1}{\rho_y} \quad (1.7)$$

where the combined material/cross-section stiffness moduli

$$\overline{EA} = \iint_{\mathcal{A}} E_z(x, y) dA \quad (1.8)$$

$$\overline{EJ}_{xx} = \iint_{\mathcal{A}} E_z(x, y)yy dA \quad (1.9)$$

$$\overline{EJ}_{xy} = \iint_{\mathcal{A}} E_z(x, y)yx dA \quad (1.10)$$

$$\overline{EJ}_{yy} = \iint_{\mathcal{A}} E_z(x, y)xx dA \quad (1.11)$$

may also be rationalized as the cross section area and moment of inertia, respectively, multiplied by a suitably averaged Young modulus, evaluated in the axial direction.

Those moduli simplify to their usual $E_z A, E_z J_{**}$ analogues, where the influence of the material and of the geometry are separated if the former is homogeneous along the beam cross section.

From Eqn. 1.5 we obtain

$$e = \frac{N}{\overline{EA}}. \quad (1.12)$$

By concurrently solving Eqns. 1.6 and 1.7 with respect to the $1/\rho_x$ and $1/\rho_y$ curvatures, we obtain

$$\frac{1}{\rho_x} = \frac{M_x \overline{EJ}_{yy} + M_y \overline{EJ}_{xy}}{\overline{EJ}_{xx} \overline{EJ}_{yy} - \overline{EJ}_{xy}^2} \quad (1.13)$$

$$\frac{1}{\rho_y} = \frac{M_x \overline{EJ}_{xy} + M_y \overline{EJ}_{xx}}{\overline{EJ}_{xx} \overline{EJ}_{yy} - \overline{EJ}_{xy}^2} \quad (1.14)$$

$$\frac{1}{\rho_{eq}} = \sqrt{\frac{1}{\rho_x^2} + \frac{1}{\rho_y^2}} \quad (1.15)$$

Axial strain and stress components may then be obtained for any cross section point by substituting the above calculated generalized strain components $e, 1/\rho_x$ and $1/\rho_y$ holding for the extensional-flexural beam into Eqn. 1.4, thus obtaining

$$\sigma_z = E_z \epsilon_z; \quad \epsilon_z = \alpha M_x + \beta M_y + \gamma N \quad (1.16)$$

where

$$\alpha(x, y, \overline{EJ}_{**}) = \frac{-\overline{EJ}_{xy}x + \overline{EJ}_{yy}y}{\overline{EJ}_{xx}\overline{EJ}_{yy} - \overline{EJ}_{xy}^2} \quad (1.17)$$

$$\beta(x, y, \overline{EJ}_{**}) = \frac{-\overline{EJ}_{xx}x + \overline{EJ}_{xy}y}{\overline{EJ}_{xx}\overline{EJ}_{yy} - \overline{EJ}_{xy}^2} \quad (1.18)$$

$$\gamma(\overline{EA}) = \frac{1}{\overline{EA}}. \quad (1.19)$$

The peak axial strain is obtained at points farther from neutral axis of the stretched section; such neutral axis may be graphically defined as follows:

- the coordinate pair

$$(x_N, y_N) \equiv e\rho_{\text{eq}}^2 \left(\frac{1}{\rho_y}, -\frac{1}{\rho_x} \right);$$

with ρ_{eq} from 1.15, defines its nearest pass-through point with respect to the G centroid; the two points coincide in the case $e = 0$.

- its orientation is defined by the unit vector

$$\hat{n}_{\parallel} = \rho_{\text{eq}} \left(\frac{1}{\rho_x}, \frac{1}{\rho_y} \right),$$

whereas the direction

$$\hat{n}_{\perp} = \rho_{\text{eq}} \left(-\frac{1}{\rho_y}, \frac{1}{\rho_x} \right),$$

is orthogonal to the neutral axis, and oriented towards growing axial elongations.

The cross section projection on the (N, \hat{n}_{\perp}) line defines a segment whose ends are extremal with respect to the axial strain¹⁵.

¹⁵The axial strain may in fact be expressed as

$$\epsilon_z = \frac{1}{\rho_{\text{eq}}} \langle \hat{n}_{\perp}, (x - x_N, y - y_N) \rangle$$

in the case of nonzero bending moment.

If the bending moment and the curvature component vectors are imposed to be collinear¹⁶, i.e.

$$\lambda \begin{bmatrix} M_x \\ M_y \end{bmatrix} = \begin{bmatrix} \frac{1}{\rho_x} \\ \frac{1}{\rho_y} \end{bmatrix} = \frac{1}{\underbrace{\overline{EJ}_{xx}\overline{EJ}_{yy} - \overline{EJ}_{xy}^2}_{[\overline{EJ}]}} \begin{bmatrix} \overline{EJ}_{yy} & \overline{EJ}_{xy} \\ \overline{EJ}_{xy} & \overline{EJ}_{xx} \end{bmatrix} \begin{bmatrix} M_x \\ M_y \end{bmatrix} \quad (1.20)$$

an eigenpair problem is defined that leads to the definition of the principal directions for the cross sectional bending stiffness. In particular, the eigenvectors of the $[\overline{EJ}]$ matrix define the two principal bending stiffness directions, and the associated $\overline{EJ}_{11}, \overline{EJ}_{22}$ eigenvalues constitute the associated bending stiffness moduli.

TODO: please elaborate...

¹⁶or, equivalently, if the bending moment vector $\vec{M}_f = (M_x, M_y)$ is aligned to the neutral axis direction \hat{n}_{\parallel}

1.8 Stresses due to the shear cross section resultants

In the presence of nonzero shear resultants, the bending moment exhibits a linear variation with the axial coordinate z in a straight beam. Based on the beam segment equilibrium we have

$$S_y = \frac{dM_x}{dz}, \quad S_x = -\frac{dM_y}{dz}, \quad (1.21)$$

as rationalized in Fig. 1.9, with $dz \rightarrow 0$ and M_x, M_y differentiable with respect to z .

The linear variation of the bending-induced curvature in z causes a likewise linear variation of the pointwise axial strain; stress variation is also linear in the case of constant E_z longitudinal elastic modulus.

In particular, the differentiation with respect to z of σ_z as expressed in Eqn. 1.16 returns

$$\frac{d\sigma_z}{dz} = E_z \alpha(x, y, \overline{EJ}_{**}) S_y - E_z \beta(x, y, \overline{EJ}_{**}) S_x \quad (1.22)$$

since its $E_z, \alpha, \beta, \gamma$ factors are constant with respect to z ; the bending moment derivatives are here expressed in terms of the shear resultants, as in Eqns. 1.21.

Figure 1.8 rationalizes the axial equilibrium for an elementary volume of material; we have

$$\frac{d\tau_{zx}}{dx} + \frac{d\tau_{yz}}{dy} + \frac{d\sigma_z}{dz} + q_z = 0 \quad (1.23)$$

where, for the specific case, the distributed volumetric load q_z is zero.

It clearly emerges from such relation that the shear stresses τ_{zx}, τ_{yz} , that were null within the uniform bending framework, are non-uniform along the section – and hence not constantly zero – in the presence of shear resultants.

A treatise on the pointwise solution of a) the equilibrium equations 1.23, once coupled with b) the compatibility conditions and with c) the the material elastic response, is beyond the scope of the present contribution, although it has been derived for selected cross sections in e.g. [1].




Figure 1.8: Equilibrium conditions with respect to the axial z translation for the infinitesimal volume extracted from the beam. In the case under scrutiny, the distributed volume action q_z is null.

1.8.1 The Jourawsky approach and its extension for a general section

The aforementioned axial equilibrium condition, whose treatise is cumbersome for the infinitesimal volume, may be more conveniently dealt with if a finite portion of the beam segment is taken into account, as in Figure 1.9.

A beam segment is considered whose axial extent is dz ; the beam cross section is partitioned based on a (possibly curve, see Fig. 1.10) line that isolates an area portion A^* – and the related beam segment portion – for further scrutiny; axial equilibrium equation may then be stated for the isolated beam segment portion as follows

$$\bar{\tau}_{zi} t = \int_{A^*} \frac{d\sigma_z}{dz} dA, \quad (1.24)$$

where

$$\bar{\tau}_{zi} = \frac{1}{t} \int_t \tau_{zi} dr \quad (1.25)$$

is the average shear stress acting in the z direction along the cutting surface; i is the (locally normal) inward direction with respect to such




Figure 1.9: Equilibrium conditions for the isolated beam segment portion. It is noted that the null σ_z variation locus, $d\sigma_z = 0$, does not coincide with the bending neutral axis in general. Also, the depicted linear variation of $d\sigma_z$ with the D distance from such null $d\sigma_z$ locus does not hold in the case of non-uniform E_z modulus.




Figure 1.10: The curve employed for isolating the beam segment portion defines the direction of the τ_{zi} components whose average value is evaluated.

a surface. Due to the reciprocal nature of the shear stresses, the same $\bar{\tau}_{zi}$ shear stress acts along the cross sectional plane, and locally at the cutting curve itself. These shear actions are assumed positive if inward directed with respect to A^* .

The $\bar{\tau}_{zi}t$ product is named *shear flow*, and may be evaluated along a general cutting curve.

It is noted that, according to Eqn. 1.24, no information is provided with regard to a) the τ_{zr} shear stress that acts parallel to the cutting curve, nor b) the pointwise variation of τ_{zi} with respect of its average value $\bar{\tau}_{zi}$. If the resorting to more cumbersome calculation frameworks is not an option, those quantities are usually just neglected; an informed choice for the cutting curve is thus critical for a reliable application of the method.

In the simplified case of a) uniform material and b) local x, y axes that are principal axes of inertia (i.e. $J_{xy} = 0$), the usual formula is obtained

$$\bar{\tau}_{zi}t = \int_{A^*} \left(\frac{yS_y}{J_{xx}} + \frac{xS_x}{J_{yy}} \right) dA = \frac{\bar{y}^* A^*}{J_{xx}} S_y + \frac{\bar{x}^* A^*}{J_{yy}} S_x, \quad (1.26)$$

where $\bar{y}^* A^*$ and $\bar{x}^* A^*$ are the first order area moments of the A^* section portion with respect to the x and y axes, respectively¹⁷.

1.8.2 Shear induced stresses in an open section, thin walled beam

In the case of thin walled profiles, the integral along the isolated area in Eqn. 1.24 may be performed with respect to the arclength coordinate alone; the value the $d\sigma_z/dz$ integrand assumes at the wall midplane is supposed representative of its integral average along the wall thickness, thus obtaining

$$\bar{\tau}_{zi}t = q_{zi} = \int_0^s \int_{-t/2}^{t/2} \frac{d\sigma_z}{dz} dr d\zeta \approx \int_0^s \frac{d\sigma_z}{dz} \Big|_{r=0} t d\zeta. \quad (1.27)$$

Such assumed equivalence strictly holds for a) straight wall segments¹⁸ and b) a linear variation of the integrand along the wall, a

¹⁷According to the employed notation, (\bar{x}^*, \bar{y}^*) are the centre of gravity coordinates for the A^* area.

¹⁸i.e. the Jacobian of the $(s, r) \mapsto (x, y)$ mapping is constant with r .

condition, the latter, that holds if the material properties are homogeneous with respect to the wall midplane¹⁹; in the more general case, the error incurred by this approach vanishes with vanishing thickness for what concerns assumption a), whereas if the material is inhomogeneous, through-thickness averaged \bar{E}_z, \bar{G}_{zi} moduli may be employed in place of their pointwise counterpart.

If a thin walled section segment is considered such that it is not possible to infer that the interfacial shear stress is zero at at least one of its extremities, a further term needs to be considered for the equilibrium, thus obtaining

$$\bar{\tau}_{zi}(s)t(s) = q(s) = \int_a^s \frac{d\sigma_z}{dz} t d\zeta + \underbrace{\bar{\tau}_{zi}(a)t(a)}_{q_A}. \quad (1.28)$$

In the case of open thin walled profiles, however, such a choice for the isolated section portion is suboptimal, unless the q_A term is known.

1.8.3 Shear induced stresses in an closed section, thin walled beam

In the case of a closed thin walled, generally asymmetric section, the search for a point along the wall at which the shear flow may be assumed zero is normally not viable, and the employment of Eq. 1.28 in place of the simpler Eq. 1.27 is unavoidable.

In this case, a parametric value for the $\bar{\tau}_{iz}$ shear stress is assumed for a set of points along the cross section midcurve – one for each elementary closed loop²⁰ if the points are non-redundantly chosen²¹.

In the multicellular cross section example shown in Figure 1.11, two elementary loops are detected; shear flows at the A, B points are parametrically defined as $\tau_A t_A$ and $\tau_B t_B$, respectively.

The $\tau(s)$ shear stress at each point along the profile wall may then be determined based on Eqn. 1.28 as a function a) of the shear resultant

¹⁹a linear $d\epsilon_z/dz$ axial strain variation is in fact associated to the curvature variation in z , and not an axial stress variation;

²⁰i.e. a closed loop not enclosing any other closed loop.

²¹Redundancy may be pointed out by ideally cutting the cross section at these points: if a monolithic open cross section is obtained, the point choice is not redundant; if a portion of the section is completely isolated, and a loop remains closed, the location of these points causes redundancy.

components S_x and S_y , and b) of the parametrically defined shear stresses at the A,B points.

Due to the assumed linear response for the profile, superposition principle may be employed in isolating the four elementary contributions to the shear stress flow along the section.

The first two elementary contributions $f_{;S_x}(s)$ and $f_{;S_y}(s)$ are respectively due to the action alone of the x and y shear force components, whose magnitudes S_x^u and S_y^u is assumed equal the product of the stress unit (e.g. 1 MPa) and of the cross sectional area. Those forces are assumed to act in the ideal absence of shear flow at points where the latter is assumed as a parameter (points A and B in Figure 1.11).

Since the condition of zero shear flow is stress-compatible with an opening in the closed section loop, the cross section may be idealized as severed at the assumed shear flow points, and hence open. The equilibrium-based solution procedure derived for the open thin-walled section may hence be profitably applied.

A family of further elementary contributions, one for each of the assumed shear stress points, may be derived by imposing zero parametric shear flow at all the points but the one under scrutiny, and in the absence of externally applied shear resultants. The elastic problem may be rationalized as an open – initially closed, then ideally severed – thin walled profile, that is loaded by an internal constraint action whose magnitude is unity in terms of stresses. Equilibrium considerations reduce to the conservation of the shear flow due to the absence of $d\sigma_z/dz$ differential axial stress, as in the case of a closed profile under torsion discussed below.

Figures 1.11 (a) and (b) show the shear stress contributions $f_{;S_1}(s)$ and $f_{;S_2}(s)$ induced in the ideally opened (i.e. zero redundant shear flows at the A,B points) multicellular profile by the first and the second shear force components, respectively; due to the author distraction, such figure refers to shear components aligned with the principal directions of bending stiffness, and not to the usual x,y axes.

Figures 1.11 (c) and (d) show the shear stress contributions $f_{;A}(s)$ and $f_{;B}(s)$ associated to unity values for the parametric shear flows at the A, B segmentation points, respectively.

The cumulative shear stress distribution for the section in Figure

1.11 is

$$\tau(s) = \frac{S_1}{\mathcal{A}} f_{;S1}(s) + \frac{S_2}{\mathcal{A}} f_{;S2}(s) + \tau_A f_{;A}(s) + \tau_B f_{;B}(s) \quad (1.29)$$

where s is a suitable arclength coordinate.

The associated elastic potential energy may then be integrated over a Δz beam axial portion, thus obtaining

$$\Delta U = \int_s \frac{\tau^2}{2G_{sz}} t \Delta z ds \quad (1.30)$$

According to the Castigliano second theorem, the ΔU derivative with respect to the $\bar{\tau}_i$ assumed shear stress value at the i -th segmentation point equates the generalized displacement with respect to which the internal constraint reaction works, i.e. the $t \Delta z \bar{\delta}_i$ integral of the relative longitudinal displacement between the cut surfaces; we hence have

$$\frac{\partial \Delta U}{\partial \bar{\tau}_i} = \bar{\delta}_i t \Delta z \quad (1.31)$$

The $\bar{\delta}_i$ symbol refers to the average value along the $t \Delta z$ area of such axial relative displacement.

Material continuity requires zero $\bar{\delta}_i$ value at each segmentation point, thus defining a set of equations, one for each $\bar{\tau}_i$ unknown parameter, whose solution leads to the definition of the actual shear stress distribution along the closed wall profile.

1.9 Shear stresses due to the St. Venant torsion

The classical solution for the rectilinear beam subject to uniform torsion predicts a displacement field that is composed by the superposition of a) a rigid, in-plane²² cross section rotation about the shear centre, named twist, whose axial rate is uniform, and b) an out-of-plane *warping* displacement that is uniform in the axial direction, whereas it varies within the section; such warping displacement is zero in the case of axisymmetric sections only (e.g. solid and hollow circular cross sections).

Due to the rigid nature of the in-plane displacements, the in-plane strain components ϵ_x , ϵ_y , ϵ_{xy} are zero; the in-plane stress components σ_x , σ_y , τ_{xy} , and the normal stress σ_z are also zero if z is a direction of orthotropy for the material – as it is assumed in the following. The motion is internally restricted only due to the nonzero out-of-plane shear stresses τ_{yz} and τ_{zx} , that develop as an elastic reaction to the associated strain components.

A more in-depth treatise of the topic involves the solution of an plane, inhomogeneous Laplace partial differential equation with essential conditions imposed at the cross section boundary, which is beyond the scope of the present contribution.

However, in the case of open- and closed- section, thin walled beams, simplified solutions are available based on the assumptions that a) the out-of-plane shear stresses are locally aligned to the wall midsurface - i.e. $\tau_{zr} = 0$ leaving τ_{zs} as the only nonzero stress component²³, and b) the residual τ_{zs} shear component is either constant by moving through the wall thickness (closed section case), or it linearly varies with the through-thickness coordinate r .

1.9.1 Solid section beam

TODO.

²²the rotation vector is actually normal to the cross sectional plane; the *in-plane* motion characterization refers to the associated displacement field.

²³Here, the notation introduced in paragraph XXX for the thin walled section is employed.




Figure 1.12: Axial equilibrium for a portion of profile wall, in the case of a closed, thin-walled profile subject to torsion.

1.9.2 Closed section, single-celled thin walled beam

The τ_{sz} component is assumed uniform along the wall thickness, or, equivalently, its deviation from the average value is neglected in calculations.

In the case the material is non-uniform across the thickness, the γ_{sz} shear strain is assumed uniform, whereas the τ_{sz} varies with the varying G_{sz} shear modulus.

In the absence of σ_z , the axial equilibrium of a portion of beam segment dictates that the shear flow $t\tau$ remains constant along the wall, i.e.

$$t_1\tau_1 = t_2\tau_2$$

as depicted in Figure 1.12.

By skipping some further interesting observations (TODO) we may just introduce the Bredt formula for the cross-section torsional stiffness

$$K_t = \frac{4A^2}{\oint \frac{1}{t} dl} \quad (1.32)$$

which is valid for single-celled, closed thin wall sections.

The peak stress is located at thinnest point along the wall, and equals

$$\tau_{\max} = \frac{M_t}{2t_{\min}A} \quad (1.33)$$

1.9.3 Closed section, multi-celled thin walled beam

TODO. However, a lower bound for the stiffness of the multi-celled thin walled beam may be obtained by fictitiously severing the inner walls, thus obtaining a single cell defined by the outer wall alone.

An upper bound for the stiffness is obtained by assuming each shared inner wall as shear-rigid, and then by summing the stiffnesses of each elementary closed loop, as they constituted independent profiles. The shear-rigid nature of the inner walls is enforced by neglecting their contribution to the circuital integral at the Bredt formula denominator.

1.9.4 Open section, thin walled beam

The shear strain component γ_{zs} is assumed linearly varying across the thickness; if the G_{sz} shear modulus is assumed uniform, such linear variation characterizes the τ_{zs} stress components too.

The average value along the thickness of the τ_{zs} stress component is zero, as zero is the shear flow as defined in the previous paragraph.

For thin enough open sections of uniform and isotropic material we have

$$K_T \approx \frac{1}{3} \int_0^l t^3(s) ds \quad (1.34)$$

If the thin-walled cross section may be described as a sequence of constant thickness wall segments, the simplified formula

$$K_T \approx \frac{1}{3} \sum_i l_i t_i^3 \quad (1.35)$$

is obtained where t_i and l_i are respectively the length and the thickness of each segment.

The peak value for the τ_{zs} stress component is observed in correspondence to thickest wall section point and it equates




Figure 1.13: The problem under scrutiny.

$$\tau_{\max} = \frac{M_t t_{\max}}{K_T} \quad (1.36)$$

By applying the reported formulas to a rectangular section whose span length is ten times the wall thickness, the torsional stiffness is overestimated by slightly less than 7%; a similar relative error is reported in terms of shear stress underestimation.

1.9.5 Torsional stiffening due to restrained warping at profile ends: Vlasov torsion theory

As a pedagogical introduction to the restrained warping torsion, an open, thin-walled I-section beam²⁴ is considered whose each end is butt-welded to a massive plate, see Fig. 1.13, that locally impede the warping deformation at the base of the de Saint Venant torsion theory.

Two opposite torsional moments T are applied that induce an axial counter-rotation of the beam terminals, and hence a twist deformation of the profile, quantified this through the $\psi(z)$ section twist angle.

The cross sectional motion is limited to a twist rotation around the z axis, which is centroidal with respect to shear, plus the restrained

²⁴also named H-section, double-T, based on normalized profile codes, e.g. IPN, IPE, or UC beams




Figure 1.14: XXX

warping out-of-plane displacement.

In Figure 1.14 the profile walls are ideally partitioned into a set of limited width blades; the profile cross section rotation induces at the blade sections three distinct motions, i.e. a) a twist rotation, b) a widthwise translation, and c) a transverse translation with respect to the blade width.

The axial rate of the twist motion a) is at the base of the de St. Venant torsional model for open thin walled sections, which covers it exhaustively; conversely, the second order axial rate of the b) and c) translations induce bending curvatures at the blades, whose contribution to the internal energy increases the profile stiffness in torsion.

In particular, whereas the c) contribution acts along the blade bending weak axis and is usually neglected, the b) contribution is considerable and it constitutes the basis of the Vlasov restrained torsion theory for thin walled profiles. According to such a theory, blades a

Various formulas
x+ flange bending

$$V = \frac{dM_x}{dz}$$

$$T = hV = h \frac{dM_x}{dz}$$

since $\frac{M_x}{EJ_{xx}} = \frac{1}{\rho_x} = -\frac{d^2v}{dz^2}$, we substitute in the equation above $M_x = -\overline{EJ}_{xx} \frac{d^2v}{dz^2}$, thus obtaining

$$T = -h\overline{EJ}_{xx} \frac{d^3v}{dz^3}$$




Figure 1.15: XXX

The v transverse displacement may be determined based on the local twist angle ψ as

$$v = \frac{h}{2}\psi$$

and a torque to (third derivative of) twist angle may be finally determined as

$$T = -\frac{h^2}{2}\overline{EJ}_{xx}\frac{d^3\psi}{dz^3} = -\overline{EC}_w\frac{d^3\psi}{dz^3}$$

where the \overline{EC}_w cross-sectional constant for warping has been defined for the I beam as

$$\overline{EC}_w = I\frac{h^2}{2}.$$

Such T torsional moment, which is transmitted based on the flange shear load under restrained warping condition, will be referred to in the following as T_{V1a} , as opposed to its counterpart according to the de St. Venant torsion theory, i.e.

$$T_{dsv} = GK_t\frac{d\psi}{dz}.$$

Characteristic length of the cross section with respect to the Vlasov (restrained warping) torsion theory.

$$d = \sqrt{\frac{EC_w}{GK_t}}$$

The cross-sectional constant for warping may then be evaluated as

$$EC_w = d^2 GK_t$$

where GK_t is the torsional stiffness for the cross-section (material properties included) according to the free-warp, de St. Venant torsion theory.

Since the overall torsional moment is constant along the beam in the absence of distributed torsional actions, and it consists in the sums of the two T_{Vla} and T_{dSV} contributes, we have

$$0 = \frac{dT}{dz} = +\frac{dT_{dSV}}{dz} + \frac{dT_{Vla}}{dz} = -EC_w \frac{d^4\psi}{dz^4} + GK_t \frac{d^2\psi}{dz^2}$$

$$0 = -d^2 \frac{d^4\psi}{dz^4} + \frac{d^2\psi}{dz^2}$$

which is a 4th-order differential equation in the ψ unknown function, whose solutions take the general form

$$\psi(z) = C_1 \sinh \frac{z}{d} + C_2 \cosh \frac{z}{d} + C_3 \frac{z}{d} + C_4$$

In the theory of restrained torsion warping, an auxiliary, higher order resultant moment quantity named //bimoment// is introduced, that for the pedagogical I-section example is related to the flange bending moment by the identity

$$B = M_{xx} \cdot h$$

In general, we have

$$B = -EC_w \frac{d^2\psi}{dz^2};$$

axial stresses along the cross section linearly scale with the bimoment quantity, if the material behaves elastically.

Warping related boundary conditions may be stated as follows: free warping: $\frac{d^2\psi}{dz^2} = 0$, i.e. absence of bimoment, $B = 0$; no warping:

$\frac{d\psi}{dz} = 0$, i.e. absence of de St. Venant transmitted moment, $T_{\text{dsv}} = 0$; Imposed rotations and imposed torsional moments complementary boundary conditions may be defined as usual.

1.10 Castigliano's second theorem and its applications

Castigliano's second theorem may be employed for calculating deflections and rotations, and it states:

Once the strain energy of a linear elastic structure is expressed as a function of a set of generalized loads²⁵ Q_i , the partial derivative of the strain energy with respect to each generalized load supplies the generalized displacement²⁶ q_i on which such a load performs work.

In equation form,

$$q_i = \frac{\partial U}{\partial Q_i}$$

where U is the strain energy.

In case of elastically nonlinear structures, the second Castigliano theorem may still be employed²⁷, provided that the complementary elastic strain energy U^* is used in place of the strain energy U , see Fig. 1.16. The two energy terms coincide in linearly behaving structures.

1.11 Internal energy for the spatial straight beam

The lineic²⁸ elastic strain energy density for the spatial rectilinear beam may be expressed as a quadratic function of its cross section resultants,

²⁵namely, forces or moments, but also a pressure load etc.

²⁶namely displacements and rotations, or, in the case of a pressure load, the volume spanned with deformation by the pressurized surface.

²⁷this nonlinear extension of the Castigliano theorem is however referred to in literature as the Crotti-Engesser theorem.

²⁸i.e. per unit length; the far more customary *linear* adjective is so overloaded of meanings that I rather prefer such an exotic alternative.




Figure 1.16: An elastic structure subject to large rotations, which shows a nonlinear stiffening behaviour; the bending moment diagram is evaluated based on the beam portion equilibrium in its *deformed* configuration. The complementary elastic strain energy U^* is plotted for a given applied load \bar{f} or assumed displacement $\bar{\delta}$, alongside the elastic strain energy U .

thus leading to the general form

$$\frac{dU}{dl} = \frac{1}{2} \begin{pmatrix} N \\ M_x \\ M_y \\ Q_x \\ Q_y \\ M_t \end{pmatrix}^\top \begin{pmatrix} a_{1,1} & g_{1,2} & g_{1,3} & i_{1,4} & i_{1,5} & i_{1,6} \\ 0 & b_{2,2} & e_{2,3} & i_{2,4} & i_{2,5} & i_{2,6} \\ 0 & 0 & b_{3,3} & i_{3,4} & i_{3,5} & i_{3,6} \\ 0 & 0 & 0 & c_{4,4} & f_{4,5} & h_{4,6} \\ 0 & 0 & 0 & 0 & c_{5,5} & h_{5,6} \\ 0 & 0 & 0 & 0 & 0 & d_{6,6} \end{pmatrix}_{\text{Sym}} \begin{pmatrix} N \\ M_x \\ M_y \\ Q_x \\ Q_y \\ M_t \end{pmatrix}, \quad (1.37)$$

where the coefficient matrix may be equivalently defined as an upper triangular matrix, or as its symmetric part; the symmetric part of such coefficient matrix also embodies the *compliance matrix* for the unit length beam segment.

Most of the 21 independent matrix coefficients are zero if a few properties hold for the beam cross section and material; in particular:

- the i coefficients are null if the material is symmetric with respect to the cross-sectional plane, i.e. if the material is *monoclinic* with respect to such a plane. An orthotropic material falls within this category if one of the principal directions is aligned with the beam axis. An isotropic material always falls within this category. Local scale material homogenization may be considered for composite materials which are pointwisely not compliant, but compliant in average (e.g. through-thickness balanced laminates);
- the g and the h coefficients are also zeroed if, as it ordinarily happens, the poles employed in evaluating the bending moments and the torsional moment coincide with the centroid and with the shear center, respectively. Moreover, the coordinate of those two points, if not otherwise obtained, may be derived by imposing zero g and h coefficients.
- the e coefficient is zero if the local x, y axes are aligned with the principal directions of inertia of the cross section;
- the f coefficient is zero for a dedicated orientation choice for the shear force components, which *may or may not*²⁹ coincide with

²⁹TODO, please check for a proof, or a counter-example.

the principal directions of inertia; those directions coincide to the symmetry axis and its perpendicular direction in the case of a symmetric cross section.

In the case of a homogeneous, isotropic material, the residual nonzero coefficients are defined as follows.

$$a_{1,1} = \frac{1}{EA} \quad \{b_{2,2}, b_{3,3}, e_{2,3}\} = \frac{\{J_{yy}, J_{xx}, 2J_{xy}\}}{E(J_{xx}J_{yy} - J_{xy}^2)}$$

$$d_{6,6} = \frac{1}{GK_t} \quad \{c_{4,4}, c_{5,5}, f_{4,5}\} = \frac{\{\chi_x, \chi_y, \chi_{xy}\}}{GA}$$

where

- A , J_{yy} , J_{xx} and J_{xy} are the section area and moments of inertia, respectively;
- K_t is the section torsional stiffness (**not** generally equivalent to its polar moment of inertia);
- E and G are the material Young Modulus and Shear Modulus, respectively.

The shear energy normalized coefficients $\chi_y, \chi_x, \chi_{xy}$ are specific to the cross section geometry, and may be collected from the expression of the shear strain energy due to the concurrent action of the Q_x, Q_y shear forces.

In the case the strain energy contribution of any of the stress resultants is to be neglected, the associated matrix coefficients may be set to zero; such manipulation makes the beam *rigid* with respect to the stress resultant whose contribution to the strain energy is nullified.




Figure 1.17: A rollbar-like frame; Figures a) and b) collect the considered in-plane and out-of-plane actions, respectively, which are split for added readability.

1.12 A semi-worked example: a rollbar-like frame

Let's considered the plane frame structure depicted in Fig. 1.17, representing a simplified rollbar; a thin-walled, circular steel profile is employed for both the upright and the cross members, whose median diameter and thickness are d and t , respectively ³⁰.

A global (E, xyz) reference system is employed³¹ to represent the frame nodal coordinates, if required, and the constraint reaction components.

A local reference system $(G, 123)$ is set along the beam segments, whose third axis follows the beam branch orientation, and whose first axis is everywhere aligned with the global z direction.

The rollbar frame is clamped at both the A and E ends, and it is

³⁰The present treatise is applicable to a generic material and cross section, provided that symmetry holds with respect to the plane the frame lies on; such further condition may be overcome coupling terms are considered between the otherwise uncoupled in-plane to out-of-plane problems.

³¹sorry for its unusual orientation, it has been inherited from some legacy lecture notes of mine.

loaded i) by a lateral force P , and ii) by a transverse force H , both applied at node C.

Expected results of the analysis are i) the internal action components at each frame node, and wherever they are maximal ii) the constraint reactions at the A and E clamps, iii) the lateral, inward³² deflections \tilde{u}_B, \tilde{u}_C at B and C, respectively, and iv) the transverse³³ deflections \tilde{w}_C, \tilde{w}_D at both C and D.

The second Castigliano theorem is resorted to for deflection calculation, thus requiring the application of auxiliary, fictitious external forces F and I , that may perform work with the monitored deflection, if not already set (see the H force).

The structure is six times statically indeterminate; the clamp at A is removed, and the associated six components of constraint reaction, see Fig. 1.17, are set as further, parametrically defined external loads; a statically determinate *principal* structure is hence obtained, which preserves the clamp at E as its only connection to ground.

The expression of the structure internal strain energy, namely

$$U(P, F, X_A, Y_A, \Psi_A, H, I, Z_A, \Theta_A, \Phi_A) \quad (1.38)$$

is obtained as a function of i) the applied loads and ii) of the parametrically defined reactions by integration of the lineic strain energy density along the structure; such energy density depends in turn on the pointwise value of the internal action components, see Eq. 1.37.

The actual value of those parametrically defined loads is obtained by imposing a null deflection along each of the six d.o.f.s at node A, and thus casting a linear (due to the assumed structure behaviour) system of six equations in the aforementioned six unknown parameters. Again, the second Castigliano theorem is employed in evaluating the node A generalized displacements.

Please note that Eq. 1.38 strain energy is deliberately *not* a function of the reactions at E. If the strain energy expression contains any of the reaction components associated to the principal structure residual constraints, their dependence (due to equilibrium) on external loads and parametrically defined reactions must be made explicit before applying the partial derivative operator³⁴

³²i.e. counter-oriented with respect to the x global axis

³³i.e., oriented along the negative global z direction

³⁴The contribution of the external loads and parametric reactions to the structure

The simplest way to do so is to substitute within U their expression according to the equilibrium equation solution.

Due to the symmetric nature of the structure under scrutiny, and to its assumed linear behavior, the overall problem may be partitioned into two uncoupled symmetric (or *in-plane*) and skew-symmetric (or *out-of-plane*) subproblems, that might be solved separately.

In order to streamline the treatise, the contribution alone is considered of the moment kind of stress resultants, thus neglecting the profile compliance with respect to axial and shear internal actions; such customary approximation - consistent with an *inextensible* Euler beam model - is justified by the supposed profile slenderness.

Figure 1.18 collects the contribution of each the in-plane external actions to the M_1 bending moment, plotted along the beam flank in tension. Such bending moment diagrams are obtained by considering the equilibrium of the portion of principal structure that spans from the A free end to each section which in turn is under scrutiny; please try to derive those diagrams on your own, since they *might hide some errors*.

We also notice that, consistently with the local axis orientation, M_1 is assumed positive if it stretches the profile fibers that are inner with respect to the frame.

Similarly, Fig. 1.19 collects the M_2 bending moment component, assumed positive if it stretches the fibers on the “back” of the frame (i.e. the cross section points whose z or 1 coordinates are the most negative), along with the M_t torsional moment, whose sign is explicitly reported. Again, please derive them independently, since *some mistakes might be present*.

We observe that all the diagrams are branchwise linear, due to the piecewise straight centroidal segment nature, and the absence of distributed actions. In such condition, a generic M moment components may be conveniently expresses as

$$M(s) = M_0 f\left(\frac{s}{l}\right) + M_l g\left(\frac{s}{l}\right), \quad f(\xi) = 1 - \xi, \quad g(\xi) = \xi$$

strain energy could otherwise remain nested within the constraint reaction symbols, at the risk of leaving them behind while performing the differentiation. Such loss of legitimate contributes actually occurs on the Maxima algebraic manipulator if the constraint reaction components are not *explicitly* declared dependent on the aforementioned actions.




Figure 1.18: XXX




Figure 1.19: XXX

where $s \in [0, l]$ is a dimensional abscissa which spans through the l extension of each oriented segment, M_0 and M_l are the moment values at the extremities, and $\{f, g\}$ are two weight function whose aim is to linearly interpolate the moment extremal values along the beam segment interior.

For each segment, the associated strain energy is evaluated as

$$U = \int_0^l \underbrace{\frac{M_1^2(s)}{2EJ}}_{\text{symm.}} + \underbrace{\frac{M_2^2(s)}{2EJ} + \frac{M_t^2(s)}{2GK_t}}_{\text{skew-symm.}} ds, \quad (1.39)$$

where

$$J = \frac{\pi d^3 t}{8}, \quad K_t = \frac{\pi d^3 t}{4}, \quad G = \frac{E}{2(1 + \nu)};$$

each beam branch contribution is finally accumulated to obtain the overall structure strain energy, possibly split into its symmetric and skew-symmetric parts.

Once the structure strain energy has been evaluated, we may proceed in evaluating the requested deflections as

$$\begin{aligned} \tilde{u}_B &= \frac{\partial U}{\partial F} & \tilde{u}_C &= \frac{\partial U}{\partial P} \\ \tilde{w}_C &= \frac{\partial U}{\partial H} & \tilde{w}_D &= \frac{\partial U}{\partial I}; \end{aligned}$$

similarly, we may derive the deflections at A, and cast a system of equations to enforce kinematic compatibility with the original constraints, namely

$$\begin{aligned} u_A &= \frac{\partial U}{\partial X_A} = 0 & v_A &= \frac{\partial U}{\partial Y_A} = 0 & \psi_A &= \frac{\partial U}{\partial \Psi_A} = 0 \\ w_A &= \frac{\partial U}{\partial Z_A} = 0 & \theta_A &= \frac{\partial U}{\partial \Theta_A} = 0 & \phi_A &= \frac{\partial U}{\partial \Phi_A} = 0. \end{aligned}$$

The value of the six unknown reactions at A may be then derived as a (linear) function of the remaining loads, e.g.

$$\begin{aligned} X_A &= X_A(F, P, H, I) = \alpha F + \beta P + \underbrace{\gamma H + \delta I}_{=0} \\ Y_A &= Y_A(F, P, H, I) = \dots \\ \Psi_A &= \dots \end{aligned}$$

etc., where the linear combination coefficients are placeholders for their actual counterparts which derive from the system solution. The fictitious nature of the H and I load is now explicated by assuming for them a null magnitude. Unless done before, the constraint reaction components at E may now be derived by solving the equilibrium equations for the whole principal structure.

Finally, we may substitute within the previously obtained \tilde{u}_B , \tilde{u}_C , \tilde{w}_C , and \tilde{w}_D displacements the now available expressions for the parametric reaction forces, thus obtaining their dependence on the F , P external loads alone.




Figure 1.20: A simplified ladder-frame chassis, consisting in two longitudinal channel-section beams spanning along the wheelbase; their connection to the axles are assumed as rigid for simplicity, and the three supports are such to exert a purely vertical reaction force.

1.13 A semi-worked example: a simplified ladder frame chassis

The present contribution concerns the *torsional stiffness*³⁵ evaluation for the simplified ladder-frame chassis depicted in Fig. 1.20, whose track width is $2c$ for both the axles, and whose wheelbase is $2a$; the length of the two rail profiles is nominally assumed equal to the wheelbase.

Torsional stiffness is an established chassis structure conventional property, which is significant for the suspension tuning practicability

³⁵a.k.a. torsional *rigidity*

with respect to under-/oversteering control; still, it is simplistic to assume that a high enough torsional stiffness may prevent handling issues in general, since, e.g. it is pretty uncoupled with the structure response to dynamic lateral forces. Nevertheless, the measurement procedure is straightforward, and the test rig is cheap.

Fig. 1.20a represents a formally correct test setting for the torsional stiffness; the chassis is *simply* supported at three of the wheel centers, whereas a vertical force F is applied at the fourth one, at which the d_w vertical deflection is also measured.

The vertical supports allow for three residual rigid body motions along the (O,xy) horizontal plane; a statically determinate set of further constraint is required for uniquely positioning the structure in space.

It is of the most importance to grant the statically determinate nature of the overall constraining system, since any further restraint might unduly support the loaded structure, and thus spuriously raising its observed stiffness.

A straightforward analysis of the chassis structure global equilibrium³⁶ returns that each axle is loaded by a pair of equal and opposite vertical forces - i.e. by a pure, longitudinally oriented moment vector, and that those two front and rear moments are self compensating. In the case of equal track widths, four vertical forces of equal magnitude F are applied at the four wheel centers, whose orientation switches along the axles, and from the axle to axle; in the case of different track widths, forces of equal magnitude are applied at each wheel of the axle, and they scale from the front to the rear with the inverse of the track width.

Once obtained the experimental ratio between the F force and the d_w deflection, the torsional stiffness k may be derived as the ratio between the magnitude of the torque applied to each axle, and the relative twist angle, namely

$$k = \frac{2cF}{\frac{d_w}{2c}} = \frac{F(2c)^2}{d_w}, \quad (1.40)$$

³⁶with reference to Fig. 1.20b, i) rotational equilibrium with respect to the rear PQ axle requires a downward F force at R, ii) rotational equilibrium with respect to the front LR axle requires that the two rear supports exert equal and opposite vertical reactions, whose magnitude is set by iii) the rotational equilibrium with respect to the longitudinal chassis axis.




Figure 1.21: A quarter portion of the ladder frame, which is the minimal portion to be modeled due to the dual skew-symmetry. Please note that the (O,xyz) reference system of the present figure coincides with its fixed counterpart as in Fig. 1.20 in the undeformed configuration only. The present figure reference frame partly follows, in fact, the structure deflection.

where the $2c$ track width pertains to the axle that includes the loaded (and monitored in deflection) wheel center.

In the case under scrutiny of equal track widths, the twice-symmetric structure is loaded by a system of four forces which are skew-symmetrically arranged with respect to both the (O,zx) and the (O,yz) planes³⁷.

A twice skew-symmetric problem is thus obtained, whose representative portion - a quarter of the whole structure - is represented Figure 1.21a.

³⁷a third skew-symmetry plane, namely the (O,xz) exists if the profiles are consistently symmetric; however, limited benefit is attained in considering such a third skew-symmetry plane in the treatise.

Skew-symmetry constraints are required at the intersection of the front axle rigid member with the (O, zx) plane - a point, this, which is *nominally* embodied by the A location³⁸, and at the intersection of the longitudinal rails with the (O, yz) plane, nominally taken at the D centroid of the interested cross section. Those constraints are set in order to grant material - or rigid body motion law - continuity between the modeled, representative portion of the structure, and its images, and they lead to the reaction forces and moments listed in Fig. 1.21b.

It worth to mention that the problem depicted in Fig. 1.20 is *not* twice skew-symmetric in itself, due to the unsymmetric nature of the support arrangement; however, the problem acquires such a property once the exerted reaction forces are considered, in place of the originating constraints.

In such cases, the problem solutions obtained i) for the complete structure, subject to the original constraints, and ii) for the representative portion, and duly mirrored, are consistent in terms of strains, stresses and with regard to their resultants, whereas they differ by a rigid body motion in terms of absolute displacement and rotations. Such a behavior can be rationalised by considering that a moving frame exists, according to which a [skew-]symmetric structure behavior is observed; this moving reference system is ideally pinned to the structure at the same d.o.f.s that are affected by the [skew-]symmetry constraints.

Most of the skew-symm. constraint reaction forces may be set based on the equilibrium equations for the quarter ladder-frame structure, see Fig. 1.21b; U_A and V_D are set null based on the translational equilibrium with respect to the global x and y axes, respectively. By casting a system of equations which involves the translational equilibrium with respect to z , and the rotational equilibrium with respect to the (O, x) and the (O, y) axes - see Figs 1.21c and 1.21d, other three unknown reactions amongst W_A , Φ_A , W_D and Θ_D may be defined; the remaining independent equilibrium equation - a rotational one, and associated to the (O, z) axis - is trivially satisfied in the absence of any contribution, thus making the overall system of equations rank deficient of degree one.

The [quarter] ladder-frame structure, loaded according to the torsional stiffness test, appears hence once *internally* statically indeter-

³⁸any point of the (O, zx) plane may equally serve the purpose

minate³⁹; we then define a principal structure by fictively releasing the z oriented constraint at A, and thus allowing for a z -oriented slip-page at the interface between the ABL rigid member and its image. As usual, the associated W_A reaction force is treated as a parameter, whose value is tuned to reinstate continuity at A; the remaining constraint reactions are then obtained as a linear combination of the F and W_A load parameters.

The second Castigliano theorem is employed to evaluate the w_A vertical deflection at A, which in turn requires the expression for the internal strain energy to be cast as a function of the same aforementioned load parameters.

Since the contribution of a rigid member to the structure strain energy is zero by definition, we proceed to the evaluation of the internal action components for the channel section rail; by considering the equilibrium of a DG rail segment, where G is a centroidal point taken at a s distance from D - see Fig. 1.21a, we obtain

$$N = 0 \quad Q_1 = -V_D = 0 \quad Q_2 = -W_D = W_A - F$$

and

$$M_1 = -sW_D = -s(W_A - F)$$

$$M_2 = +sV_D = 0$$

$$M_t = -\Theta_D + eW_D - fV_D = (F - W_A)(e + b) - Fc.$$

The torsional moment M_t does not coincide with $-\Theta_D$ since the V_D, W_D shear aligned forces are assumed as applied at the D - which is a centroid, and they result shifted with respect to the cross-sectional shear center.

The following expression for the strain energy lineic density is employed - cfr. Eq.1.37 - which preserves the contribution of all the internal action components

$$\begin{aligned} \frac{dU}{dl} = & \frac{N^2}{2EA\alpha_{axl}} + \frac{J_{22}M_1^2 + J_{11}M_2^2 + 2J_{12}M_1M_2}{2E(J_{11}J_{22} - J_{12}^2)\alpha_{flx}} \\ & + \frac{M_t^2}{2GK_t\alpha_{trs}} + \frac{\chi_1Q_1^2 + \chi_2Q_2^2 + \chi_{12}Q_1Q_2}{2GA\alpha_{shr}}. \end{aligned}$$

³⁹Please note that, apart from the peculiar [skew-]symmetric condition, a spatial closed ring is in general six times statically indeterminate.

Also, the cross section elastic characteristic with respect to each internal action component is scaled by a normally unit auxiliary factor α_{\square} , which may steer the elastic response towards infinite compliance ($\alpha_{\square} \rightarrow 0$) or infinite stiffness ($\alpha_{\square} \rightarrow \infty$); those stiffness multipliers will be employed in the discussion of the results below, and may be ignored otherwise.

We may now integrate such a lineic strain energy density over the interval $s \in [0, a]$, thus obtaining the U internal strain energy for the quarter frame as a quadratic function of F and W_A .

The vertical deflection at A may then be derived according to the Castigliano theorem, and may be set to zero in order to obtain the expression of W_A as a linear function of F .

As in the previous worked example, such $W_A(F)$ is substituted within the $U(F, W_A)$ quarter frame internal energy expression, which becomes a function of the sole external load F .

A further applications of the Castigliano theorem let us derive the d deflection of the F force application point for the quarter ladder-frame structure, i.e. with respect to the aforementioned moving reference system, according to which the displacement field is twice skew-symmetric.

The absolute d_w deflection of the L wheel center, i.e. the deflection observed according to a reference system consistent with the three supports of Fig. 1.20, may be derived based on the observation that the internal energy for the *whole* chassis is four times the one evaluated for the quarter structure; we thus obtain

$$d_w = \frac{d(4U)}{dF} = 4d. \quad (1.41)$$

Such a result may be rationalized considering the $(-d, +d, -d, +d)$ vertical deflections of the (L,P,Q,R) points, respectively, derived from the mirrored quarter structure response. A downward, uniform, translation of magnitude d reestablishes the congruence with the fixed supports at points P,R, with overall deflections $(-2d, 0, -2d, 0)$. Finally, a suitable rotation with respect to the PR diagonal raises of a $2d$ quantity the vertical position of the Q point, thus reinstating compliance with the third support. Since the L and the Q points are located at an equal distance from the pivot line, the same rotation lowers the L point of an equal $2d$ quantity, thus leading to the absolute deflection configuration $(-4d, 0, 0, 0)$.




Figure 1.22: Dimensions for the channel section employed in calculations. The web height h is the relevant dimensional parameter, whereas v is the ratio between the flange width and the web height, and ϵ sets the ratio between the wall thickness – assumed uniform – and the web height. Centroidal coordinates (m, n) are measured with respect to the web midspan, whereas the shear center coordinates (e, f) are measured with respect to the centroid. Please note that the cross-section properties reported in the maxima worksheet are evaluated according to a small thickness hypothesis, i.e. their expressions is consistent with a vanishing ϵ , first order Taylor expansion.

The ladder-frame chassis torsional stiffness may be then evaluated according to Eqn. 1.40, which leads to a pretty composite expression whose rationalization is complicated.

In order to isolate the influence of the various parameters, a reference configuration is defined in terms of channel section and global chassis dimensions. In particular, the worked example provided in form of a maxima worksheet employs the channel section of Fig.1.22 for both the rails. Also, all the α_{\square} auxiliary stiffness multipliers are bonded to unity in the reference case.

The response of the structure to the variation of one or more parameters is assessed based on the torsional stiffness ratio between the altered configuration, and the reference one.

Leaving to the willing reader the influence analysis of the various parameters⁴⁰, we focus on how the three main sources of compliance

⁴⁰Consider in particular the influence of the rail span length a , of their mutual distance b , and the influence of the cross section size h and thickness t . Since the

– namely, the rail compliance to the torsional moment, to the bending moment, and to shear actions – interact in defining the overall compliance of the simple structure under scrutiny.

The ratio is hence considered between the chassis torsional stiffness for the reference configuration, namely k_{ref} , and its $k(\alpha_{\text{trs}}, \alpha_{\text{flx}}, \alpha_{\text{shr}})$ counterpart obtained with given α_{trs} , α_{flx} and α_{shr} profile torsional, bending a shear stiffness multipliers, respectively.

If we speculate the profile flexural⁴¹ and shear stiffness to vanish, i.e. the longitudinal rail torsional stiffness is fictitiously left alone in elastically connecting the two rigid elements, we may consider the limit

$$\lim_{\alpha_{\text{flx}}, \alpha_{\text{shr}} \rightarrow 0} \frac{k(1, \alpha_{\text{flx}}, \alpha_{\text{shr}})}{k_{\text{ref}}} = p > 0 \quad (1.42)$$

which returns a nonzero fraction of the unity, whose value is pretty small for the open thin-walled section under scrutiny, but that might become relevant for bulky closed section profiles. Each profile is in fact twisted by the same amount of relative rotation that occurs between the two front and rear rigid members, thus accumulating internal strain energy, and thus requiring a finite work-supplying external force.

We now consider the complementary condition, in which the two rails lose their capability to elastically react to torsion, whilst retaining their full shear and flexural stiffness; we hence consider the limit

$$\lim_{\alpha_{\text{trs}} \rightarrow 0} \frac{k(\alpha_{\text{trs}}, 1, 1)}{k_{\text{ref}}} = 1 - p > 0 \quad (1.43)$$

which also returns a nonzero fraction of the unity, complementary to the former one, as expected. Such a fraction of the overall stiffness may be observed to vanish e.g. with vanishing spacing between the two rails; it is in fact associated to the vertical misalignment of the longitudinal beam ends, which equates the product of the relative rigid member rotation by an arm that is equal to half the rail spacing. Such

material is homogeneous and isotropic, the stiffness varies linearly with the Young modulus, you don't really have to check. For a cleaner analysis, try also to isolate the various sources of compliance, i.e. compliance with respect to bending moments, torsional moment, and shear actions alone.

⁴¹Here, we follow for added clarity the academic distinction between *bending*, which – in consistency with to the general *nonuniform* bending meaning – may be employed as an umbrella term for both flexure and shear, and *flexure*, which excludes shear contributions.

a vertical misalignment may not be achieved through a profile rigid motion, and hence a further contribution is due to the overall strain energy.

The complementary nature of the two above quantities hints for a in parallel disposition of the two means the profile may react to the relative rotation of the rigid members they are clamped to.

The latter contribution may be further scrutinized by splitting the two distinct shear and flexural contributions; we consider in particular the two limits

$$\lim_{\alpha_{\text{shr}} \rightarrow 0} \lim_{\alpha_{\text{trs}} \rightarrow 0} \frac{k(\alpha_{\text{trs}}, 1, \alpha_{\text{shr}})}{k_{\text{ref}}} = 0 \quad \lim_{\alpha_{\text{flx}} \rightarrow 0} \lim_{\alpha_{\text{trs}} \rightarrow 0} \frac{k(\alpha_{\text{trs}}, \alpha_{\text{flx}}, 1)}{k_{\text{ref}}} = 0 \quad (1.44)$$

which both vanish, thus indicating that none of the two isolated elastic reactions may be activated alone. By turning into rigid the profile with respect to either shear or flexure, i.e.

$$\lim_{\alpha_{\text{shr}} \rightarrow \infty} \lim_{\alpha_{\text{trs}} \rightarrow 0} \frac{k(\alpha_{\text{trs}}, 1, \alpha_{\text{shr}})}{k_{\text{ref}}} = q > 1 - p > 0 \quad (1.45)$$

$$\lim_{\alpha_{\text{flx}} \rightarrow \infty} \lim_{\alpha_{\text{trs}} \rightarrow 0} \frac{k(\alpha_{\text{trs}}, \alpha_{\text{flx}}, 1)}{k_{\text{ref}}} = r > 1 - p > 0, \quad (1.46)$$

we obtain finite normalized flexural and shear compliances, $1/q$ and $1/r$ respectively, whose sum equates the cumulative compliance $1/(1 - p)$ attributable to the overall bending. An in-series arrangement of the two flexural and shear compliances is thus suggested, which finds rationalization in the fact that the same end transverse shift may be accomodated both through i) an S-shaped, purely flexural deflection, ii) through a card-deck pure shear inclination, or iii) a combination of the two.

The compliance components' arrangement for the simplified ladder-frame chassis under scrutiny is shown in Figure 1.23; in a general structure, the mutual interaction of the elastic members may not be pigeonholed within the simplistic “many in parallel” or “many in-series” models; a complex combination of those two elementary modes may be considered even for the simple, single d.o.f. case treated in the present paragraph.

It is finally noted that, in the case of struts manufactured from composite laminates, the speculative selective deactivation of one or




Figure 1.23: An ASCII art rationalization of the compliance components' arrangement for the simplified ladder frame chassis under scrutiny; the torsional elastic compliance of the profiles acts in parallel with their combined in-series flexural and shear compliance.

the other mean of elastic response earns actual significance, since the simple lack of dedicated laminae may suffice in obtaining such a tricky behavior; as an example, the absence of axially oriented fibers in a CFRP laminated profile may lead to a condition which is very similar to the $\alpha_{flx} \rightarrow 0$ case.

Chapter 2

Fundamentals of Finite Element Method for structural applications

2.1 Basic formulation for plates and shells

2.1.1 Some assumptions for the kinematic model of the plate

A necessary condition for applying the plate/shell model framework to a deformable body is that a geometrical midsurface might be, if only loosely, recognized for such a body. Then, an iterative refinement procedure¹ may be applied to such tentative midsurface guess.

Then, material should be observed as [*piecewise-*]homogeneous, or slowly varying in mechanical properties while moving at a fixed distance from the midsurface.

Of the two outer surfaces, one has to be defined as the *upper* or *top* surface, whereas the other is named lower or *bottom*, thus implicitly orienting the midsurface normal towards the top.

Finally, the body should result fully determined based on a) its midsurface, b) its pointwise thickness, and c) the through-thickness (TT) distribution of the constituent materials.

The geometrical midsurface is of little significance if the material distribution is not symmetric²; such midsurface, in fact, exhibits no relevant properties in general. Its definition is nevertheless pretty straightforward.

In the present treatise, a more general *reference* surface definition is preferred to its median geometric counterpart; in particular, an *offset* term o is considered that pointwisely shifts the geometric midsurface with respect to the reference surface. A positive offset shifts the midsurface towards the top.

With the introduction of the offset term, the reference surface may be arbitrarily positioned with respect to the body itself; as an example, an offset set equal to plus or minus half the thickness makes the reference surface correspondent to the bottom or top surfaces, respectively.

Such offset term becomes fundamental in the Finite Element (FE) shell implementation, where, in fact, the reference plane is uniquely

¹Normal segments may be cast from each point along the midsurface, that end on the outer body surfaces. The midpoint locus of these segments redefines the midsurface itself.

²If the unsymmetric laminate is composed by isotropic layers, a reference plane may be obtained for which the \underline{b} membrane-to-bending coupling matrix vanishes; a similar condition may not be verified in the presence of orthotropic layers.

defined by the position of the nodes, whereas the offset arbitrarily shifts the geometrical midsurface.

In the case of limited³ curvatures, and for considerations whose scope is local, the tangent reference plane may be employed in place of the possibly curve reference surface, thus locally reducing the general shell treatise to its planar, plate counterpart.

Figure 2.1 shows the basic kinematic relations for the shear deformable (Mindlin) plate model; in the undeformed configuration, P is a generic material point along the plate thickness, and Q is its normal projection on the reference plane. Such Q point is named *reference point* for the TT normal segment it belongs to.

A local reference system is defined, whose third axis z is normal to the undeformed midsurface; the first in-plane (IP) x axis may be arbitrarily oriented, e.g. by projecting a global \hat{v} unit vector, and the remaining y axis may be construed such that it finalizes the right xyz triad.

Then, the deformed configuration is considered, and the motion of both the points is monitored according to two mutually orthogonal views.

The P displacement components (u_P, v_P, w_P) may be defined as a function of the motion of its reference point Q, described in terms of its displacement components (u, v, w) , plus the two θ, ϕ rotation components with respect to the x, y IP local axes, respectively. Those angular displacements are defined with respect to the normal segment orientation, as measured on the orthogonally projected views. After some cumbersome trigonometric manipulations⁴ we obtain

$$\begin{aligned} u_P &= u + z(1 + \check{\epsilon}_z) \frac{\cos \theta}{\sqrt{1 - \sin^2 \phi \sin^2 \theta}} \sin \phi \\ v_P &= v - z(1 + \check{\epsilon}_z) \frac{\cos \phi}{\sqrt{1 - \sin^2 \phi \sin^2 \theta}} \sin \theta \\ w_P &= w + z \left((1 + \check{\epsilon}_z) \frac{\cos \phi \cos \theta}{\sqrt{1 - \sin^2 \phi \sin^2 \theta}} - 1 \right), \end{aligned}$$

³with respect to thickness

⁴in which it may happen to miss some higher order terms, as the author persistently did in previous versions of the present notes




Figure 2.1: Relevant dimensions for describing the deformable plate kinematics. Here, two a, b factors are introduced which reduce to unity for small rotations and strain.

where $z(1 + \check{\epsilon}_z)$ is the length of the PQ segment on the deformed configuration, which is further scaled by the fractional factors due to projection along Fig. 2.1 views.

The $\check{\epsilon}_z$ average z strain term is defined based on the accumulation of the Poisson shrinkage (or elongation) along the PQ segment, i.e.

$$\begin{aligned}\check{\epsilon}_z(z) &= \frac{1}{z} \int_0^z \epsilon_z d\zeta \\ &= \frac{1}{z} \int_0^z -\frac{\nu}{1-\nu} (\epsilon_x + \epsilon_y) d\zeta,\end{aligned}$$

the second expression holding in the case of isotropic materials only.

The stress component σ_z which is normal to the reference surface is in fact assumed to be either zero or negligible. Being a full discussion⁵ of such a plane stress assumption beyond the scope of the present contribution (BSPC), we limit our treatise to the observation that, in the inevitably anecdotal case of Fig. 2.2, the ratio between the OOP σ_z stress component and its IP counterparts varies with the square of the ratio between the thickness and an in plane significant length. The engineering relevance of such a normal stress component rapidly vanishes with increasing plate thickness. The Fig. 2.2 examples also points out the intermediate magnitude decay of the OOP shear stresses, whose normalized form linearly varies with the same thickness ratio.

Such displacement components may be linearized with respect to i) the small rotations and ii) small ϵ_z strain hypotheses, thus obtaining the following expressions

$$u_P = u + z\phi \quad (2.1)$$

$$v_P = v - z\theta \quad (2.2)$$

$$w_P = w. \quad (2.3)$$

⁵Such assumption is coherent with the free surface conditions at the top and the bottom skins, and with the moderate thickness of the elastic body, that allows only a narrow deviation from the boundary values. In fact, the equilibrium of a partitioned, TT material segment requires that

$$\sigma_z(z) = - \int_{-h/2+o}^z \frac{\partial \tau_{zx}}{\partial x} + \frac{\partial \tau_{yz}}{\partial y} dz = + \int_z^{+h/2-o} \frac{\partial \tau_{zx}}{\partial x} + \frac{\partial \tau_{yz}}{\partial y} dz,$$

where τ_{zx}, τ_{yz} are the interlaminar, OOP shear stress components, whose IP gradient is limited.




Figure 2.2: Normalized stress component magnitude in the case of a simply supported circular plate subject to normal pressure, according to the spatial theory of elasticity framework, see [2, p.349]. A homogeneous and isotropically elastic circular plate of diameter d and thickness h is simply supported along its perimeter (i.e. apart from the their transverse component, displacements are free, and so are rotations), and it is loaded by a unit pressure at its upper surface. The peak magnitude of the transverse stress σ_z is observed at the pressurized surface, and it equates the pressure value. The OOP shear stress τ_{zr} is maximal along the perimeter, and it equates $\frac{3}{8} \left(\frac{d}{h}\right)$. The two equal IP direct stress components $\sigma_r = \sigma_\theta$ reach the peak value of $\frac{3(\nu+3)}{32} \left(\frac{d}{h}\right)^2 + \frac{\nu+2}{20}$ in correspondence of the plate center, at the surface; its thin plate counterpart, σ_{ref} , which lacks the second term, is taken as the normalizing stress value. The remaining $\tau_{r\theta}, \tau_{\theta z}$ stress components are zero due to axisymmetry. The commonwise $\nu = 0.3$ Poisson ratio value is used in tracing the Figure.

A treatise of the large rotation and/or large strain nonlinear case is, again, BSPC.

According to such linearized expression, the kinematics of the P points originally⁶ laying on a TT segment that is normal at Q to the reference surface may be described as that of a rigid body.

The intrinsic shear related warping is either negated or neglected, along with any sliding motion of the P points along the segment⁷.

Also, the behaviour of such a segment is coherent with its rigid body modeling from the external loads point of view; in particular the external actions act on the plate deformable body only through their TT resultants, and no stress/strain components, or work, are associated by the shell framework to wall squeezing actions, e.g. laminations.

We thus observe that, according to the shell framework, the following external actions are not distinguishable: i) a q pressure applied at the upper surface, ii) a $-q$ traction applied at the lower surface, iii) a q differential pressure between the outer surfaces, with $p + q$ applied at the top, and a generic p applied at the bottom, and iv) a transverse inertial force whose area density is q , namely due to a oppositely oriented $\frac{q}{\rho h}$ acceleration, where ρ is the material density. Also, a fp , friction induced, x -oriented shear action at the upper surface is not distinguishable from an analogous distributed force for unit area applied at the reference surface, plus a y -oriented distributed moment per unit area, whose magnitude is $fp(h/2 + o)$.

By observing the deformed configurations in Fig. 2.1, the normal displacement $\left(\frac{\partial w}{\partial x}, \frac{\partial w}{\partial y}\right)$ gradient – i.e. the gained slope of the deformed reference surface, with respect to its original orientation – is made up of two terms, namely the rotation of the normal segment, which originates from the accumulation of the flexural curvature, and the shear compliance, which resembles the transverse slippage typical of a

⁶i.e. in the undeformed configuration

⁷The elision of higher order terms renders the laminate kinematically – but not elastically – indistinguishable from its counterpart that might derive from a plane *strain* assumption.

card deck. The following expressions are derived

$$\frac{\partial w}{\partial x} = \bar{\gamma}_{zx} - \phi \quad (2.4)$$

$$\frac{\partial w}{\partial y} = \bar{\gamma}_{yz} + \theta \quad (2.5)$$

in which the bar notation employed for the OOP shear components emphasizes their TT average nature.

2.1.2 Local and generalized strains

The IP strain components may hence be derived at the P point through differentiation, and in particular we have

$$\epsilon_x = \frac{\partial u_P}{\partial x} = \frac{\partial u}{\partial x} + z \frac{\partial \phi}{\partial x} \quad (2.6)$$

$$\epsilon_y = \frac{\partial v_P}{\partial y} = \frac{\partial v}{\partial y} - z \frac{\partial \theta}{\partial y} \quad (2.7)$$

$$\gamma_{xy} = \frac{\partial u_P}{\partial y} + \frac{\partial v_P}{\partial x} \quad (2.8)$$

$$= \left(\frac{\partial u}{\partial y} + \frac{\partial v}{\partial x} \right) + z \left(+ \frac{\partial \phi}{\partial y} - \frac{\partial \theta}{\partial x} \right) \quad (2.9)$$

It clearly appears from the expressions above that the pointwise strain values are due to the sum of i) the strain components as observed at the reference plane,

$$\underline{e} = \begin{bmatrix} \frac{\partial u}{\partial x} \\ \frac{\partial v}{\partial y} \\ \frac{\partial u}{\partial y} + \frac{\partial v}{\partial x} \end{bmatrix} = \begin{bmatrix} e_x \\ e_y \\ g_{xy} \end{bmatrix} \equiv \underline{\epsilon}_Q \quad (2.10)$$

which are named *membrane* strains⁸ in the customary case in which the material is symmetric⁹ with respect to the reference plane, plus ii) terms that linearly scale with the z distance from such a plane, whose coefficients

⁸ \underline{e} is an alternative symbol for the more natural, and previously employed $\bar{\epsilon}$, whose double barred appearance is however terrible. To complete the transition, also the $\bar{\epsilon}_x$, $\bar{\epsilon}_y$ and $\bar{\gamma}_{xy}$ symbols have been changed onto their e_x , e_y , g_{xy} counterpart.

⁹or, more generally, elastically balanced

$$\underline{\kappa} = \begin{bmatrix} +\frac{\partial\phi}{\partial x} \\ -\frac{\partial\theta}{\partial y} \\ +\frac{\partial\phi}{\partial y} - \frac{\partial\theta}{\partial x} \end{bmatrix} = \begin{bmatrix} \kappa_x \\ \kappa_y \\ \kappa_{xy} \end{bmatrix} \quad (2.11)$$

are named *curvatures*.¹⁰ The strains at the reference surface, and the curvatures constitute the set of plate [shell] *generalized strain components*, which are e.g. usually returned by FE solvers; those components allow for the following compact representation of the IP strains at P

$$\underline{\epsilon}_P \equiv \underline{\epsilon} = \underline{e} + z \underline{\kappa}. \quad (2.12)$$

It worth to be stressed that the kinematic assumptions for the plate model impose a linear TT profile for each single IP strain component; those components may hence be sampled at the outer surfaces alone, without loss of information. It is here anticipated that an analogous behaviour is proper of the IP stress components if and only if (IIF) the material is elastically homogeneous along the thickness .

The two κ_x and κ_y curvatures equate to the inverse of the normal curvature radii, as probed along the respective local directions; those curvatures are positive if the upper plate fibers are stretched, or, equivalently, if the reference surface acquires convexity if observed from above – i.e. from a point on the positive z axis.

Figure 2.3 clarifies the nature of the *mixed* curvature term κ_{xy} , which is e.g. typical of open thin walled members – and flat plates as a particular case – subject to torsion¹¹.

¹⁰Please note that in the case of shells, the bare *curvature* name may be confusing, since it might refer to either

- the initial, original, geometric, undeformed curvature, which is proper of the shell before the application of some external loads, or to the
- strain, strain-induced, elastic[-plastic], bending, flexural curvature, or curvature change, which consist in the variation of the thin wall curvature due to the effect of the applied loads.

Except for [locally] flat panels, the author suggests to always specify which kind of curvature we refer to. Here, *curvature* is used with reference to *curvature change*.

¹¹the *torsional* curvature denomination for the κ_{xy} term, that the present author has widely employed in the past, is not so proper nor widespread, so it might be better avoided. Flexure and torsion are in fact not as uncoupled in the plate realm as they are in beam theory, and *flexure* might be conveniently employed as an




Figure 2.3: Positive κ_{xy} mixed curvature for the plate element. The grayscale coloring is proportional to the normal displacement w , which spans from an extremal downward deflection (black), to an equal in modulus extremal upward deflection (white). The gray level at the centroid is associated to zero. Subfigure (a) shows the positive γ_{xy} shear strain at the upper surface, the IP undeformed midsurface, and the negative γ_{xy} at the lower surface; the point of sight related to subfigures (b) to (d) are also evidenced. θ and ϕ rotation components decrease with x and increase with y , respectively, thus leading to positive κ_{xy} contributions. As shown in subfigures (c) and (d), the mixed curvature of subfigure (b) evolves into two anticlastic bending curvatures if the reference system is aligned with the square plate element diagonals, and hence rotated by 45° with respect to z .

2.1.3 Stresses, and their through-thickness resultants

The IP stress components at P are derived from strains by referring to the material elastic constants, and to the plane stress hypothesis. We hence have

$$\begin{bmatrix} \sigma_x \\ \sigma_y \\ \tau_{xy} \end{bmatrix} = \underline{\underline{\sigma}} = \underline{\underline{D}} \underline{\underline{\epsilon}} = \underline{\underline{D}} \underline{\underline{e}} + z \underline{\underline{D}} \underline{\underline{\kappa}}, \quad (2.13)$$

where $\underline{\underline{D}}$ embodies the material constitutive law which elastically relates to IP stress/strain components, and which is derived according to the plane stress hypothesis.

In the particular case of an isotropic material – the generally orthotropic case is treated below – such a matrix takes the form

$$\underline{\underline{D}} = \frac{E}{1 - \nu^2} \begin{bmatrix} 1 & \nu & 0 \\ \nu & 1 & 0 \\ 0 & 0 & \frac{1-\nu}{2} \end{bmatrix}, \quad (2.14)$$

whereas the normal component of strain, which is due to the Poisson shrinkage alone, may be evaluated as

$$\epsilon_z = -\frac{\nu}{1 - \nu} (\epsilon_x + \epsilon_y). \quad (2.15)$$

The attentive reader may observe that no mention is made to the OOP shear stresses, to which a paragraph is devoted below.

Moreover, the absence of transverse shear terms in current paragraph formulation, and in particular in Eq. 2.13, hints for the IP and the OOP stress/strain components to be elastically uncoupled; the material has evidently been *implicitly* assumed as monoclinic with respect to the reference surface. Such a condition holds e.g. for isotropic materials, and for the orthotropic plies usually employed in laminates.

As in the classical theory of beams, stress components are integrated along the relevant unit of analysis, namely the cross section there, and the normal segment here, to obtain suitable internal action resultants.

umbrella term that also encompass profile (open and thin) wall deformation due to pure torsion.




Figure 2.4: XXX

According to the thin plate framework, stress resultants take the form of forces per unit length along the surface, and they may be expressed as

$$\begin{aligned} \underline{\mathbf{q}} &= \begin{bmatrix} q_x \\ q_y \\ q_{xy} \end{bmatrix} = \int_h \underline{\boldsymbol{\sigma}} dz \\ &= \underbrace{\int_h \underline{\mathbf{D}} dz}_{\underline{\mathbf{a}}} \underline{\mathbf{e}} + \underbrace{\int_h \underline{\mathbf{D}} z dz}_{\underline{\mathbf{b}}} \underline{\boldsymbol{\kappa}} \end{aligned} \quad (2.16)$$

in the case of the IP components, whereas for the OOP components we have

$$\underline{\mathbf{q}}_z = \begin{bmatrix} q_{xz} \\ q_{yz} \end{bmatrix} \quad q_{xz} = \int_h \tau_{zx} dz \quad q_{yz} = \int_h \tau_{yz} dz. \quad (2.17)$$

Those quantities may be interpreted with respect to their (doubled if single) subscripts as follows: q_{ab} is the b component of internal action that is transmitted through a TT imaginary gate, whose in plane width is unit and whose normal is oriented along a . According to this rationalization, the $\underline{\mathbf{q}}$ components are also called *stress flows*.

Besides the internal action resultants of the force kind, by weighting the stress component contribution based on their z lever arm we obtain

the moment stress resultants (or *moment flows*), whose expressions follow

$$\begin{aligned} \underline{\underline{\mathbf{m}}} &= \begin{bmatrix} m_x \\ m_y \\ m_{xy} \end{bmatrix} = \int_h \underline{\underline{\boldsymbol{\sigma}}} z dz \\ &= \underbrace{\int_h \underline{\underline{\mathbf{D}}} z dz}_{\underline{\underline{\mathbf{b}}} \equiv \underline{\underline{\mathbf{b}}}^T} \underline{\underline{\mathbf{e}}} + \underbrace{\int_h \underline{\underline{\mathbf{D}}} z^2 dz}_{\underline{\underline{\mathbf{c}}}} \underline{\underline{\boldsymbol{\kappa}}}. \end{aligned} \quad (2.18)$$

A selection of internal action components is represented in Fig. 2.4 shows, along with the stress distributions they arise from.

2.1.4 Constitutive equations for the plate

By employing the matrices defined in Eqs. 2.16 and 2.18, the cumulative generalized strain - stress resultants relations for the plate (or for the laminate) may be summarized in the following expressions

$$\begin{bmatrix} \underline{\underline{\mathbf{q}}} \\ \underline{\underline{\mathbf{m}}} \end{bmatrix} = \begin{bmatrix} \underline{\underline{\mathbf{a}}} & \underline{\underline{\mathbf{b}}} \\ \underline{\underline{\mathbf{b}}}^T & \underline{\underline{\mathbf{c}}} \end{bmatrix} \begin{bmatrix} \underline{\underline{\mathbf{e}}} \\ \underline{\underline{\boldsymbol{\kappa}}} \end{bmatrix} \quad (2.19)$$

which are usually referred to as the *constitutive equations* of the [laminate] plate, and the coefficient matrix, named *constitutive matrix* for the laminate, summarizes the elastic response of the latter.

The contribution of the IP stress/strain components to the elastic strain energy area density¹² is defined based on the previous relation as

$$v^\dagger = \frac{1}{2} \begin{bmatrix} \underline{\underline{\mathbf{q}}} \\ \underline{\underline{\mathbf{m}}} \end{bmatrix}^T \begin{bmatrix} \underline{\underline{\mathbf{e}}} \\ \underline{\underline{\boldsymbol{\kappa}}} \end{bmatrix} \quad (2.20)$$

$$= \frac{1}{2} \begin{bmatrix} \underline{\underline{\mathbf{e}}} \\ \underline{\underline{\boldsymbol{\kappa}}} \end{bmatrix}^T \begin{bmatrix} \underline{\underline{\mathbf{a}}} & \underline{\underline{\mathbf{b}}} \\ \underline{\underline{\mathbf{b}}}^T & \underline{\underline{\mathbf{c}}} \end{bmatrix} \begin{bmatrix} \underline{\underline{\mathbf{e}}} \\ \underline{\underline{\boldsymbol{\kappa}}} \end{bmatrix}. \quad (2.21)$$

The $\underline{\underline{\mathbf{a}}}$ and the $\underline{\underline{\mathbf{c}}}$ minors of the constitutive matrix characterize the plate stiffness with respect to membrane and flexural load case families respectively; the membrane/flexural coupling stiffness minor

¹²i.e. strain energy per unit reference surface area

$\underline{\underline{b}}$, which is in general nonzero, vanishes if the material is symmetrically distributed with respect to the reference surface.

In the commonwise case of TT homogeneous material, and null offset¹³ we have

$$\underline{\underline{a}} = h \underline{\underline{D}} \qquad \underline{\underline{b}} = \underline{\underline{0}} \qquad \underline{\underline{c}} = \frac{h^3}{12} \underline{\underline{D}},$$

i.e. the membrane stiffness varies linearly with the wall thickness, the flexural stiffness varies with the cube of the thickness, and the membrane and the flexural loadings are mutually uncoupled. Such a laminate elastic properties dependence on thickness essentially holds also for laminates, if the TT distribution of the various materials is kept comparable.

2.1.5 The transverse shear stress/strain components

A full treatise on the title topic is, due to its complexity, BSPC; starting points for further investigation may be found in [3], [4] or in the theory manual of your favourite FE solver¹⁴.

The two transverse shear components

$$\underline{\underline{\gamma}}_z = \begin{bmatrix} \bar{\gamma}_{yz} \\ \bar{\gamma}_{zx} \end{bmatrix}$$

are in fact more directly recognizable as further contributions to the $\left(\frac{\partial w}{\partial x}, \frac{\partial w}{\partial y}\right)$ normal deflection gradient, with respect to what is attributable to flexure alone, than TT averages of actual, pointwise shear strains – see e.g. Figure 2.1. Also, the two

$$\underline{\underline{q}}_z = \begin{bmatrix} q_{xz} \\ q_{yz} \end{bmatrix}$$

stress flow components defined in Eq. 2.17 are recognized to perform work¹⁵ on the same $\bar{\gamma}_{yz}$ and $\bar{\gamma}_{zx}$ transverse shear components, respectively; the transverse shear contribution to the elastic strain energy per

¹³In the presence of a nonzero offset between the reference and the median planes, the uncoupled nature of the plate membrane/flexural loadings is only *formally* lost. If the same problem is considered based on a median reference plane, in fact, such a property is obviously restored.

¹⁴See e.g. MSC.Marc 2013.1 Documentation, Vol. A, pp. 433-436

¹⁵in particular, work for unit reference surface area

unit ref. surface area is hence

$$v^\ddagger = \frac{1}{2} \underline{\mathbf{q}}_z^\top \underline{\boldsymbol{\gamma}}_z = \frac{1}{2} q_{xz} \bar{\gamma}_{xz} + \frac{1}{2} q_{yz} \bar{\gamma}_{yz}. \quad (2.22)$$

The constitutive equation for the transverse shear is set at normal segment (vs. punctual) level, with the declared aim of collecting the elastic strain energy contributions along the thickness, and they are usually formulated as

$$v^\ddagger = \frac{1}{2} \underline{\boldsymbol{\gamma}}_z^\top \chi \underbrace{\int_h \underline{\underline{\mathbf{G}}} dz}_{\underline{\underline{\Gamma}}} \underline{\boldsymbol{\gamma}}_z \quad (2.23)$$

where $\underline{\underline{\mathbf{G}}}$ is the pointwise constitutive matrix for the transverse shear components¹⁶ – which is considered through its TT integral, χ is a *shear correction factor* – which accommodates for possibly any incongruence in the formulation, and $\underline{\underline{\Gamma}}$ is an emended transverse shear constitutive matrix for the whole plate. By comparing Eqns. 2.22 and 2.23 we also derive the *de facto* transverse shear constitutive relation

$$\underline{\mathbf{q}}_z = \underline{\underline{\Gamma}} \underline{\boldsymbol{\gamma}}_z. \quad (2.24)$$

for the Mindlin shear deformable plate.

In the case of isotropic materials, $\underline{\underline{\mathbf{G}}}$ is a diagonal matrix whose terms equate the shear modulus, i.e.

$$\underline{\underline{\mathbf{G}}} = \frac{E}{2(1+\nu)} \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix},$$

whereas the χ shear correction factor is usually assumed as $\frac{5}{6}$ if the material is TT uniform¹⁷; different χ values are however proposed in literature, see e.g. [5], along with different procedures¹⁸ for evaluating $\underline{\underline{\Gamma}}$.

¹⁶ $\underline{\underline{\mathbf{G}}}$ is the 2 by 2 matrix s.t. $\begin{bmatrix} \tau_{zx} \\ \tau_{yz} \end{bmatrix} = \underline{\underline{\mathbf{G}}} \begin{bmatrix} \gamma_{zx} \\ \gamma_{yz} \end{bmatrix}$.

¹⁷ please note the parallel with the inverse 1.2 correction factor for the shear contribution to the beam elastic strain energy, proper of the solid rectangular cross section.

¹⁸ we report as an example the notable case of of honeycomb panels – whose transverse shear compliance is rarely negligible, in which Γ is defined as the $\underline{\underline{\mathbf{G}}}_{\text{foam}}$ transverse shear constitutive matrix for the foam/honeycomb material interposed between the outer skins, multiplied by the overall panel thickness h ; in this case the χ transverse shear correction factor is implicitly defined as unity.

In the case pointwise values are requested for the τ_{zx} and τ_{yz} stress components – e.g. in the analysis of interlaminar stresses in composite laminates, those quantities are derived from the assumed absence of shear stresses on the lower surface, and by accumulating the IP stress component contributions to the x and y translational equilibria up to the desired z sampling height. We hence obtain

$$\tau_{zx}(z) = - \int_{-\frac{h}{2}+o}^z \frac{\partial \sigma_x}{\partial x} + \frac{\partial \tau_{xy}}{\partial y} dz \quad (2.25)$$

$$\tau_{yz}(z) = - \int_{-\frac{h}{2}+o}^z \frac{\partial \tau_{xy}}{\partial x} + \frac{\partial \sigma_y}{\partial y} dz. \quad (2.26)$$

The parallel is evident with the Jourawsky theory of shear for beams.

2.1.6 Hooke's law for the orthotropic lamina

Hooke's law for the orthotropic material IP stress conditions, with respect to principal axes of orthotropy;

$$\underline{\underline{\mathbf{D}}}_{123} = \begin{bmatrix} \frac{E_1}{1-\nu_{12}\nu_{21}} & \frac{\nu_{21}E_1}{1-\nu_{12}\nu_{21}} & 0 \\ \frac{\nu_{12}E_2}{1-\nu_{12}\nu_{21}} & \frac{E_2}{1-\nu_{12}\nu_{21}} & 0 \\ 0 & 0 & G_{12} \end{bmatrix} \quad (2.27)$$

$$\begin{bmatrix} \sigma_1 \\ \sigma_2 \\ \tau_{12} \end{bmatrix} = \underline{\underline{\mathbf{T}}}_1 \begin{bmatrix} \sigma_x \\ \sigma_y \\ \tau_{xy} \end{bmatrix} \quad \begin{bmatrix} \epsilon_1 \\ \epsilon_2 \\ \gamma_{12} \end{bmatrix} = \underline{\underline{\mathbf{T}}}_2 \begin{bmatrix} \epsilon_x \\ \epsilon_y \\ \gamma_{xy} \end{bmatrix} \quad (2.28)$$

where

$$\underline{\underline{\mathbf{T}}}_1 = \begin{bmatrix} m^2 & n^2 & 2mn \\ n^2 & m^2 & -2mn \\ -mn & mn & m^2 - n^2 \end{bmatrix} \quad (2.29)$$

$$\underline{\underline{\mathbf{T}}}_2 = \begin{bmatrix} m^2 & n^2 & mn \\ n^2 & m^2 & -mn \\ -2mn & 2mn & m^2 - n^2 \end{bmatrix} \quad (2.30)$$

α is the angle between 1 and x ;

$$m = \cos(\alpha) \quad n = \sin(\alpha) \quad (2.31)$$

The inverse transformations may be obtained based on the relations

$$\underline{\underline{\mathbf{T}}}_1^{-1}(+\alpha) = \underline{\underline{\mathbf{T}}}_1(-\alpha) \quad \underline{\underline{\mathbf{T}}}_2^{-1}(+\alpha) = \underline{\underline{\mathbf{T}}}_2(-\alpha) \quad (2.32)$$

Finally

$$\underline{\underline{\sigma}} = \underline{\underline{\mathbf{D}}} \underline{\underline{\epsilon}} \quad \underline{\underline{\mathbf{D}}} \equiv \underline{\underline{\mathbf{D}}}_{xyz} = \underline{\underline{\mathbf{T}}}_1^{-1} \underline{\underline{\mathbf{D}}}_{123} \underline{\underline{\mathbf{T}}}_2 \quad (2.33)$$

With regard to the transverse shear constitutive relation, in the case of an orthotropic material whose OOP shear moduli are G_{z1} and G_{2z} we have

$$\underline{\underline{\mathbf{G}}} = \begin{bmatrix} n^2 G_{z1} + m^2 G_{2z} & mn G_{z1} - mn G_{2z} \\ mn G_{z1} - mn G_{2z} & m^2 G_{z1} + n^2 G_{2z} \end{bmatrix}.$$

2.1.7 An application: the four point bending test specimen.

The case of the four point bending test is considered, see Figure 2.5a, with an isotropic and homogeneous specimen material. Specimen dimensions are defined as in Figure, where the b the specimen width is taken as the relevant unit of length.

The width to length ratio of the specimen is less than unity, but far from being negligible; a treatise according to the plate theory would hence be more appropriate than the beam model which is usually proposed by normative.

Such a test is based on the assumption that the bending moment – a beam framework quantity – is constant along the gauge length, and equal to Fl ; such a quantity equates the through-width (TW) integral of the m_x moment resultant, whose value is assumed TW constant and equal to $m_x^* = Fl/b$. The specimen curvature along the gauge length is

$$k_x^* = \frac{12Fl}{Ebh^3} \quad (2.34)$$

according to the beam theory; such a value taken as a reference.

The treatise according to the plate theory is far less straightforward than its trivial beam counterpart, since e.g. we may consider the two opposite extremal cases of i) unconstrained anticlastic secondary curvature, or, equivalently, null m_y transverse (in the sense of TW, not TT) moment resultant, and ii) cylindrical bending, i.e. null

transverse κ_y curvature. The membrane generalized stress/strain components are zero, as the transverse shear terms along the gauge length. The mixed moment resultant and curvature are zero in both the cases, since they are null at the xz symmetry plane, and they are assumed TW constant. By applying the constitutive relations proper of the homogeneous, isotropic plates, we derive for the unconstrained anticlastic curvature case i)

$$m_x = m_x^* \quad m_y = 0 \quad \kappa_x = k_x^* \quad \kappa_y = -\nu k_x^*,$$

whereas for the cylindrical bending case ii) we have

$$m_x = m_x^* \quad m_y = \nu m_x^* \quad \kappa_x = (1 - \nu^2) k_x^* \quad \kappa_y = 0.$$

We then observe that the nonzero κ_y transverse curvature predicted by i) is inconsistent with the hypothesis of a full width line contact at the supports, whose cylindrical surface is transversely flat; the unconstrained anticlastic curvature confines the specimen contact interaction with the inner supports to a point in correspondence of the width midspan, whereas the outer supports touch the specimen at its edges only. Such a TW inhomogeneous loading condition induces contact actions which may effectively oppose the anticlastic curvature, which locally appears not “unconstrained” anymore.

On the other hand, a m_y moment resultant which is predicted according to cylindrical bending not to vanish at the specimen flanks is incompatible with the free surface boundary condition; continuity conditions requires in fact that a distributed moment external action is applied at the specimen flanks, which apparently is not the case.

The actual response of the specimen in terms of moment resultants and curvatures, as probed at its centroidal axis, is plotted in Fig. 2.5b in the case of bilateral support condition, i.e. $w = 0$ and $w = d$ at the outer and inner indenters, respectively, being d displacement of the inner, moving, support. The cylindrical bending solution ii) is observed at the supports, whereas a progressive transition to the unconstrained anticlastic curvature solution i) is observed while moving away from those supported areas. In particular, the central portion of the gauge length behaves consistently with i).

In Fig. 2.5c, the same quantities are reported in the actual case

of unilateral contact at supports, i.e. the Signorini conditions¹⁹ are imposed which consist in

$$g(y) \geq 0 \quad (2.35)$$

$$f(y) \geq 0 \quad (2.36)$$

$$g(y) \cdot f(y) = 0, \quad (2.37)$$

where $f(y)$ is the lineic contact force along the width, positive if compressive, and $g(y)$ is the gap between specimen and indenter, namely $g(y) = -w(y)$ and $g(y) = w(y) - d$ at the outer and inner supports, respectively.

According to this second model, supports are less effective in locally imposing a null secondary curvature, thus extending the validity of the unconstrained anticlastic curvature solution i) to most of the gauge length.

2.1.8 Final Notes.

A few sparse notes:

- If the unsymmetric laminate is composed by isotropic layers, a reference plane may be obtained for which the \underline{b} membrane-to-bending coupling matrix vanishes; a similar condition may not be verified in the presence of orthotropic layers.
- Thermally induced distortion is not self-compensated in an unsymmetric laminate even if the temperature is held constant through the thickness. Such fact, united to the unavoidable thermal cycles that occurs in manufacturing if not in operation, makes such configurations pretty undesirable.

¹⁹Those conditions consist in turn in a no compenetration inequality 2.35, in a tractive contact action inequality 2.36, and in the mutual local exclusion of nozero gap and nonzero contact force, 2.37.




Figure 2.5: The *not-so-trivial* four point bending case, where b is the specimen out-of-sketch-plane width (we might call it *depth*). Moment fluxes and curvatures are sampled at the specimen midwidth, whereas they may vary while moving towards the flanks; the average value of m_x along the width must in fact coincide with m_x^* in correspondence with the load span.




Figure 2.6: Quadrilateral elementary domain (a), and a representative weight function (b).

2.2 Preliminary results

2.2.1 Interpolation functions for the quadrilateral domain

The elementary quadrilateral domain. A quadrilateral domain is considered whose vertices are conventionally located at the $(\pm 1, \pm 1)$ points of an adimensional (ξ, η) plane coordinate system, see Figure 2.6. Scalar values f_i are associated to a set of *nodal* points $P_i \equiv [\xi_i, \eta_i]$, which for the present case coincide with the quadrangle vertices, numbered as in Figure.

A $f(\xi, \eta)$ interpolation function may be devised by defining a set of nodal influence functions $N_i(\xi, \eta)$ to be employed as the coefficients (weights) of a moving weighted average

$$f(\xi, \eta) \stackrel{\text{def}}{=} \sum_i N_i(\xi, \eta) f_i \quad (2.38)$$

Requisites for such weight functions are:

- for each point of the domain, the sum of the weights is unitary

$$\sum_i N_i(\xi, \eta) = 1, \quad \forall[\xi, \eta] \quad (2.39)$$

- to grant continuity of the $f(\xi, \eta)$ function with the nodal samples, the influence of a node is unitary at its location, whereas the

influence of the others vanishes there, i.e.

$$N_i(\xi_j, \eta_j) = \delta_{ij} \quad (2.40)$$

where δ_{ij} is the Kronecker delta function.

Moreover, suitable functions should be continuous and straightforwardly differentiable up to any required degree.

Low order polynomials are ideal candidates for the application; for the particular domain, the nodal weight functions may be stated as

$$N_i(\xi, \eta) \stackrel{\text{def}}{=} \frac{1}{4} (1 \pm \xi) (1 \pm \eta), \quad (2.41)$$

where sign ambiguity is resolved for each i -th node by enforcing Eqn. 2.40.

The bilinear interpolation function defined by Eqs. 2.38 and 2.41 turns into a general linear relation with (ξ, η) if the four sample points (ξ_i, η_i, f_i) are coplanar – but otherwise arbitrary – in the ξ, η, f space.

Further generality may be introduced by *not* enforcing coplanarity.

The weight functions for the four-node quadrilateral are in fact quadratic although incomplete²⁰ in nature, due to the presence of the $\xi\eta$ product, and the absence of any ξ^2, η^2 term.

Each $N_i(\xi, \eta)$ term, and the combined $f(\xi, \eta)$ function, defined as in Eqn. 2.38, behave linearly if restricted to $\xi = \text{const.}$ or $\eta = \text{const.}$ loci – and in particular along the four edges; quadratic behaviour may instead arise along a general direction, e.g. along the diagonals, as in Fig. 2.6b example. Such behaviour is called *bilinear*.

We now consider the $f(\xi, \eta)$ interpolation function partial derivatives. The partial derivative

$$\frac{\partial f}{\partial \xi} = \underbrace{\left(\frac{f_2 - f_1}{2}\right)}_{[\Delta f / \Delta \xi]_{12}} \underbrace{\left(\frac{1 - \eta}{2}\right)}_{N_1 + N_2} + \underbrace{\left(\frac{f_3 - f_4}{2}\right)}_{[\Delta f / \Delta \xi]_{43}} \underbrace{\left(\frac{1 + \eta}{2}\right)}_{N_4 + N_3} = a\eta + b \quad (2.42)$$

linearly varies in η from the incremental ratio value measured at the $\eta = -1$ lower edge, to the value measured at the $\eta = 1$ upper edge; the other partial derivative

$$\frac{\partial f}{\partial \eta} = \left(\frac{f_4 - f_1}{2}\right) \left(\frac{1 - \xi}{2}\right) + \left(\frac{f_3 - f_2}{2}\right) \left(\frac{1 + \xi}{2}\right) = c\xi + d. \quad (2.43)$$

²⁰or, equivalently, *enriched linear*, as discussed above and in the following

behaves similarly, with $c = a$. Partial derivatives in ξ, η remain constant while moving along the corresponding differentiation direction²¹.

An equivalent expression for Eq. 2.38 is the following

$$f(\xi, \eta) = [N_1(\xi, \eta) \quad \cdots \quad N_i(\xi, \eta) \quad \cdots \quad N_n(\xi, \eta)] \begin{bmatrix} f_1 \\ \vdots \\ f_i \\ \vdots \\ f_n \end{bmatrix} \\ = \underline{\underline{N}}(\xi, \eta) \underline{\underline{f}}, \quad (2.44)$$

which resorts to the inner mechanics of the matrix-vector product for performing the summation; the $\underline{\underline{f}}$ vector collects the function nodal values, whereas the $\underline{\underline{N}}(\xi, \eta)$ weight function row matrix collects their influence coefficient at the provided (ξ, η) location.

The general planar quadrilateral domain. The interpolation functions introduced above for the natural quadrilateral may be profitably employed in defining a coordinate mapping between a general quadrangular domain – see Fig. 2.7a – and its reference counterpart, see Figures 2.6 or 2.7b.

In particular, we first define the $\underline{\xi}_i \mapsto \underline{\mathbf{x}}_i$ coordinate mapping for the four vertices²² alone, where ξ, η are the reference (or natural, or elementary) coordinates and x, y are their physical counterpart.

Then, a mapping for the inner points may be derived by interpolation, namely

$$\underline{\mathbf{x}}(\underline{\xi}) = \underline{\mathbf{m}}(\underline{\xi}) = \sum_{i=1}^4 N_i(\underline{\xi}) \underline{\mathbf{x}}_i, \quad (2.45)$$

or, by expliciting the $\underline{\mathbf{m}} \equiv \underline{\mathbf{x}}$ components,

$$\underline{\mathbf{m}}(\underline{\xi}) = \begin{bmatrix} x(\xi, \eta) \\ y(\xi, \eta) \end{bmatrix}$$

²¹The relevance of such partial derivative orders will appear clearer to the reader once the strain field will have been derived in paragraph XXX.

²²The condensed notation $\underline{\xi}_i \equiv (\xi_i, \eta_i)$, $\underline{\mathbf{x}}_i \equiv (x_i, y_i)$ for coordinate vectors is employed.





Figure 2.7: Quadrilateral general domain, (a), and its reference counterpart (b). If the general quadrangle is defined within a spatial environment, and not as a figure lying on the xy plane, limited z_i offsets are allowed at nodes with respect to such plane, which are not considered in Figure.

with

$$x(\xi, \eta) = \sum_{i=1}^4 N_i(\xi, \eta) x_i \quad y(\xi, \eta) = \sum_{i=1}^4 N_i(\xi, \eta) y_i.$$

In the employed notation, the parametric dependence of the $\underline{m}(\xi, \eta)$ mapping on the nodal coordinates is not explicit, but clearly unavoidable; the complete notation $\underline{m}(\xi, \eta; \underline{x}_i)$ might be alternatively employed, where \underline{x}_i is a placeholder for the physical coordinates of each node.

The availability of an inverse $\underline{m}^{-1} : \underline{x} \mapsto \underline{\xi}$ mapping is not granted; in particular, a closed form representation for such inverse is not generally available²³.

In the absence of an handy inverse mapping function, it is convenient to reinstate the interpolation procedure obtained for the natural domain, i.e.

$$f(\xi, \eta) \stackrel{\text{def}}{=} \sum_i N_i(\xi, \eta) f_i \quad (2.46)$$

The four f_i nodal values are interpolated based on the *natural* ξ, η coordinates of an inner P point, and not as a function of its physical x, y coordinates, that are never promoted to the independent variable role.

The interpolation scheme behind the \underline{m} mapping – and the mapping itself – behaves linearly along $\eta = \text{const.}$ and $\xi = \text{const.}$ one dimensional subdomains, and in particular along the quadrangle edges²⁴; the inverse mapping \underline{m}^{-1} exists and it is a linear function²⁵ along the

²³Inverse relations are derived in [6], which however are case-defined and based on a selection table; for a given $\bar{\underline{x}}$ physical point, however, Newton-Raphson iterations rapidly converge to the $\bar{\underline{\xi}} = \underline{m}^{-1}(\bar{\underline{x}})$ solution if the centroid is chosen for algorithm initialization, see Section XXX

²⁴see paragraph XXX

²⁵A constructive proof may be defined for each edge as follows. We consider a generic Q point along such edge whose physical coordinates are (x_Q, y_Q) . Of the two natural coordinates of Q , one is trivial to be derived since its value is constant along the edge. The other, for which we employ the λ placeholder symbol, may be defined through the expression

$$\lambda = 2 \frac{(x_Q - x_i)(x_j - x_i) + (y_Q - y_i)(y_j - y_i)}{(x_j - x_i)^2 + (y_j - y_i)^2} - 1,$$

where i, j are the two subdomain endpoints at which λ equates -1 and $+1$, respec-

image of those line segments on the physical plane, under the further condition that its length is nonzero²⁶. Being a composition of linear functions, the interpolation function $f(\underline{m}^{-1}(x, y))$ is also linear along the aforementioned subdomains, and in particular along the quadrangle edges.

The directional derivatives of f with respect to x or y are obtained based the indirect relation

$$\begin{bmatrix} \frac{\partial f}{\partial \xi} \\ \frac{\partial f}{\partial \eta} \end{bmatrix} = \underbrace{\begin{bmatrix} \frac{\partial x}{\partial \xi} & \frac{\partial y}{\partial \xi} \\ \frac{\partial x}{\partial \eta} & \frac{\partial y}{\partial \eta} \end{bmatrix}}_{\underline{\underline{J}}^\top(\xi, \eta; \underline{x}_i)} \begin{bmatrix} \frac{\partial f}{\partial x} \\ \frac{\partial f}{\partial y} \end{bmatrix} \quad (2.47)$$

The function derivatives with respect to ξ, η are obtained as

$$\begin{bmatrix} \frac{\partial f}{\partial \xi} \\ \frac{\partial f}{\partial \eta} \end{bmatrix} = \sum_i \begin{bmatrix} \frac{\partial N_i}{\partial \xi} \\ \frac{\partial N_i}{\partial \eta} \end{bmatrix} f_i. \quad (2.48)$$

The *transposed* Jacobian matrix of the mapping function that appears in 2.47 is

$$\underline{\underline{J}}^\top(\xi, \eta) = \begin{bmatrix} \frac{\partial x}{\partial \xi} & \frac{\partial y}{\partial \xi} \\ \frac{\partial x}{\partial \eta} & \frac{\partial y}{\partial \eta} \end{bmatrix} \quad (2.49)$$

$$= \sum_i \left(\begin{bmatrix} \frac{\partial N_i}{\partial \xi} & 0 \\ \frac{\partial N_i}{\partial \eta} & 0 \end{bmatrix} x_i + \begin{bmatrix} 0 & \frac{\partial N_i}{\partial \xi} \\ 0 & \frac{\partial N_i}{\partial \eta} \end{bmatrix} y_i \right) \quad (2.50)$$

If the latter matrix is assumed nonsingular – condition, this, that pairs the bijective nature of the \underline{m} mapping, equation 2.47 may be

tively, and $(x_i, y_i), (x_j, y_j)$ the associated physical coordinates. A similar function may be defined for any segment for which either ξ or η is constant, and not only for the quadrangle edges. Please note that the above inverse mapping formula is not applicable IIF the segment physical length at the denominator is zero.

²⁶The case exists of an edge whose endpoints are superposed, i.e. the edge collapses to a point.

inverted, thus leading to the form

$$\begin{bmatrix} \frac{\partial f}{\partial x} \\ \frac{\partial f}{\partial y} \end{bmatrix} = (\underline{\mathbf{J}}^\top)^{-1} \begin{bmatrix} \cdots & \frac{\partial N_i}{\partial \xi} & \cdots \\ \cdots & \frac{\partial N_i}{\partial \eta} & \cdots \end{bmatrix} \begin{bmatrix} \vdots \\ f_i \\ \vdots \end{bmatrix} \quad (2.51)$$

$$= \underbrace{(\underline{\mathbf{J}}^\top)^{-1} \begin{bmatrix} \frac{\partial N}{\partial \xi} \\ \frac{\partial N}{\partial \eta} \end{bmatrix}}_{\underline{\mathbf{L}}(\xi, \eta; \underline{\mathbf{x}}_i), \text{ or just } \underline{\mathbf{L}}(\xi, \eta)} \underline{\mathbf{f}} \quad (2.52)$$

where the inner mechanics of the matrix-vector product are appointed for the Eq. 2.48 summation; the differential operator $\underline{\mathbf{L}}(\xi, \eta; \underline{\mathbf{x}}_i)$ – or just $\underline{\mathbf{L}}(\xi, \eta)$ if, again, we disregard its parametric dependence on the nodal coordinates – is also defined that extract the x, y directional derivatives of the interpolation function from its nodal values.

The general spatial quadrilateral domain. TODO.

2.2.2 Gaussian quadrature rules for some relevant domains.

Reference one dimensional domain. The gaussian quadrature rule for approximating the definite integral of a $f(\xi)$ function over the $[-1, 1]$ reference interval is constructed as the customary weighted sum of internal function samples, namely

$$\int_{-1}^1 f(\xi) d\xi \approx \sum_{i=1}^n f(\xi_i) w_i; \quad (2.53)$$

Its peculiarity is to employ location-weight pairs (ξ_i, w_i) that are optimal with respect to the polynomial class of functions. Nevertheless, such choice has revealed itself to be robust enough for for a more general employment.

Let's consider a m -th order polynomial

$$p(\xi) \stackrel{\text{def}}{=} a_m \xi^m + a_{m-1} \xi^{m-1} + \dots + a_1 \xi + a_0$$

whose exact integral is

$$\int_{-1}^1 p(\xi) d\xi = \sum_{j=0}^m \frac{(-1)^j + 1}{j + 1} a_j$$

The integration residual between the exact definite integral and the weighted sample sum is defined as

$$r(a_j, (\xi_i, w_i)) \stackrel{\text{def}}{=} \sum_{i=1}^n p(\xi_i)w_i - \int_{-1}^1 p(\xi)d\xi \quad (2.54)$$

The optimality condition is stated as follows: the quadrature rule involving n sample points (ξ_i, w_i) , $i = 1 \dots n$ is optimal for the m -th order polynomial if a) the integration residual is null for general a_j values, and b) such condition does not hold for any lower-order sampling rule.

Once observed that the zero residual requirement is satisfied by any sampling rule if the polynomial a_j coefficients are all null, condition a) may be enforced by imposing that such zero residual value remains constant with varying a_j terms, i.e.

$$\left\{ \frac{\partial r(a_j, (\xi_i, w_i))}{\partial a_j} = 0, \quad j = 0 \dots m \right. \quad (2.55)$$

A system of $m + 1$ polynomial equations of degree²⁷ $m + 1$ is hence obtained in the $2n$ (ξ_i, w_i) unknowns; in the assumed absence of redundant equations, solutions do not exist if the constraints outnumber the unknowns, i.e. $m > 2n - 1$. Limiting our discussion to the threshold condition $m = 2n - 1$, an attentive algebraic manipulation of Eqns. 2.55 may be performed in order to extract the (ξ_i, w_i) solutions, which are unique apart from the pair permutations²⁸.

²⁷the $(m + 1)$ -th order $w_m \xi^m$ term appears in equations

²⁸In this note, location-weight pairs are obtained for the gaussian quadrature rule of order $n = 2$, aiming at illustrating the general procedure. The general $m = 2n - 1 = 3$ rd order polynomial is stated in the form

$$p(\xi) = a_3 \xi^3 + a_2 \xi^2 + a_1 \xi + a_0, \quad \int_{-1}^1 p(\xi)d\xi = \frac{2}{3}a_2 + 2a_0,$$

whereas the integral residual is

$$r = a_3 (w_1 \xi_1^3 + w_2 \xi_2^3) + a_2 \left(w_1 \xi_1^2 + w_2 \xi_2^2 - \frac{2}{3} \right) + a_1 (w_1 \xi_1 + w_2 \xi_2) + a_0 (w_1 + w_2 - 2)$$

Eqns 2.55 may be derived as

$$\begin{cases} 0 = \frac{\partial r}{\partial a_3} = w_1 \xi_1^3 + w_2 \xi_2^3 & (e_1) \\ 0 = \frac{\partial r}{\partial a_2} = w_1 \xi_1^2 + w_2 \xi_2^2 - \frac{2}{3} & (e_2) \\ 0 = \frac{\partial r}{\partial a_1} = w_1 \xi_1 + w_2 \xi_2 & (e_3) \\ 0 = \frac{\partial r}{\partial a_0} = w_1 + w_2 - 2 & (e_4) \end{cases}$$

| n | ξ_i | w_i |
|-----|--|--|
| 1 | 0 | 2 |
| 2 | $\pm \frac{1}{\sqrt{3}}$ | 1 |
| 3 | 0 $\pm \sqrt{\frac{3}{5}}$ | $\frac{8}{9}$ $\frac{5}{9}$ |
| 4 | $\pm \sqrt{\frac{3}{7} - \frac{2}{7}\sqrt{\frac{6}{5}}}$ $\pm \sqrt{\frac{3}{7} + \frac{2}{7}\sqrt{\frac{6}{5}}}$ | $\frac{18+\sqrt{30}}{36}$ $\frac{18-\sqrt{30}}{36}$ |

Table 2.1: Integration points for the lower order gaussian quadrature rules.

Eqns. 2.55 solutions are reported in Table 2.1 for quadrature rules with up to $n = 4$ sample points²⁹.

It is noted that the integration points are symmetrically distributed with respect to the origin, and that the function is never sampled at the $\{-1, 1\}$ extremal points.

General one dimensional domain. The extension of the one dimensional quadrature rule from the reference domain $[-1, 1]$ to a general $[a, b]$ domain is pretty straightforward, requiring just a change of integration variable – i.e. a mapping function $x = m(\xi)$ s.t. $a = m(-1)$ and $b = m(1)$ – to obtain the following

$$\int_a^b g(x)dx = \int_{-1}^1 g(m(\xi)) \frac{dm}{d\xi} d\xi \approx \sum_{i=1}^n g(m(\xi_i)) \left. \frac{dm}{d\xi} \right|_{\xi=\xi_i} w_i. \quad (2.56)$$

Such a mapping function may be conveniently defined along the same lines as the weight (or shape) function based interpolation, thus ob-

which are independent of the a_j coefficients.

By composing $(e_1 - \xi_1^2 e_3) / (w_2 \xi_2)$ it is obtained that $\xi_2^2 = \xi_1^2$; e_2 may then be written as $(w_1 + w_2)\xi_1^2 = 2/3$, and then as $2\xi_1^2 = 2/3$, according to e_4 . It derives that $\xi_{1,2} = \pm 1/\sqrt{3}$. Due to the opposite nature of the roots, e_3 implies $w_2 = w_1$, relation, this, that turns e_4 into $2w_1 = 2w_2 = 2$, and hence $w_{1,2} = 1$.

²⁹see <https://pomax.github.io/bezierinfo/legendre-gauss.html> for higher order gaussian quadrature rule sample points.

taining

$$m(x) = \underbrace{\left(\frac{1-\xi}{2}\right)}_{N_1} a + \underbrace{\left(\frac{1+\xi}{2}\right)}_{N_2} b.$$

The first order derivative may be evaluated as

$$\frac{dm}{d\xi} = \frac{dN_1}{d\xi} a + \frac{dN_2}{d\xi} b = \frac{b-a}{2}$$

and it is constant along the interval, so that it may be collected outside of the summation, thus leading to

$$\int_a^b g(x) dx \approx \frac{b-a}{2} \sum_{i=1}^n g\left(\frac{b+a}{2} + \frac{b-a}{2}\xi_i\right) w_i. \quad (2.57)$$

Reference quadrangular domain. A quadrature rule for the reference quadrangular domain of Figure 2.6a may be derived by nesting the quadrature rule defined for the reference interval, see Eqn. 2.53, thus obtaining

$$\int_{-1}^1 \int_{-1}^1 f(\xi, \eta) d\xi d\eta \approx \sum_{i=1}^p \sum_{j=1}^q f(\xi_i, \eta_j) w_i w_j \quad (2.58)$$

where (ξ_i, w_i) and (η_j, w_j) are the coordinate-weight pairs of the two quadrature rules of p and q order, respectively, employed for spanning the two coordinate axes. The equivalent notation

$$\int_{-1}^1 \int_{-1}^1 f(\xi, \eta) d\xi d\eta \approx \sum_{l=1}^{pq} f(\underline{\xi}_l) w_l \quad (2.59)$$

emphasises the characteristic nature of the pq point/weight pairs for the domain and for the quadrature rule employed; a general integer bijection³⁰ $\{1 \dots pq\} \leftrightarrow \{1 \dots p\} \times \{1 \dots q\}$, $l \leftrightarrow (i, j)$ may be utilized

³⁰e.g.

$$\{i-1; j-1\} = (l-1) \bmod (p, q), \quad l-1 = (j-1)q + (i-1)$$

where the operator

$$\{a_n; \dots; a_3; a_2; a_1\} = m \bmod (b_n, \dots, b_3, b_2, b_1)$$

consists in the extraction of the n least significant a_i digits of a mixed radix representation of the integer m with respect to the sequence of b_i bases, with $i = 1 \dots n$.

to formally derive the two-dimensional quadrature rule pairs

$$\underline{\xi}_l = (\xi_i, \eta_j), \quad w_l = w_i w_j, \quad l = 1 \dots pq \quad (2.60)$$

from their uniaxial counterparts.

General quadrangular domain. The rectangular infinitesimal area $dA_{\xi\eta} = d\xi d\eta$ in the neighborhood of a ξ_P, η_P location, see Figure 2.7b, is mapped to the dA_{xy} quadrangle of Figure 2.7a, which is composed by the two triangular areas

$$\begin{aligned} dA_{xy} = & \frac{1}{2!} \begin{vmatrix} 1 & x(\xi_P, \eta_P) & y(\xi_P, \eta_P) \\ 1 & x(\xi_P + d\xi, \eta_P) & y(\xi_P + d\xi, \eta_P) \\ 1 & x(\xi_P + d\xi, \eta_P + d\eta) & y(\xi_P + d\xi, \eta_P + d\eta) \end{vmatrix} + \\ & + \frac{1}{2!} \begin{vmatrix} 1 & x(\xi_P + d\xi, \eta_P + d\eta) & y(\xi_P + d\xi, \eta_P + d\eta) \\ 1 & x(\xi_P, \eta_P + d\eta) & y(\xi_P, \eta_P + d\eta) \\ 1 & x(\xi_P, \eta_P) & y(\xi_P, \eta_P) \end{vmatrix}. \end{aligned} \quad (2.61)$$

The determinant formula for the area of a triangle, shown below along with its n -dimensional simplex hypervolume generalization,

$$\mathcal{A} = \frac{1}{2!} \begin{vmatrix} 1 & x_1 & y_1 \\ 1 & x_2 & y_2 \\ 1 & x_3 & y_3 \end{vmatrix}, \quad \mathcal{H} = \frac{1}{n!} \begin{vmatrix} 1 & \underline{x}_1 \\ 1 & \underline{x}_2 \\ \vdots & \vdots \\ 1 & \underline{x}_{n+1} \end{vmatrix} \quad (2.62)$$

has been employed above.

By operating a local multivariate linearization of the 2.61 matrix terms, the relation

$$\begin{aligned} dA_{xy} \approx & \frac{1}{2!} \begin{vmatrix} 1 & x & y \\ 1 & x + x_{,\xi}d\xi & y + y_{,\xi}d\xi \\ 1 & x + x_{,\xi}d\xi + x_{,\eta}d\eta & y + y_{,\xi}d\xi + y_{,\eta}d\eta \end{vmatrix} + \\ & + \frac{1}{2!} \begin{vmatrix} 1 & x + x_{,\xi}d\xi + x_{,\eta}d\eta & y + y_{,\xi}d\xi + y_{,\eta}d\eta \\ 1 & x + x_{,\eta}d\eta & y + y_{,\eta}d\eta \\ 1 & x & y \end{vmatrix} \end{aligned}$$

is obtained, where $x, y, x_{,\xi}, x_{,\eta}, y_{,\xi}$, and $y_{,\eta}$ are the x, y functions and their first order partial derivatives, evaluated at the (ξ_P, η_P) point; infinitesimal terms of order higher than $d\xi, d\eta$ are neglected.

After some matrix manipulations³¹, the following expression is obtained

$$dA_{xy} = \underbrace{\begin{vmatrix} x_{,\xi} & y_{,\xi} \\ x_{,\eta} & y_{,\eta} \end{vmatrix}}_{|J^T(\xi_P, \eta_P; \underline{x}, \underline{y})|} dA_{\xi\eta} \quad (2.63)$$

that equates the ratio of the mapped and of the reference areas to the determinant of the transformation (transpose) Jacobian matrix³².

After the preparatory passages above, we obtain

$$\iint_{A_{xy}} g(x, y) dA_{xy} = \int_{-1}^1 \int_{-1}^1 g(x(\xi, \eta), y(\xi, \eta)) |J(\xi, \eta)| d\xi d\eta, \quad (2.64)$$

thus reducing the quadrature over a general domain to its reference domain counterpart, which has been discussed in the paragraph above.

Based on Eqn. 2.59, the quadrature rule

$$\iint_{A_{xy}} g(\underline{x}) dA_{xy} \approx \sum_{l=1}^{pq} g(\underline{x}(\underline{\xi}_l)) |J(\underline{\xi}_l)| w_l \quad (2.65)$$

³¹In the first determinant, the second row is subtracted from the third one, and the first row is subtracted from the second one. The $d\xi$, $d\eta$ factors are then collected from the second and the third row respectively. In the second determinant, the second row is subtracted from the first one, and the third row is subtracted from the second one. The $d\xi$, $d\eta$ factors are then collected from the first and the second row respectively. We now have

$$dA_{xy} = \frac{1}{2} \begin{vmatrix} 1 & x & y \\ 0 & x_{,\xi} & y_{,\xi} \\ 0 & x_{,\eta} & y_{,\eta} \end{vmatrix} d\xi d\eta + \frac{1}{2} \begin{vmatrix} 0 & x_{,\xi} & y_{,\xi} \\ 0 & x_{,\eta} & y_{,\eta} \\ 1 & x & y \end{vmatrix} d\xi d\eta$$

The first column of both the determinants contains a single, unitary, nonzero term, whose row and column indexes are even once added up; the determinants of the associated complementary minors hence equate their whole matrix counterpart. We hence obtain

$$dA_{xy} = \frac{1}{2} \begin{vmatrix} x_{,\xi} & y_{,\xi} \\ x_{,\eta} & y_{,\eta} \end{vmatrix} d\xi d\eta + \frac{1}{2} \begin{vmatrix} x_{,\xi} & y_{,\xi} \\ x_{,\eta} & y_{,\eta} \end{vmatrix} d\xi d\eta$$

from which Eq.2.63 may be straightforwardly derived.

³²The Jacobian matrix for a general $\underline{\xi} \mapsto \underline{x}$ mapping is in fact defined according to

$$[J(\underline{\xi}_P)]_{ij} \stackrel{\text{def}}{=} \left. \frac{\partial x_i}{\partial \xi_j} \right|_{\underline{\xi} = \underline{\xi}_P} \quad i, j = 1 \dots n$$

being i the generic matrix term row index, and j the column index

is derived, stating that the definite integral of a g integrand over a quadrangular domain pertaining to the physical x, y plane (x, y are dimensional quantities, namely lengths) may be approximated as follows:

1. a reference-to-physical domain mapping is defined, that is based on the vertex physical coordinate interpolation;
2. the function is sampled at the physical locations that are the images of the Gaussian integration points previously obtained for the reference domain;
3. a weighted sum of the collected samples is performed, where the weights consist in the product of i) the d -dimensional w_l Gauss point weight (suitable for integrating on the reference domain), and ii) a dimensional area scaling term, that equals the determinant of the transformation Jacobian matrix, locally evaluated at the Gauss points.

2.3 The bilinear isoparametric shear-deformable shell element

This is a four-node, thick-shell element with global displacements and rotations as degrees of freedom. Bilinear interpolation is used for the coordinates, displacements and the rotations. The membrane strains are obtained from the displacement field; the curvatures from the rotation field. The transverse shear strains are calculated at the middle of the edges and interpolated to the integration points. In this way, a very efficient and simple element is obtained which exhibits correct behavior in the limiting case of thin shells. The element can be used in curved shell analysis as well as in the analysis of complicated plate structures. For the latter case, the element is easy to use since connections between intersecting plates can be modeled without tying. Due to its simple formulation when compared to the standard higher order shell elements, it is less expensive and, therefore, very attractive in nonlinear analysis. The element is not very sensitive to distortion, particularly if the corner nodes lie in the same plane. All constitutive relations can be used with this element.

— MSC.Marc 2013.1 Documentation, vol. B, Element library.

2.3.1 Element geometry

Once introduced the required algebraic paraphernalia, the definition of a quadrilateral bilinear isoparametric shear-deformable shell element is straightforward.

The quadrilateral element geometry is defined by the position in space of its four vertices, which constitute the set of *nodal points*, or *nodes*, i.e. the set of locations at which field components are primarily, parametrically, defined; interpolation is employed in deriving the field values elsewhere.

A suitable interpolation scheme, named *bilinear*, has been introduced in paragraph 2.2.1; the related functions depend on the normalized coordinate pair $\xi, \eta \in [-1, 1]$ that spans the elementary quadrilateral of Figure 2.6.

A global reference system $OXYZ$ is employed for concurrently dealing with multiple elements (i.e. at a whole model scale); a more convenient, local $Cxyz$ reference system, z being locally normal to the shell, is used when a single element is under scrutiny – e.g. in the current paragraph.

Nodal coordinates define the element initial, undeformed, geometry³³, or, alternatively, the portion of thin-walled body reference surface that pertains to the current element; physical, spatial coordinates for each other element point may be retrieved by interpolation based on the associated pair of natural ξ, η coordinates, namely

$$\begin{bmatrix} X(\xi, \eta) \\ Y(\xi, \eta) \\ Z(\xi, \eta) \end{bmatrix} = \sum_{i=1}^n N_i(\xi, \eta) \begin{bmatrix} X_i \\ Y_i \\ Z_i \end{bmatrix}, \quad \begin{bmatrix} x(\xi, \eta) \\ y(\xi, \eta) \\ z(\xi, \eta) \end{bmatrix} = \sum_{i=1}^n N_i(\xi, \eta) \begin{bmatrix} x_i \\ y_i \\ z_i \end{bmatrix} \quad (2.66)$$

with reference to both the global and the local systems.

In particular, the C centroid is the image within the physical space of the $\xi = 0, \eta = 0$ natural coordinate system origin.

The in-plane orientation of the local $Cxyz$ reference system is somewhat arbitrary and implementation-specific; the MSC.Marc approach is used as an example, and it is described in the following. The in-plane x, y axes are tentatively defined³⁴ based on the physical directions that are associated with the ξ, η natural axes, i.e. the oriented segments spanning a) from the midpoint of the n4-n1 edge to the midpoint of the n2-n3 edge, and b) from the midpoint of the n1-n2 edge to the midpoint of the n3-n4 edge, respectively; however, these two tentative axes are not mutually orthogonal in general. The mutual Cxy angle is then amended by rotating those interim axes with respect to a third, binormal axis Cz , while preserving their initial bisectrix.

³³They are however continuously updated within most common nonlinear analysis frameworks, where *initial* usually refers to the last computed, aka *previous* step of an iterative scheme.

³⁴The MSC.Marc element library documentation defines them as a normalized form of the

$$\left(\frac{\partial X}{\partial \xi}, \frac{\partial Y}{\partial \xi}, \frac{\partial Z}{\partial \xi} \right) \Big|_{\xi=0, \eta=0}, \quad \left(\frac{\partial X}{\partial \eta}, \frac{\partial Y}{\partial \eta}, \frac{\partial Z}{\partial \eta} \right) \Big|_{\xi=0, \eta=0},$$

vectors, which are evaluated at the centroid. The two definitions may be proved equivalent based on the bilinear interpolation properties.

The resulting quadrilateral shell element has limited capabilities of representing a curve surface; it is in fact flat, apart from a (suggestedly limited) anticlastic curvature of the element diagonals, which is associated to the quadratic $\xi\eta$ term of the interpolation functions. It is e.g. not capable of representing a single curvature surface.

The curve nature of a thin-walled body midsurface may thus be reproduced by recurring to a tessellation of essentially flat, but mutually angled elements.

2.3.2 Displacement and rotation fields

The element degrees of freedom consist in the displacements and the rotations of the four quadrilateral vertices, i.e. *nodes*.

By interpolating the nodal values, displacement and rotation functions may be derived along the element as

$$\begin{bmatrix} u(\xi, \eta) \\ v(\xi, \eta) \\ w(\xi, \eta) \end{bmatrix} = \sum_{i=1}^4 N_i(\xi, \eta) \begin{bmatrix} u_i \\ v_i \\ w_i \end{bmatrix} \quad (2.67)$$

$$\begin{bmatrix} \theta(\xi, \eta) \\ \phi(\xi, \eta) \\ \psi(\xi, \eta) \end{bmatrix} = \sum_{i=1}^4 N_i(\xi, \eta) \begin{bmatrix} \theta_i \\ \phi_i \\ \psi_i \end{bmatrix} \quad (2.68)$$

with $i = 1 \dots 4$ cycling along the element nodes. If we collect the element nodal DOFs within the six column vectors

$$\begin{aligned} \underline{\mathbf{u}} &= \begin{bmatrix} \vdots \\ u_i \\ \vdots \end{bmatrix} & \underline{\mathbf{v}} &= \begin{bmatrix} \vdots \\ v_i \\ \vdots \end{bmatrix} & \underline{\mathbf{w}} &= \begin{bmatrix} \vdots \\ w_i \\ \vdots \end{bmatrix} \\ \underline{\boldsymbol{\theta}} &= \begin{bmatrix} \vdots \\ \theta_i \\ \vdots \end{bmatrix} & \underline{\boldsymbol{\phi}} &= \begin{bmatrix} \vdots \\ \phi_i \\ \vdots \end{bmatrix} & \underline{\boldsymbol{\psi}} &= \begin{bmatrix} \vdots \\ \psi_i \\ \vdots \end{bmatrix} \end{aligned}$$

we may resort to compact notations in the form

$$u(\xi, \eta) = \underline{\underline{\mathbf{N}}}(\xi, \eta) \underline{\mathbf{u}} \quad v(\xi, \eta) = \underline{\underline{\mathbf{N}}}(\xi, \eta) \underline{\mathbf{v}}$$

et cetera.

Those column vectors are in turn stacked to form the cumulative

$$\underline{\mathbf{d}}^\top = [\underline{\mathbf{u}}^\top \quad \underline{\mathbf{v}}^\top \quad \underline{\mathbf{w}}^\top \quad \underline{\boldsymbol{\theta}}^\top \quad \underline{\boldsymbol{\phi}}^\top \quad \underline{\boldsymbol{\psi}}^\top] \quad (2.69)$$

DOF column vector for the title element.

The $\underline{\boldsymbol{\psi}}$ vector associated with the drilling degree of freedom – i.e. the rotation with respect to the normal z axis – is *not* omitted, although its contribution to the element strain energy deserves some discussion, see the dedicated paragraph below.

2.3.3 Strains

By recalling Eqn. 2.51, we have e.g.

$$\begin{bmatrix} \frac{\partial u}{\partial x} \\ \frac{\partial u}{\partial y} \end{bmatrix} = \underbrace{(\underline{\mathbf{J}}')^{-1} \begin{bmatrix} \cdots & \frac{\partial N_i}{\partial \xi} & \cdots \\ \cdots & \frac{\partial N_i}{\partial \eta} & \cdots \end{bmatrix}}_{\underline{\mathbf{L}}(\xi, \eta; \underline{\mathbf{x}}_i) \text{ or just } \underline{\mathbf{L}}(\xi, \eta)} \begin{bmatrix} \vdots \\ u_i \\ \vdots \end{bmatrix} \quad (2.70)$$

for the x -oriented displacement component; the differential operator $\underline{\mathbf{L}}(\xi, \eta; \underline{\mathbf{x}}_i)$, which extracts the x, y directional derivatives from the nodal values of a given field component, is employed.

A block defined $\underline{\mathbf{Q}}(\xi, \eta)$ matrix is thus obtained that cumulatively relates the in-plane displacement component derivatives to the associated nodal values

$$\begin{bmatrix} \frac{\partial u}{\partial x} \\ \frac{\partial u}{\partial y} \\ \frac{\partial v}{\partial x} \\ \frac{\partial v}{\partial y} \end{bmatrix} = \underbrace{\begin{bmatrix} \underline{\mathbf{L}}(\xi, \eta) & \underline{\mathbf{0}} \\ \underline{\mathbf{0}} & \underline{\mathbf{L}}(\xi, \eta) \end{bmatrix}}_{\underline{\mathbf{Q}}(\xi, \eta)} \begin{bmatrix} \underline{\mathbf{u}} \\ \underline{\mathbf{v}} \end{bmatrix} \quad (2.71)$$

An equivalent relation may then be obtained for the rotation field

$$\begin{bmatrix} \frac{\partial \theta}{\partial x} \\ \frac{\partial \theta}{\partial y} \\ \frac{\partial \phi}{\partial x} \\ \frac{\partial \phi}{\partial y} \end{bmatrix} = \underline{\mathbf{Q}}(\xi, \eta) \begin{bmatrix} \underline{\boldsymbol{\theta}} \\ \underline{\boldsymbol{\phi}} \end{bmatrix} \quad (2.72)$$

By making use of two auxiliary matrices $\underline{\mathbf{H}}'$ and $\underline{\mathbf{H}}''$ that collect the $\{0, \pm 1\}$ coefficients in Eqns. 2.10 and 2.11, we obtain that the IP

strain components at the reference surface, and the curvatures equate respectively

$$\begin{bmatrix} e_x \\ e_y \\ g_{xy} \end{bmatrix} = \underbrace{\begin{bmatrix} +1 & 0 & 0 & 0 \\ 0 & 0 & 0 & +1 \\ 0 & +1 & +1 & 0 \end{bmatrix}}_{\underline{\underline{H'}}} \begin{bmatrix} \frac{\partial u}{\partial x} \\ \frac{\partial u}{\partial y} \\ \frac{\partial v}{\partial x} \\ \frac{\partial v}{\partial y} \end{bmatrix} = \underline{\underline{H'}} \underline{\underline{Q}}(\xi, \eta) \begin{bmatrix} \underline{u} \\ \underline{v} \end{bmatrix} \quad (2.73)$$

$$\begin{bmatrix} \kappa_x \\ \kappa_y \\ \kappa_{xy} \end{bmatrix} = \underbrace{\begin{bmatrix} 0 & 0 & +1 & 0 \\ 0 & -1 & 0 & 0 \\ -1 & 0 & 0 & +1 \end{bmatrix}}_{\underline{\underline{H''}}} \begin{bmatrix} \frac{\partial \theta}{\partial x} \\ \frac{\partial \theta}{\partial y} \\ \frac{\partial \phi}{\partial x} \\ \frac{\partial \phi}{\partial y} \end{bmatrix} = \underline{\underline{H''}} \underline{\underline{Q}}(\xi, \eta) \begin{bmatrix} \underline{\theta} \\ \underline{\phi} \end{bmatrix} \quad (2.74)$$

or, by referring to the whole set of nodal DOFs,

$$\underline{e} = \underbrace{\begin{bmatrix} \underline{\underline{H'}} \underline{\underline{Q}}(\xi, \eta) & \underline{0} & \underline{0} & \underline{0} & \underline{0} \end{bmatrix}}_{\underline{\underline{B}}_e(\xi, \eta)} \underline{d} \quad (2.75)$$

$$\underline{\kappa} = \underbrace{\begin{bmatrix} \underline{0} & \underline{0} & \underline{0} & \underline{\underline{H''}} \underline{\underline{Q}}(\xi, \eta) & \underline{0} \end{bmatrix}}_{\underline{\underline{B}}_\kappa(\xi, \eta)} \underline{d}. \quad (2.76)$$

The $\underline{\underline{B}}_e$ and $\underline{\underline{B}}_\kappa$ matrices are block-defined by appending to the 3x8 blocks introduced in Eqn. 2.73 and 2.74, respectively, a suitable set of 3x3 null block placeholders.

The IP strain components at a generico ξ, η, z point along the element thickness may then be derived according to Eqn. 2.12 as a (linear) function of the nodal degrees of freedom

$$\underline{\epsilon}(\xi, \eta, z) = (\underline{\underline{B}}_e(\xi, \eta) + z \underline{\underline{B}}_\kappa(\xi, \eta)) \underline{d}; \quad (2.77)$$

the OOP shear strain components, as defined in Eqns. 2.4 and 2.5, become instead

$$\begin{bmatrix} \bar{\gamma}_{zx} \\ \bar{\gamma}_{yz} \end{bmatrix} = \underline{\underline{L}}(\xi, \eta) \underline{w} + \begin{bmatrix} \underline{0} & + \underline{\underline{N}}(\xi, \eta) \\ - \underline{\underline{N}}(\xi, \eta) & \underline{0} \end{bmatrix} \begin{bmatrix} \underline{\theta} \\ \underline{\phi} \end{bmatrix}, \quad (2.78)$$

and thus, by employing a notation consistent with ??,

$$\begin{bmatrix} \bar{\gamma}_{zx} \\ \bar{\gamma}_{yz} \end{bmatrix} = \underbrace{\begin{bmatrix} \underline{\underline{0}} & \underline{\underline{0}} & \underline{\underline{L}}(\xi, \eta) & 0 & \underline{\underline{N}}(\xi, \eta) & \underline{\underline{0}} \\ \underline{\underline{0}} & \underline{\underline{0}} & \underline{\underline{L}}(\xi, \eta) & -\underline{\underline{N}}(\xi, \eta) & 0 & \underline{\underline{0}} \end{bmatrix}}_{\underline{\underline{B}}_\gamma(\xi, \eta)} \underline{\underline{d}} \quad (2.79)$$

where the transformation matrix that derives the out-of-plane, inter-laminar strains from the nodal degrees of freedom vector is constituted by six 2×4 blocks.

2.3.4 Stresses

In general, material constitutive laws are employed in deriving stress components from their strain counterpart.

In the case of a shell element, the plane stress relations discussed in Paragraph 2.1, see Eqns. 2.13, may be employed in deriving the pointwise IP stress components from the associated strains.

Also, the plate constitutive laws reported as Eqns. 2.19 may be employed in deriving the TT force and moment IP stress resultants from the generalized strains obtained in Eqns. 2.75, 2.76. The OOP shear stress resultants may be derived from the associated Eqns. 2.79 generalized strains by resorting to Eq. 2.24.

2.3.5 The element stiffness matrix.

In this paragraph, the elastic behaviour of the finite element under scrutiny is derived.

The element is considered in its deformed configuration, being

$$\underline{\mathbf{d}}^\top = [\underline{\mathbf{u}}^\top \quad \underline{\mathbf{v}}^\top \quad \underline{\mathbf{w}}^\top \quad \underline{\theta}^\top \quad \underline{\phi}^\top \quad \underline{\psi}^\top] \quad (2.80)$$

the DOF vector associated with such condition.

A virtual displacement field perturbs such deformed configuration; as usual, those virtual displacements are infinitesimal, they do occur while time is held constant, and, being otherwise arbitrary, they respect the existing kinematic constraints.

Whilst, in fact, no external constraints are applied to the element, the motion of the pertaining material points is prescribed based on a) the assumed plate kinematics, and b) on the bilinear, isoparametric interpolation laws that propagate the generalized nodal displacements $\delta \underline{\mathbf{d}}$ towards the quadrilateral's interior.

Since the element is supposed to elastically react to such $\underline{\mathbf{d}}$ deformed configuration, a set of external actions

$$\underline{\mathbf{G}}^\top = [\underline{\mathbf{U}}^\top \quad \underline{\mathbf{V}}^\top \quad \underline{\mathbf{W}}^\top \quad \underline{\Theta}^\top \quad \underline{\Phi}^\top \quad \underline{\Psi}^\top] \quad (2.81)$$

is applied at nodes³⁵ – one each DOF, that equilibrate the stretched element reactions.

³⁵There is no lack of generality in assuming the equilibrating external actions applied at DOFs only, as discussed in Par. XXX below.

The nature of each $\underline{\mathbf{G}}$ generalized force component is defined based on the nature of the associated generalized displacement, such that the overall virtual work they perform on any $\delta \underline{\mathbf{d}}$ motion is

$$\delta \Upsilon_e = \delta \underline{\mathbf{d}}^\top \underline{\mathbf{G}}. \quad (2.82)$$

Let's now consider the internal virtual work produced by the same $\delta \underline{\mathbf{d}}$ displacements.

The IP stress components that are induced by the $\underline{\mathbf{d}}$ generalized displacements equal

$$\underline{\boldsymbol{\sigma}} = \underline{\mathbf{D}}(z) (\underline{\mathbf{B}}_e(\xi, \eta) + \underline{\mathbf{B}}_\kappa(\xi, \eta)z) \underline{\mathbf{d}} \quad (2.83)$$

according to the previous paragraphs, and they perform [volumic density of] internal work on the

$$\delta \underline{\boldsymbol{\epsilon}} = (\underline{\mathbf{B}}_e(\xi, \eta) + \underline{\mathbf{B}}_\kappa(\xi, \eta)z) \delta \underline{\mathbf{d}} \quad (2.84)$$

virtual elongations.

Similar considerations may be assessed with reference to the plate theory framework; in particular, the internal action stress and moment resultants may be derived from the element DOF as

$$\underline{\mathbf{q}} = (\underline{\mathbf{a}} \underline{\mathbf{B}}_e(\xi, \eta) + \underline{\mathbf{b}} \underline{\mathbf{B}}_\kappa(\xi, \eta)) \underline{\mathbf{d}} \quad (2.85)$$

$$\underline{\mathbf{m}} = (\underline{\mathbf{b}}^\top \underline{\mathbf{B}}_e(\xi, \eta) + \underline{\mathbf{c}} \underline{\mathbf{B}}_\kappa(\xi, \eta)) \underline{\mathbf{d}}, \quad (2.86)$$

and they perform [surficial density of] virtual work on the virtual variation of the generalized strain components

$$\delta \underline{\mathbf{e}} = \underline{\mathbf{B}}_e(\xi, \eta) \delta \underline{\mathbf{d}} \quad (2.87)$$

$$\delta \underline{\boldsymbol{\kappa}} = \underline{\mathbf{B}}_\kappa(\xi, \eta) \delta \underline{\mathbf{d}}, \quad (2.88)$$

The associated internal virtual work may be derived by integration along the element volume, i.e. along the thickness, and along the quadrilateral portion of reference surface that pertains to the element. We thus obtain a first contribution to the overall internal virtual work

$$\begin{aligned} \delta \Upsilon_i^\dagger &= \iiint_{\mathcal{A}} \int_h \delta \underline{\boldsymbol{\epsilon}}^\top \underline{\boldsymbol{\sigma}} dz d\mathcal{A} \\ &= \iiint_{\mathcal{A}} \int_h ((\underline{\mathbf{B}}_e + \underline{\mathbf{B}}_\kappa z) \delta \underline{\mathbf{d}})^\top \underline{\mathbf{D}} (\underline{\mathbf{B}}_e + \underline{\mathbf{B}}_\kappa z) \underline{\mathbf{d}} dz d\mathcal{A} \\ &= \delta \underline{\mathbf{d}}^\top \left[\iiint_{\mathcal{A}} \int_h (\underline{\mathbf{B}}_e^\top + \underline{\mathbf{B}}_\kappa^\top z) \underline{\mathbf{D}} (\underline{\mathbf{B}}_e + \underline{\mathbf{B}}_\kappa z) dz d\mathcal{A} \right] \underline{\mathbf{d}} \\ &= \delta \underline{\mathbf{d}}^\top \underline{\mathbf{K}}^\dagger \underline{\mathbf{d}}, \end{aligned} \quad (2.89)$$

which may equivalently be expressed based on the plate/laminate constitutive matrix minors as

$$\begin{aligned}
\delta \Upsilon_i^\dagger &= \iint_{\mathcal{A}} (\delta \underline{\underline{e}}^\top \underline{\underline{q}} + \delta \underline{\underline{\kappa}}^\top \underline{\underline{m}}) d\mathcal{A} \\
&= \delta \underline{\underline{d}}^\top \left[\iint_{\mathcal{A}} (\underline{\underline{B}}_e^\top (\underline{\underline{a}} \underline{\underline{B}}_e + \underline{\underline{b}} \underline{\underline{B}}_\kappa) + \underline{\underline{B}}_\kappa^\top (\underline{\underline{b}} \underline{\underline{B}}_e + \underline{\underline{c}} \underline{\underline{B}}_\kappa)) d\mathcal{A} \right] \underline{\underline{d}} \\
&= \delta \underline{\underline{d}}^\top \underline{\underline{K}}_\sigma \underline{\underline{d}}, \tag{2.90}
\end{aligned}$$

since we recall that

$$\{ \underline{\underline{a}}, \underline{\underline{b}}, \underline{\underline{c}} \} = \int_h \underline{\underline{D}} \{1, z, z^2\} dz,$$

and that the $\underline{\underline{B}}_{\{e,\kappa\}}$ matrices are constant in z .

Integration along i) the reference surface, and ii) along the thickness is numerically performed through potentially distinct quadrature rules; in particular, contributions are collected along the surface according to the two points per axis (four points overall) Gaussian quadrature formula introduced in Par. 2.2.2, whilst a (composite) Simpson rule is applied in z , being each material layer sampled at its outer and middle points. In general, any volume integral along the element, i.e.

$$\begin{aligned}
\iiint_{\Omega} g(\xi, \eta, x, y, z) d\Omega &= \tag{2.91} \\
&= \int_{-1}^{+1} \int_{-1}^{+1} \int_{-\frac{h}{2}+o}^{+\frac{h}{2}+o} g(\xi, \eta, x(\xi, \eta), y(\xi, \eta), z) dz \left| \underline{\underline{J}}(\xi, \eta) \right| d\xi d\eta,
\end{aligned}$$

where g is a generic function of the isoparametric or physical coordinates, will be numerically performed according to such scheme.

the outer integrals in the isoparametric coordinates (ξ, η) are evaluated according to the usual two points per axis gaussian quadrature rule, whereas a [composite] Simpson rule is employed along the TT coordinate z .

The two points per axis quadrature rule is the lowest order rule that returns an exact integral evaluation in the case of *distortion-free*³⁶ elements, i.e. planar elements whose peculiar (parallelogram) shape also

³⁶Many distinct definitions are associated to the element distortion concept, being the one reported relevant for the specific dissertation passage.

determines a linear (vs. bilinear) isoparametric mapping. Since the associated Jacobian matrix is constant with respect to ξ, η , the $\underline{\underline{L}}$ matrix defined in 2.70 linearly varies with such isoparametric coordinates, and so do the $\underline{\underline{B}}_e, \underline{\underline{B}}_\kappa$ matrices. The integrand of Eqn. 2.89 is thus a quadratic function of the ξ, η integration variables, as the Jacobian matrix determinant that scales the physical and the natural infinitesimal areas, see Eq. 2.63, is also constant.

A second contribution to the internal virtual work, which is due to the out-of-plane shear components, may be obtained with similar considerations based on Eqns. 2.79 and 2.23; such contribution may be cast as

$$\begin{aligned}\delta \Upsilon_i^\ddagger &= \iint_{\mathcal{A}} \delta \underline{\underline{\gamma}}_z^\top \underline{\underline{q}}_z d\mathcal{A} \\ &= \delta \underline{\underline{d}}^\top \left[\iint_{\mathcal{A}} \underline{\underline{B}}_\gamma^\top \underline{\underline{\Gamma}} \underline{\underline{B}}_\gamma d\mathcal{A} \right] \underline{\underline{d}} \\ &= \delta \underline{\underline{d}}^\top \underline{\underline{K}}^\ddagger \underline{\underline{d}}.\end{aligned}\tag{2.92}$$

The overall internal work is thus

$$\begin{aligned}\delta \Upsilon_i &= \delta \Upsilon_i^\dagger + \delta \Upsilon_i^\ddagger \\ &= \delta \underline{\underline{d}}^\top \left(\underline{\underline{K}}^\dagger + \underline{\underline{K}}^\ddagger \right) \underline{\underline{d}} \\ &= \delta \underline{\underline{d}}^\top \underline{\underline{K}} \underline{\underline{d}}.\end{aligned}\tag{2.93}$$

The principle of virtual works states that the external and the internal virtual works are equal for a general virtual displacement $\delta \underline{\underline{d}}$, namely

$$\delta \underline{\underline{d}}^\top \underline{\underline{G}} = \delta \Upsilon_e = \delta \Upsilon_i = \delta \underline{\underline{d}}^\top \underline{\underline{K}} \underline{\underline{d}}, \quad \forall \delta \underline{\underline{d}},\tag{2.94}$$

if and only if the applied external actions $\underline{\underline{G}}$ are in equilibrium with the elastic reactions due to the displacements $\underline{\underline{d}}$; the following equality thus holds

$$\underline{\underline{G}} = \underline{\underline{K}} \underline{\underline{d}};\tag{2.95}$$

the $\underline{\underline{K}}$ *stiffness matrix* relates a deformed element configuration, which is defined based on the generalized displacement vector $\underline{\underline{d}}$, with the $\underline{\underline{G}}$ generalized forces that have to be applied at the element nodes to keep the element in such a stretched state.

2.3.6 The shear locking flaw

Figures 2.17 rationalize the shear locking phenomenon that plagues the plain bilinear isoparametric element in its mimicking the pure bending deformation modes; the case of an in-plane constant curvature bending is presented, but an analogous behaviour is observed in the out-of-plane bending case.

In Figure 2.17a, a rectangular³⁷ planar element is presented, whose geometry is defined by the a/b side length ratio, being the thickness not relevant for the treatise. The material is assumed linearly elastic, homogeneous and isotropic.

In Figure 2.17b, the exact solution for an equivalent prismatic body subject to pure bending is presented in terms of strain components and strain energy area density, as a function of the imposed angular displacement of the ends. The first Castigliano theorem may be employed in deriving the applied bending moment C_b , as predicted by the exact solution.

In Figure 2.17c, the same angular displacement is imposed to the flanks of a four-noded, isoparametric element of the kind described in the present treatise. The trapezoidal (or *keystoning*) deformation shown in Figure is the best-effort exact solution mimicking we may obtain with a single element.

In the absence of OOP displacements and IP rotations, a pure membrane deformation is obtained; the drilling DOF is not considered. Strain components are derived according to the proposed formulation, and reported along the strain energy area density; apart from the ϵ_x longitudinal strain, inconsistencies are observed with respect to the exact solution. Again, the first Castigliano theorem may be employed in deriving the bending moment C_{iso4} , as predicted by the element formulation.

In Figure 2.17d, the exact solution is subtracted from its finite element counterpart, thus revealing a spurious residual strain field, whose most notable characteristic is a generally nonzero IP shear strain component γ_{xy} . Such a component is constant in the transverse to bending direction y , whereas it linearly varies in the axial direction x from $+\alpha/2$ to $-\alpha/2$, being null at the $x = 0$ (or $\xi = 0$) locus alone.

Such a spurious shear component contributes to the element strain

³⁷vs. generally quadrangular, for the sake of treatise simplicity




Figure 2.8: Rationalization of the [IP] shear locking phenomenon, in the case of a rectangular plate element. An analogous construction may be derived for the OOP counterpart.

energy thus stiffening the element with respect to the exact solution; the ratio between the bending moments to be applied to induce a given curvature is also reported, which reveals that a $\approx +48\%$ bogus stiffening is to be expected for the geometrically regular element, and the commonest structural materials.

In particular the error grows with the a/b ratio, and it becomes consistent with that due the sole $\sigma_y = 0$ vs. $\epsilon_y = 0$ incongruity ($\approx +9.8\%$) in the limit case of $a/b \rightarrow 0$.

If such a spurious stiffening is tolerable for the in-plane bending – which is a secondary loadcase for a thin walled body, the analogous results obtained in the more significant transverse deflection (out-of-plane) bending case makes the element under scrutiny not compliant with the Irons patch test³⁸ for plates – i.e., some error due to discretization is noticed even in the uniform curvature bending loadcase.

Many workarounds are proposed in literature, see e.g. the chapters devoted to the topic in [9]; in the following, two emending techniques are presented, which are (apparently³⁹) employed for the MSC.Marc Element 75.

A solution for the oop plate bending

An ingenious sampling and interpolation technique has been developed in [10] that overcomes the locking effect due to the spurious transverse shear strain that develops when the element is subject to out-of-plane bending. Such technique, however, does not correct the element behaviour with respect to in-plane bending.

Eqn. 2.79 is employed in obtaining the transverse shear strain components $\bar{\gamma}_{zx}$ and $\bar{\gamma}_{yz}$ at the edge midpoints; the edge-aligned component $\bar{\gamma}_{z\hat{ij}}$ is derived by projection along the \hat{ij} direction, whereas the orthogonal component is neglected.

Figure 2.9a evidences that a null spurious transverse shear is measured at the midpoint of the 12 and of the 41 edges when a constant,

³⁸in summary: a finite element formulation passes the patch test if an arbitrarily coarse discretization still exactly forecasts any uniform [generalized] strain solution, given a conformable set of boundary conditions; see [7], and [8] for some further developments.

³⁹Documentation is not as detailed, and the source code is not available; some literature search and some reverse engineering hints for the usage of such techniques.

out-of-plane curvature is locally enforced that develops along the $\widehat{12}$ and the $\widehat{41}$ directions, respectively. Such property holds for all edges.

In Figure 2.9b, a differential out-of-plane displacement is added to the initial pure bending configuration of Fig. 2.9a, and in the absence of further rotations at nodes; a proper (vs. spurious) transverse shear strain field is thus induced in the element, that the sampling scheme must properly evaluate.

The edge aligned, transverse shear components sampled at the side midpoints are then assigned to the whole edge, and in particular to both its extremal nodes.

As shown in Figure 2.9b (and in the related enlarged view), two independent transverse shear components $\bar{\gamma}_{z\widehat{12}}$ and $\bar{\gamma}_{z\widehat{41}}$ are associated to the n1 node, which is taken as an example.

A vector is uniquely determined, whose projections on the $\widehat{12}$ and $\widehat{41}$ directions coincide with the associated transverse shear components; the components of such vector with respect to the x, y axes define the $\bar{\gamma}_{zx, n1}$ and $\bar{\gamma}_{yz, n1}$ transverse shear terms at the n1 node.

Such procedure is repeated for all the element vertices; the obtained nodal values for the transverse shear components are then interpolated to the element interior, according to the customary bilinear scheme.

Due to the peculiarity of the initial sampling points, the obtained transverse shear strain field is amended with respect to the spurious contribution that previously led to the shear locking effect; the usual quadrature scheme may now be employed.

Equation 2.79 still formalizes the passage from nodal DOFs to the out-of-plane shear field, since the procedure described in the present paragraph may be easily cast in the form of a revised $\underline{\underline{B}}_\gamma$ matrix.

A solution for the ip plate bending, which also mitigates the drilling mode quirks.

TODO.

2.4 Mass matrix for the finite element

2.4.1 Energy consistent formulation for the mass matrix

The Ω volume of material associated to a finite element is considered, along with the local, physical reference system (x, y, z) , and its isoparametric counterpart that, for the quadrilateral plate element under scrutiny, is embodied by the (ξ, η, z) triad.

The *vector* shape function array

$$\underline{\underline{S}}(\xi, \eta, z) = \begin{bmatrix} \dots & \hat{u}_i(\xi, \eta, z) & \dots \\ \dots & \hat{v}_i(\xi, \eta, z) & \dots \\ \dots & \hat{w}_i(\xi, \eta, z) & \dots \end{bmatrix} \quad (2.96)$$

is defined based on the elementary motions $\hat{\underline{u}}_i \equiv [\hat{u}_i, \hat{v}_i, \hat{w}_i]^\top$ induced to the element material points by imposing a unit value to the i -th degree of freedom d_i , while keeping the others fixed.

The displacement field is then defined as a linear combination of the elementary motions above, where the \underline{d} element DOFs serve as coefficients, namely

$$\underline{u}(\xi, \eta, z) = \underline{\underline{S}}(\xi, \eta, z) \underline{d}. \quad (2.97)$$

Deriving with respect to time the equation above, the velocity field

$$\dot{\underline{u}}(\xi, \eta, z) = \underline{\underline{S}}(\xi, \eta, z) \dot{\underline{d}} \quad (2.98)$$

is obtained as a function of the first variation in time of element DOFs. Expression 2.98 is simplified by the constant-in-time nature of $\underline{\underline{S}}$.

The kinetic energy contribution associated to the deformable element material points may be integrated, thus obtaining

$$E_{\text{kin}} = \frac{1}{2} \iiint_{\Omega} \dot{\underline{u}}^\top \dot{\underline{u}} \rho d\Omega \quad (2.99)$$

where ρ is the material mass density, that may vary across the domain. By substituting the velocity field definition of Eq. 2.98 we obtain

$$E_{\text{kin}} = \frac{1}{2} \iiint_{\Omega} \left[\underline{\underline{S}} \dot{\underline{d}} \right]^\top \left[\underline{\underline{S}} \dot{\underline{d}} \right] \rho d\Omega, \quad (2.100)$$

and finally

$$E_{\text{kin}} = \frac{1}{2} \dot{\underline{\mathbf{d}}}^\top \left[\iiint_{\Omega} \underline{\underline{\mathbf{S}}}^\top \underline{\underline{\mathbf{S}}} \rho d\Omega \right] \dot{\underline{\mathbf{d}}} = \frac{1}{2} \dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{M}}} \dot{\underline{\mathbf{d}}}. \quad (2.101)$$

The integral term that defines the $\underline{\underline{\mathbf{M}}}$ *mass* matrix is evaluated by resorting to the same quadrature technique introduced for its stiffness counterpart.

The actual nature of the mass matrix terms varies based on the type of the DOFs that are associated to the term row and column; in particular, the diagonal terms that are related to displacements and rotations are dimensionally consistent with a mass and a moment of inertia, respectively.

The mass matrix quantifies the inertial response of the finite element; according to its definition

$$\underline{\underline{\mathbf{M}}} = \iiint_{\Omega} \underline{\underline{\mathbf{S}}}^\top \underline{\underline{\mathbf{S}}} \rho d\Omega, \quad (2.102)$$

it is merely a function of the material density, and of the kinematic laws that constrain the motion of the material particles within the element.

If a set of external (generalized) forces $\underline{\underline{\mathbf{G}}}$ is applied to the element DOFs in the fictitious absence of elastic reactions, a purely inertial response is expected. The $\dot{\underline{\mathbf{d}}}$ vector defines the instantaneous first derivative in time of the DOFs (i.e. nodal translational and rotational velocities); the instantaneous power supplied by the external forces is then evaluated as $\dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{G}}}$, that induces an equal time derivative of the kinetic energy, quantified as ⁴⁰

$$\begin{aligned} \dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{G}}} &= \frac{dE_{\text{kin}}}{dt} = \frac{d}{dt} \left(\frac{1}{2} \dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{M}}} \dot{\underline{\mathbf{d}}} \right) \\ &= \frac{1}{2} \left(\ddot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{M}}} \dot{\underline{\mathbf{d}}} + \dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{M}}} \ddot{\underline{\mathbf{d}}} \right) \\ &= \dot{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{M}}} \ddot{\underline{\mathbf{d}}}. \end{aligned}$$

⁴⁰The symmetric matrix characterizing property

$$\underline{\mathbf{x}}^\top \underline{\underline{\mathbf{A}}} \underline{\mathbf{y}} = \underline{\mathbf{y}}^\top \underline{\underline{\mathbf{A}}} \underline{\mathbf{x}} \quad \forall \underline{\mathbf{x}}, \underline{\mathbf{y}} \in \mathbb{R}^n$$

is used in deriving the last passage.

Due to the general nature of $\underline{\dot{d}}$, equality

$$\underline{G} = \underline{M} \underline{\ddot{d}} \quad (2.103)$$

is implied, which points out the mass matrix role in transforming the DOF vector second derivative in time (i.e. nodal translational and rotational accelerations) into the generalized force components that are to be applied in order to sustain such variation of motion.

2.4.2 Lumped mass matrix formulation

In a few applications, a diagonal form for the mass matrix is preferred at the expense of a) a strict adherence to energy consistency with regard to rotational motions, and b) some arbitrariness in its definition.

The finite element volume is ideally partitioned into a set of influence domains, one each node. In the case of the four-noded quadrilateral, material points whose ξ, η isoparametric coordinates fall within the first, second, third and fourth quadrant are associated to nodes n3, n4, n1 and n2, respectively; those distributed masses are then ideally accumulated at the associated node.

A group of four concentrated nodal masses is thus defined, whose motion is defined based on single translational DOFs, and not on the plurality of weighted contributions that induces the nonzero, nondiagonal terms at the consistent mass matrix.

This undue material accumulation at the element periphery produces a spurious increase of the moment of inertia, condition, this, that may only be worsened if (positive) rotational inertias are introduced at nodes.

Those nodal rotational inertias are however required in associating a bounded angular acceleration to unbalanced nodal torques; solution methods based on the mass matrix inversion, e.g. explicit dynamic procedures, are precluded otherwise. Since there is no consensus on the quantification those inertial terms, the reader is addressed to specialized literature.

The effect of this elemental overestimation on the rotational inertia of the modeled structures decreases with mesh refinement, and it vanishes for a theoretically vanishing element size.

2.5 External forces

Energetically consistent external actions may be applied at the nodal DOFs, that may be interpreted as *concentrated* forces and moments; their physical rationalization outside the discretized structure framework – and in particular back to the underlying elastic continua theory – is far from being trivial.

Surface tractions and volumetric loads are instead naturally tied with the continuum formulation, and are usually employed in formalizing the load condition of structural components.

The present paragraph derives the equivalent nodal representation of distributed actions acting on the domain of a single finite element; the inverse relation provides a finite, distributed traction counterpart to concentrated actions applied at the nodes of a discretized FE model.

The $\underline{\underline{S}}$ set of elementary deformation modes that is introduced in the context of the element mass matrix derivation, see Eqn. 2.96, is employed to define a virtual displacement field within the element domain based on the virtual variation $\delta \underline{d}$ of its nodal DOFs values, i.e.

$$\delta \underline{u}(\xi, \eta, z) = \underline{\underline{S}}(\xi, \eta, z) \delta \underline{d}, \quad (2.104)$$

see also Eq. 2.97.

A volumetric external load is considered, whose components $\underline{p} = [p_x, p_y, p_z]$ are consistent with the $\underline{\underline{S}}$ matrix reference system, i.e. the local to the element, physical *Cxyz* one. If external load components are defined in the context of a global reference system, straightforward reference frame transformations are to be applied.

The virtual work performed by those distributed actions is first integrated along the element domain, and then equalled to its nodal counterpart $\delta \underline{d}^\top \underline{F}$, thus leading to

$$\begin{aligned} \delta \underline{d}^\top \underline{F} &= \iiint_{\Omega} (\delta \underline{u})^\top \underline{p} d\Omega \\ &= \iiint_{\Omega} (\underline{\underline{S}} \delta \underline{d})^\top \underline{p} d\Omega \\ &= \delta \underline{d}^\top \iiint_{\Omega} \underline{\underline{S}}^\top \underline{p} d\Omega, \end{aligned}$$

and finally to

$$\underline{F} = \iiint_{\Omega} \underline{\underline{S}}^\top \underline{p} d\Omega \quad (2.105)$$

due to the general nature of $\delta \underline{d}$.

In the case of the plate element under scrutiny, we recall that the volume integral of Eq. 2.105 is numerically evaluated according to Eq. 2.91 quadrature scheme.

In general, the quadrature along the domain is performed according to the methods introduced for deriving the element stiffness matrix. If a surface or an edge load are supplied in place of the volumetric load vector \underline{p} , Eq. 2.105 integral may be adapted to span each loaded element face, or edge.

In the case of low order isoparametric elements – e.g. the four-noded quadrilateral shell element, an alternative, simplified procedure for the consolidation of the distributed loads into nodal forces becomes viable. According to such procedure, the element domain is partitioned into influence volumes, one each node; the external load contributions are then accumulated within each partition, and the resultant force vector is applied to the associated node.

By moving such resultant force from the distribution center of gravity (COG) to the corner node, momentum balance is naively disregarded; the induced error however decreases with the load field variance across the element, and hence with the element size. Such error vanishes for uniform distributed loads.

In the presence of a better established, work consistent counterpart, such simplified procedure is mostly employed to set a rule-of-thumb equivalence between distributed and nodal loads; in particular, the stress-singular nature of a set of nodal loads may be easily pointed out if it is observed that a finite load resultant is applied to influence areas that cumulatively vanish with vanishing element size.

2.6 Joining elements into structures.

2.6.1 Displacement and rotation field continuity

Displacement and rotation fields are continuous at the isoparametric quadrilateral inter-element interfaces; they are in fact continuous at nodes since the associated nodal DOFs are shared by adjacent elements, and the field interpolations that occur within each quadrilateral domain a) they both reduce to the same linear relation along the shared edge, and b) they are performed in the absence of any contributions related to unshared nodes or DOFs.

A similar result does not hold for the [generalized] strain and stress components, which are in general discontinuous across the element boundaries; such a discontinuity – which vanishes with mesh refinement except at singularities⁴¹ – constitutes an indicator of the FE discretization error.

2.6.2 Expressing the element stiffness matrix in terms of global dofs

As seen in Par. 2.3.5, the stiffness matrix of each j -th element defines the elastic relation between the associated generalized forces and displacements, i.e.

$$\underline{\mathbf{G}}_{ej} = \underline{\mathbf{K}}_{ej} \underline{\mathbf{d}}_{ej} \quad (2.106)$$

where the DOFs definition is local with respect to the element under scrutiny.

In order to investigate the mutual interaction between elements in a structure, a common set of *global* DOFs is required; in particular, generalized displacement DOFs are defined at each l -th global node, i.e., for nodes interacting with the shell element formulation under scrutiny,

$$\underline{\mathbf{d}}_{gl} = \begin{bmatrix} u_{gl} \\ v_{gl} \\ w_{gl} \\ \theta_{gl} \\ \varphi_{gl} \\ \psi_{gl} \end{bmatrix}. \quad (2.107)$$

⁴¹i.e. at locations at which a singularity (or a discontinuity) of the *exact* solution may be theoretically predicted

The global reference system $OXYZ$ is typically employed in projecting nodal vector components. However, each l -th global node may be supplied with a specific reference system, whose unit vectors are $\hat{i}_{gl}, \hat{j}_{gl}, \hat{k}_{gl}$, thus permitting the employment of non uniformly aligned (e.g. cylindrical) global reference systems.

Those nodal degrees of freedom may be collected in a global DOFs vector

$$\underline{\mathbf{d}}_g^\top = [\underline{\mathbf{d}}_{g1}^\top \quad \underline{\mathbf{d}}_{g2}^\top \quad \cdots \quad \underline{\mathbf{d}}_{gl}^\top \quad \cdots \quad \underline{\mathbf{d}}_{gn}^\top] \quad (2.108)$$

that parametrically defines any deformed configuration of the structure.

Analogously, a global, external (generalized⁴²) forces vector may be defined, that assumes the form

$$\underline{\mathbf{F}}_g^\top = [\underline{\mathbf{F}}_{g1}^\top \quad \underline{\mathbf{F}}_{g2}^\top \quad \cdots \quad \underline{\mathbf{F}}_{gl}^\top \quad \cdots \quad \underline{\mathbf{F}}_{gn}^\top]; \quad (2.109)$$

since single DOF (or single-DOF(!) constraint (SPC)) and multi DOF (or multi-DOF(!) constraint (MPC)) kinematic constraints⁴³ are expected to be applied to the structure DOFs, the following vector of reaction forces

$$\underline{\mathbf{R}}_g^\top = [\underline{\mathbf{R}}_{g1}^\top \quad \underline{\mathbf{R}}_{g2}^\top \quad \cdots \quad \underline{\mathbf{R}}_{gl}^\top \quad \cdots \quad \underline{\mathbf{R}}_{gn}^\top] \quad (2.110)$$

is introduced. Many FE softwares – and MSC.Marc in particular – treat external and internal constraints separately, thus leading to two set of constraint actions, namely the (strictly named) *reaction forces*, and the *tying forces*, respectively; for the sake of simplicity, the constraint treatise is unified in the present contribution.

The simple four element, roof-like structure of Fig. 2.10 is employed in the following to discuss the procedure that derives the elastic response characterization for the structure from its elemental counterparts.

The structure comprises nine nodes, whose location in space is defined according to a global reference system $OXYZ$, see Table 2.2.

⁴²Unless otherwise specified, the *displacement* and *force* terms refer to the DOFs, and the suitable actions that perform work with their variation, respectively. They are in fact *generalized* forces and displacements.

⁴³in a previous version of this contribution, an equivalency was proposed between the single DOF vs. multi DOF constraint characterization, and the *external* – i.e. *to ground* – vs. *internal* classification. In fact, those classifications are disjoint, since, if ground reactions are expected in the single DOF case, legitimate multi DOF constraint exist – e.g. the hypothetical $u_{g2} = v_{g5}$ – whose reactions are not self-equilibrated, and hence require an external, ground intervention for their balancing.




Figure 2.10: A simple four-element, roof-like structure employed in discussing the assembly procedures. The elements are square, thick plates whose angle with respect to the global XY plane is 30°

| node | X | Y | Z |
|------|-------|-------|------|
| g1 | $-ac$ | 0 | $+a$ |
| g2 | 0 | $+as$ | $+a$ |
| g3 | $+ac$ | 0 | $+a$ |
| g4 | $-ac$ | 0 | 0 |
| g5 | 0 | $+as$ | 0 |
| g6 | $+ac$ | 0 | 0 |
| g7 | $-ac$ | 0 | $-a$ |
| g8 | 0 | $+as$ | $-a$ |
| g9 | $+ac$ | 0 | $-a$ |

Table 2.2: Nodal coordinates for the roof-like structure of Figure 2.10. a is the element side length, $c = \cos 30^\circ$ and $s = \sin 30^\circ$




Figure 2.11: A representation of the stiffness matrix terms for each element in the example structure; the term magnitude is represented through a linear grayscale, spanning from zero (white) to the peak value (black).

| | n1 | n2 | n3 | n4 |
|----|----|----|----|----|
| e1 | g1 | g2 | g5 | g4 |
| e2 | g2 | g3 | g6 | g5 |
| e3 | g4 | g5 | g8 | g7 |
| e4 | g5 | g6 | g9 | g8 |

Table 2.3: Element connectivity for the roof-like structure of Figure 2.10. As an example, the node described by the local numbering e3n2 is mapped to the global node g5.

The structure is composed by four, identical, four noded isoparametric shell elements, whose formulation is described in the preceding section 2.3.

A grayscale, normalized representation of the element stiffness matrix is shown in Figure 2.11, where the white to black colormap spans from zero to the maximum in absolute value term.

The mapping between local, element based node numbering and the global node numbering is reported in the connectivity Table 2.3.

Such i) local to global node numbering mapping, together with ii) the change in reference system mentioned above, defines a set of elemental DOF mapping matrices, $\underline{\underline{P}}_{ej}$, one each j -th element. Such matrices are defined as follows: the i -th row the $\underline{\underline{P}}_{ej}$ matrix contains the coefficients of the linear combination of global DOFs that equates




Figure 2.12: A grayscale representation of the terms of the four $\underline{\underline{P}}_{ej}$ mapping matrices associated the elements of Fig. 2.10. The colormap spans from white (zero) to black (one); the lighter and the darker grey colors represent terms that equate in modulus $\sin 30^\circ$ and $\cos 30^\circ$, respectively.

the i local DOF of the j -th element; an example is proposed in the following to illustrate such relation.

With reference to the structure of Figure 2.10, w_{e1n2} and θ_{e1n1} respectively represent the 10th and the 13th local degrees of freedom of element 1.

Their global representation involves a subset of the g2 and g1 global nodes DOFs, respectively, namely

$$w_{e1n2} = \langle \hat{k}_{e1}, \hat{i}_{g2} \rangle u_{g2} + \langle \hat{k}_{e1}, \hat{j}_{g2} \rangle v_{g2} + \langle \hat{k}_{e1}, \hat{k}_{g2} \rangle w_{g2} \quad (2.111)$$

$$\theta_{e1n1} = \langle \hat{i}_{e1}, \hat{i}_{g1} \rangle \theta_{g1} + \langle \hat{i}_{e1}, \hat{j}_{g1} \rangle \phi_{g1} + \langle \hat{i}_{e1}, \hat{k}_{g1} \rangle \psi_{g1} \quad (2.112)$$

where $\hat{i}_{e1}, \hat{j}_{e1}, \hat{k}_{e1}$ are the orientation vectors of the element 1 local reference system, $\hat{i}_{g1}, \hat{j}_{g1}, \hat{k}_{g1}$ and $\hat{i}_{g2}, \hat{j}_{g2}, \hat{k}_{g2}$ are the orientation vectors of the global nodes 1 and 2 reference systems, and $\langle \cdot, \cdot \rangle$ represents their mutual scalar product, or, equivalently, the cosinus of the angle between two unit vectors.

The 10th and the 13th row of the $\underline{\underline{P}}_{e1}$ mapping matrix are defined based on Eqs.2.111 and 2.112, respectively, and they are null except for the elements

$$\begin{aligned} [\underline{\underline{P}}_{e1}]_{10,7} &= \langle \hat{k}_{e1}, \hat{i}_{g2} \rangle & [\underline{\underline{P}}_{e1}]_{13,4} &= \langle \hat{i}_{e1}, \hat{i}_{g1} \rangle \\ [\underline{\underline{P}}_{e1}]_{10,8} &= \langle \hat{k}_{e1}, \hat{j}_{g2} \rangle & [\underline{\underline{P}}_{e1}]_{13,5} &= \langle \hat{i}_{e1}, \hat{j}_{g1} \rangle \\ [\underline{\underline{P}}_{e1}]_{10,9} &= \langle \hat{k}_{e1}, \hat{k}_{g2} \rangle & [\underline{\underline{P}}_{e1}]_{13,6} &= \langle \hat{i}_{e1}, \hat{k}_{g1} \rangle, \end{aligned}$$

being $u_{g2}, v_{g2}, w_{g2}, \theta_{g1}, \phi_{g1}$ and ψ_{g1} the 7th, 8th, 9th, 4th, 5th and 6th global degrees of freedom according to their position in \underline{d}_g .

Figure 2.12 presents a grayscale representation of the four $\underline{\underline{P}}_{ej}$ matrices; please note the extremely sparse nature of those matrices, whose number of nonzero terms scales with the single element DOF cardinality, whereas the total number of terms scale with the whole structure DOF cardinality.

The rows of the rectangular $\underline{\underline{P}}_{ej}$ mapping matrix are mutually orthonormal; the mapping matrix is orthogonal in the sense of the Moore-Penrose pseudoinverse, since its transpose and its pseudoinverse coincide.

By resorting to the elemental DOF mapping matrix artifice, the j -th element DOFs may be derived from their global counterpart as

$$\underline{d}_{ej} = \underline{\underline{P}}_{ej} \underline{d}_g, \quad \forall j. \quad (2.113)$$

Eq. 2.106 let us further derive the component of external actions that are required by each j -th stretched element to oppose the its own elastic reactions as

$$\underline{\mathbf{G}}_{ej} = \underline{\mathbf{K}}_{ej} \underline{\mathbf{P}}_{ej} \underline{\mathbf{d}}_g, \quad \forall j; \quad (2.114)$$

such a external action vector, which is still expressed in terms of the local set of DOFs, is now formulated as a function of the global displacement vector. Those elemental external action components $\underline{\mathbf{G}}_{ej}$ may be cast in terms of the global DOF set based on the following virtual work equivalency

$$\delta \underline{\mathbf{d}}_g^\top \underline{\mathbf{G}}_{g \leftarrow ej} = (\underline{\mathbf{P}}_{ej} \delta \underline{\mathbf{d}}_g)^\top \underline{\mathbf{G}}_{ej}, \quad \forall \delta \underline{\mathbf{d}}_g \quad (2.115)$$

where $\underline{\mathbf{d}}_g$ is a generic global virtual displacement, $\underline{\mathbf{P}}_{ej} \delta \underline{\mathbf{d}}_g$ is the associated virtual variation of the j -th element DOFs, see Eq.2.113, and

$$\underline{\mathbf{G}}_{g \leftarrow ej} = \underline{\mathbf{P}}_{ej}^\top \underline{\mathbf{G}}_{ej} \quad (2.116)$$

is the global counterpart of the local $\underline{\mathbf{G}}_{ej}$ nodal action vector.

Based on 2.106, 2.113 and 2.116, the contribution of the j -th element to the elastic response of the structure may finally be described as the vector of global force components

$$\underline{\mathbf{G}}_{g \leftarrow ej} = \underline{\mathbf{P}}_{ej}^\top \underline{\mathbf{K}}_{ej} \underline{\mathbf{P}}_{ej} \underline{\mathbf{d}}_g; \quad (2.117)$$

that have to be applied at the structure DOFs in order to equilibrate the elastic reactions that arise at the nodes of the j -th element, if a deformed configuration is prescribed for the latter according to the $\underline{\mathbf{d}}_g$ global displacement mode.

By accumulating the contribution of the various elements in a structure, the overall relation is obtained

$$\underline{\mathbf{G}}_g = \sum_j \underline{\mathbf{G}}_{g \leftarrow ej} = \left(\sum_j \underbrace{\underline{\mathbf{P}}_{ej}^\top \underline{\mathbf{K}}_{ej} \underline{\mathbf{P}}_{ej}}_{\underline{\mathbf{K}}_{g \leftarrow ej}} \right) \underline{\mathbf{d}}_g = \underline{\mathbf{K}}_g \underline{\mathbf{d}}_g, \quad (2.118)$$

that defines the $\underline{\mathbf{K}}_g$ global stiffness matrix as an assembly of the $\underline{\mathbf{K}}_{g \leftarrow ej}$ elemental contributions. The contribute accumulation at each summatory step is graphically represented in Fig. 2.13, in the case of the example structure of Fig. 2.10.

The global stiffness matrix is symmetric, and it shows nonzero terms at cells whose row and column indices are associate to two DOFs that are bridged by a direct elastic link – i.e., an element exists, that insists on both the nodes those DOFs pertain; since only a limited number of elements insist on each given node, the matrix is sparse, as shown in Fig. 2.13d.

An favourable numbering of the global nodes may be searched for, such that the nonzero terms are clustered within a (possibly) narrow band around the diagonal; the resulting stiffness matrix is hence *banded*, condition this that reduces both the storage memory requirements, and the computational effort in applying the various algebraic operators to the matrix.

The stiffness matrix (half-)bandwidth may be predicted by evaluating the bandwidth required for storing each element contribution

$$b_{ej} = (i_{\max} - i_{\min} + 1) l, \quad (2.119)$$

and retaining the

$$b = \max_{ej} b_{ej} \quad (2.120)$$

peak value; in the formula 2.119, l is the number of DOF per element node, whereas i_{\min} and i_{\max} are the extremal integer labels associated to the element nodes, according to the global numbering.

2.6.3 External forces assembly

The element vector forces are accumulated to derive global external forces vector $\underline{\mathbf{F}}_g$, as in

$$\underline{\mathbf{F}}_g = \sum_j \underline{\mathbf{P}}_{ej}^\top \underline{\mathbf{F}}_{ej}; \quad (2.121)$$

the transposed $\underline{\mathbf{P}}_{ej}^\top$ mapping matrix is employed to translate the actions on the local DOFs to their global counterpart.




Figure 2.13: Graphical representation of the assembly steps for the stiffness matrix of the Fig. 2.10 structure. In (a), the $\underline{\underline{K}}_{g \leftarrow e1}$ term is presented alone; the $\underline{\underline{K}}_{g \leftarrow e2}$, $\underline{\underline{K}}_{g \leftarrow e3}$ and $\underline{\underline{K}}_{g \leftarrow e4}$ are sequentially accumulated, thus leading to (b), (c) and (d). In (d), the symmetric and banded nature of the matrix is evidenced. The zero-initialized form for the matrix that precedes the (a) step is omitted.

2.7 Constraints.

2.7.1 A pedagogical example.

Figure 2.14 represents a simple, pedagogical example of a three d.o.f. elastic system subject to a set of two kinematic constraints. The first, I, embodies a typical multi d.o.f. constraint⁴⁴, namely a 3:1 leverage between the vertical displacements d_3 and d_1 . The second, II, consists in a single d.o.f., inhomogeneous constraint that imposes a fixed value to the d_2 vertical displacement.

Both the kinematic constraint may be cast in the same algebraic form of a linear *variation*⁴⁵ constraint

$$\sum_i \alpha_{ji} d_i = \underline{\alpha}_j^\top \underline{\mathbf{d}} = \beta_j$$

where $j = I, II$ and $i = 1 \dots 3$ the indexes span through the constraints and the model d.o.f.s, respectively, and the $\underline{\alpha}_j$ equation coefficient vectors and inhomogeneous terms are

$$\begin{aligned} \underline{\alpha}_I^\top &= [3 \quad 0 \quad 1] & \beta_I &= 0 \\ \underline{\alpha}_{II}^\top &= [0 \quad 1 \quad 0] & \beta_{II} &= 0.2 \end{aligned}$$

In the absence of constraints, viable system configurations span the whole \mathbb{R}^3 space of Fig. 2.15 (a); viable configurations with respect to the first constraint alone span the *hyper-plane/subspace*⁴⁶ I, whereas the subspace II collects the feasible configurations with respect to the second constraint.

It is relevant to underline that the feasible configuration hyper-planes I and II are normal to the associated coefficient vectors $\underline{\alpha}_I$ and $\underline{\alpha}_{II}$, respectively.

The $I \cap II$ intersection subspace collects the configurations that satisfies both the constraints; such subspace is orthogonal to both $\underline{\alpha}_I$ and $\underline{\alpha}_{II}$.

⁴⁴usually, and rather improperly, named *multipoint* constraint (MPC)

⁴⁵due to the presence of the inhomogeneous term δ_k

⁴⁶The subspace of the feasible configurations with respect to a single, scalar linear equation is an hyperplane in the configuration space; due to the limited d.o.f. set cardinality, Figure 2.15 (a) represents a 2d plane within a 3d space. The *hyper-*nomenclature is preserved for generality.




Figure 2.14: A pedagogical elastic three d.o.f. system, (a), subject to a few kinematic constraints (b).

If the constraints are assumed as ideal⁴⁷, the exerted reactions are orthogonal to the allowed virtual displacements – i.e. feasible displacements departing from a feasible configuration; reaction forces are confined on a subspace of the reaction space that corresponds to⁴⁸ the orthogonal complement of the feasible subspace of the configuration space. By moving on the constraint reaction space shown in 2.15 (b), the reaction forces associated to constraint I and II are thus proportional to the $\underline{\alpha}_I$ and $\underline{\alpha}_{II}$ vectors, respectively; the cumulative constraint reactions lie on the linear span of those two vectors, namely $\text{span}(\underline{\alpha}_I, \underline{\alpha}_{II})$.

2.7.2 General formulation

Purpose of the present paragraph is to define a set of m linear, possibly inhomogeneous⁴⁹ (i.e. linear *variation*) constraint equations amongst

⁴⁷or, namely, frictionless

⁴⁸i.e. the two subspaces share, with adjusted physical dimensions, the same generator vectors.

⁴⁹according to many FE code implementation – e.g. MSC.Marc or ABAQUS – the inhomogeneous term is allowed in SPC constraints only, limiting the more general MPC kinematic constraint to the homogeneous form only; an auxiliary node whose k -th DOF is interested by both the MPC and an by an inhomogeneous SPC may be




Figure 2.15: Allowed system configurations and constraint reactions for the pedagogical example of Fig. 2.14. The allowed virtual displacement sets are easily derived as the homogenous counterpart of (a), and are left to the reader's imagination.

the structure \underline{d} DOFs which may embody various kinds of kinematic relations, e.g. the pedagogic ones described above as, again,

$$\sum_i \alpha_{ji} d_i = \underline{\alpha}_j^\top \underline{d} = \beta_j, \quad j = 1 \dots m \quad (2.122)$$

2.7.3 A first solution procedure for the constrained system

which reveals itself consistent with the Lagrange multiplier technique for constrained minimization.

Differences with respect to the alternative one that was proposed in previous courses, and which is still presented below are:

- the present one is shorter;
- it is more classical and widespread in literature;
- constraint equations are treated as, indeed, equations, and not as DOF assignments; in particular the DOFs are not to be partitioned into the *tied/retained* sets. Such a distinction is however a fact in actual implementations;

added to the model to circumvent such limitation.

- the order of the system of equations to be solved is augmented (vs. reduced) of one unit for each added constraint; the impact on the matrix bandwidth is however analogous;
- the assembled stiffness matrix is bordered with further minors, but not otherwise manipulated;
- the basis for the reaction force vectors clearly appears from the formulation.
- the equivalence between non-zero imposed displacements and a suitable sets of external loads does *not* appear evident according to the present formulation.

A basis for the allowed constraint reactions subspace

By employing a matrix formulation, Eq. 2.122, may be directly cast as

$$\underline{\underline{\mathcal{L}}}^\top \underline{\underline{\mathbf{d}}} = \underline{\underline{\beta}}. \quad (2.123)$$

where each \mathcal{L}_{ji} element of the m rows, n columns $\underline{\underline{\mathcal{L}}}$ matrix equates the corresponding α_{ji} coefficient, and the $\underline{\underline{\beta}}$ column vector collects the m β_j inhomogeneous terms⁵⁰.

Also, the homogeneous counterpart of 2.123 hold for the same virtual displacements, namely

$$\underline{\underline{\mathcal{L}}}^\top \delta \underline{\underline{\mathbf{d}}} = \underline{\underline{\mathbf{0}}}, \quad (2.124)$$

they are required to be orthogonal to the $\underline{\underline{\mathcal{L}}}$ matrix columns, but otherwise free; the linear span of those columns thus contains all and the only reaction vectors that are orthogonal (and, in particular work-orthogonal) to any feasible virtual displacement. We hence have that the variation of the m terms of a $\underline{\underline{\ell}}$ column vector makes

$$\underline{\underline{\mathbf{R}}} = -\underline{\underline{\mathcal{L}}} \underline{\underline{\ell}}, \quad (2.125)$$

span all the allowed ideal constraint reaction subspace⁵¹.

⁵⁰The relation between the equivalent matrix/vector pairs $(\underline{\underline{\lambda}}, \underline{\underline{\mathbf{d}}})$, $(\underline{\underline{\Lambda}}, \underline{\underline{\mathbf{d}}})$ and $(\underline{\underline{\mathcal{L}}}, \underline{\underline{\beta}})$ is here reported: XXX

⁵¹the inclusion of a minus sign does not really require a justification, due to the arbitrary nature of $\underline{\underline{\ell}}$.

Due to their role in defining the $\underline{\underline{\mathcal{L}}}$ matrix, the α_{ji} coefficients that drive the homogeneous part of Eqs. 2.131 kinematic relations also rule the allowed internal and external reaction forces. In particular, for each j -th tying equation a parametric constraint reaction $\underline{\underline{\mathbf{R}}}^j$ is raised in the form

$$\underline{\underline{\mathbf{R}}}^j = - \begin{bmatrix} \vdots \\ \alpha_{ji} \\ \vdots \end{bmatrix} \ell_j \quad (2.126)$$

to enforce the associated equation.

The overall reaction force vector $\underline{\underline{\mathbf{R}}}$ is obtained as the accumulation of the $\underline{\underline{\mathbf{R}}}^j$ contributions. The ℓ_j factors may be obtained from the solution of the equilibrium equations, as shown in the following.

The system of constrained equilibrium equations, and its solution

The nodal DOF equilibrium equations derived by pairing i) the $\underline{\underline{\mathbf{K}}}$ $\underline{\underline{\mathbf{d}}}$ external forces required to keep the structure in a $\underline{\underline{\mathbf{d}}}$ deformed configuration, see Eq. 2.118, ii) the actual external forces $\underline{\underline{\mathbf{F}}}$ which are applied to the elements as distributed loads, see Eq. 2.121, or directly at nodes in form of concentrated loads, and iii) the reaction forces $\underline{\underline{\mathbf{R}}}$ may be cast as

$$\underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{d}}} = \underline{\underline{\mathbf{F}}} + \underline{\underline{\mathbf{R}}}. \quad (2.127)$$

Here, $\underline{\underline{\mathbf{d}}}$ and $\underline{\underline{\mathbf{R}}}$ are both unknown.

The Eq. 2.125 form for the reaction forces is substituted within the nodal equilibrium equations 2.127, thus obtaining the following

$$\underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{d}}} + \underline{\underline{\mathcal{L}}} \underline{\underline{\ell}} = \underline{\underline{\mathbf{F}}}$$

under-determined system of n equations in the $n + m$ unknowns $\underline{\underline{\mathbf{d}}}$ and $\underline{\underline{\ell}}$. By appending the m constraint equations 2.123, cardinality consistency between equation number and unknowns is restored, thus leading to the linear system of equations

$$\begin{bmatrix} \underline{\underline{\mathbf{K}}} & \underline{\underline{\mathcal{L}}} \\ \underline{\underline{\mathcal{L}}}^\top & \underline{\underline{\mathbf{0}}} \end{bmatrix} \begin{bmatrix} \underline{\underline{\mathbf{d}}} \\ \underline{\underline{\ell}} \end{bmatrix} = \begin{bmatrix} \underline{\underline{\mathbf{F}}} \\ \underline{\underline{\beta}} \end{bmatrix}, \quad (2.128)$$

whose order is $n + m$.

The educated reader might recognise in 2.128 the system of equations associated to the retrieval of the stationary point in the \underline{d} , $\underline{\ell}$ variables of the following quadratic form

$$\frac{1}{2} \underline{d}^\top \underline{\underline{K}} \underline{d} - \underline{d}^\top \underline{\underline{F}} + \underline{\ell}^\top (\underline{\underline{\mathcal{L}}}^\top \underline{d} - \underline{\underline{\beta}}), \quad (2.129)$$

which in turn represents – according to the Lagrange multiplier technique – the minimization of the total potential energy of a linearly elastic system

$$\frac{1}{2} \underline{d}^\top \underline{\underline{K}} \underline{d} - \underline{d}^\top \underline{\underline{F}}$$

i.e. the sum of i) internal strain energy, and ii) the unexerted work aka. the potential of the external forces, subject to the

$$\underline{\underline{\mathcal{L}}}^\top \underline{d} - \underline{\underline{\beta}} = \underline{0}$$

kinematic constraints, being $\underline{\ell}$ the vector obtained by stacking the Lagrange multipliers.

By solving the Eq. 2.128 system of linear equations, the solution vectors d^* , ℓ^* are obtained; the first directly describes the structure deformed configuration, whereas the second may be employed to derive the [generalized] reaction forces as

$$\underline{\underline{R}} = -\underline{\underline{\mathcal{L}}} \underline{\ell}^*.$$

2.7.4 An alternative constraining procedure

Tied and retained dofs

In particular, for each constraint equation, a single DOF $d_k \in \underline{d}$ is set as *dependent*, or *tied*, and its value is parametrically defined based on the equation, which takes the provisional form

$$d_k = \sum_{i \neq k} \begin{pmatrix} -\alpha_{ji} \\ \alpha_{jk} \end{pmatrix} d_i + \begin{pmatrix} \beta_j \end{pmatrix}, \quad j = 1 \dots m \quad (2.130)$$

under the assurance⁵² that $\alpha_{jk} \neq 0$.

⁵²In the case the tied DOF according to a given equation is made dependent on some DOFs that serve as tied within other equations, such an assumption must be

A given DOF can't serve as tied in more than one equation. The remaining $i \neq k$ DOFs potentially involved by the equation are not constrained in any way, and they retain a *fully independent* status.

Each kinematic constraint is hence treated as an assignment in the sense of computer programming, more than as a further simultaneous equation to be satisfied by the solution.

The m tied DOFs are collected within the $\underline{\mathbf{t}}$ vector; a unique relation is cast between the indexes k and j at which the same tied DOF $t_j \equiv d_k$ is positioned within the $\underline{\mathbf{t}}$ and $\underline{\mathbf{d}}$ vectors, respectively.

The $n - m$ DOF that does not serve as tied in any of the constraint equations are called *retained* – they are in fact *not* eliminated from the actual set of unknowns, as it may happen to their tied counterparts; those $d_i \in \underline{\mathbf{d}}$ elements they are collected within a $\underline{\mathbf{r}}$ retained DOF vector, in which they appear with the positional index h . Again, a unique relation is cast between the indexes associated to the same $r_h \equiv d_i$ term in two vectors $\underline{\mathbf{r}}$ and $\underline{\mathbf{d}}$.

In summary, the $\underline{\mathbf{t}}$ and the $\underline{\mathbf{r}}$ DOF vectors are positionally spanned by the $j = 1 \dots m$ and by the $h = 1 \dots n - m$ indexes, respectively; the associated $\{i, k\}$ indexes span the $\underline{\mathbf{d}}$ vector elements, instead.

We now define a permutation matrix $\underline{\underline{\mathbf{E}}}$ that segregates the retained and the tied $\underline{\mathbf{d}}$ elements at the head and at the tail of a reordered DOF vector, as in

$$\begin{bmatrix} \underline{\mathbf{r}} \\ \underline{\mathbf{t}} \end{bmatrix} = \underbrace{\begin{bmatrix} \underline{\underline{\mathbf{E}}}_R \\ \underline{\underline{\mathbf{E}}}_T \end{bmatrix}}_{\underline{\underline{\mathbf{E}}}} \underline{\mathbf{d}} \qquad \underline{\mathbf{d}} = \underbrace{\begin{bmatrix} \underline{\underline{\mathbf{E}}}_R^\top & \underline{\underline{\mathbf{E}}}_T^\top \end{bmatrix}}_{\underline{\underline{\mathbf{E}}}^\top \equiv \underline{\underline{\mathbf{E}}}^{-1}} \begin{bmatrix} \underline{\mathbf{r}} \\ \underline{\mathbf{t}} \end{bmatrix},$$

where the $\underline{\underline{\mathbf{E}}}$ block partitioning is s.t.

$$\underline{\mathbf{r}} = \underline{\underline{\mathbf{E}}}_R \underline{\mathbf{d}} \qquad \underline{\mathbf{t}} = \underline{\underline{\mathbf{E}}}_T \underline{\mathbf{d}},$$

and where the inverse relation is obtained based on the permutation matrix orthogonality. The $\underline{\underline{\mathbf{E}}}_R$ and the $\underline{\underline{\mathbf{E}}}_T$ matrices show unitary

cast by simultaneously considering the whole set of α_{jk} coefficients involved by the specific tied DOF selection. In particular, we ensure that the matrix is invertible whose m_{jl} terms are

$$m_{jl} = \alpha_{jk}, \quad \{j, l\} = 1 \dots m, \quad k \text{ s.t. } d_k \equiv t_l.$$

Such a matrix is diagonal in the simplified case each tied DOF is made dependent on retained DOFs alone.

terms at the (h, i) and (j, k) locations, respectively, and null terms elsewhere.

Without loss of generality, each of the Eqs. 2.130 may be cast by involving in the sum the retained DOFs only; those assignment equations may be in fact recursively nested until each of the tied DOFs at the LHS is resolved based on the retained ones. We hence have

$$t_j = \sum_{h=1}^{n-m} \lambda_{jh} r_h + \delta_j, \quad j = 1 \dots m \quad (2.131)$$

where the λ_{jh} and the δ_j terms are derived from their α_{ji} and δ_j based on the aforementioned tied dof substitution at the LHSs.

By collecting the λ_{jh} factor into a m rows, $n-m$ columns matrix $\underline{\underline{\lambda}}$, and by stacking the δ_j inhomogeneous terms into a $\underline{\underline{\delta}}$ column vector, the following equivalent expression

$$\underline{\underline{t}} = \underline{\underline{\lambda}} \underline{\underline{r}} + \underline{\underline{\delta}}, \quad (2.132)$$

is obtained, which obtains the tied DOF vector based on the retained DOF one. If the unabridged $\underline{\underline{d}}$ set of DOF is to be derived from $\underline{\underline{r}}$, $\underline{\underline{\lambda}}$ matrix rows ($\underline{\underline{\delta}}$ terms) may be interjected with the ones of an order $n-m$ identity matrix ($n-m$ null vector), thus deriving the substantially equivalent expression⁵³

$$\begin{aligned} \underline{\underline{d}} &= \left(\underline{\underline{E}}^\top \begin{bmatrix} \underline{\underline{I}} \\ \underline{\underline{\lambda}} \end{bmatrix} \right) \underline{\underline{r}} + \left(\underline{\underline{E}}^\top \begin{bmatrix} \underline{\underline{0}} \\ \underline{\underline{\delta}} \end{bmatrix} \right) \\ &= \underline{\underline{\Lambda}} \underline{\underline{r}} + \underline{\underline{\Delta}}; \end{aligned} \quad (2.133)$$

In particular, the n rows, $n-m$ columns $\underline{\underline{\Lambda}}$ matrix collects

- the identity relations between corresponding retained DOFs terms that appear in both $\underline{\underline{d}}$ and $\underline{\underline{r}}$, and
- the λ_{ji} coefficients that define the linear variation dependence of the tied d_j DOF on the retained d_i DOF.

⁵³The author is really sorry for the proliferation of the defined symbols, which all carry, in slightly different forms and for slightly different purposes, the same information.




Figure 2.16: Graphical representation for the \underline{A} matrix and for the $\underline{\Delta}$ vector in Eq. 2.133; representative matrix rows are illustrated for a retained DOF, and for two tied DOFs, namely a fixed displacement subcase, and the general case.

Figure 2.16 illustrates a few representatives of the rows whose assembly defines the \underline{A} . In the case of a retained global DOF, d_i , which finds a counterpart in the h -th element of \underline{r} , the associated row contains a single unit term at the intersection of the l -th row with the h -th column, being zero elsewhere. In the case of a tied DOF of the plain fixed displacement kind (single DOF constraint), the associated row in \underline{A} is null, and the associated inhomogeneous term in $\underline{\Delta}$ equates the imposed value for the displacement. In the case of a tied DOF of the general kind, see Eq. 2.133, the associated row in the \underline{A} matrix is build upon the λ_{jh} linear relation coefficients.

The virtual displacements in the neighborhood of a feasible constrained configuration are restricted to the linear combinations of the \underline{A} matrix columns \underline{A}_h , i.e.

$$\delta \underline{d} = \underline{A} \delta \underline{r} = \underline{A}_1 \delta r_1 + \underline{A}_2 \delta r_2 + \dots + \underline{A}_{n-m} \delta r_{n-m} \quad (2.134)$$

with arbitrary virtual displacement values at the retained DOFs, whereas the tied ones just follow.

The ideal constraint hypothesis requires the reaction force vector \underline{R}

to be orthogonal to a generic virtual displacement, and such condition holds if and only if $\underline{\mathbf{R}}$ is orthogonal to each the $\underline{\underline{\mathbf{\Lambda}}}$ matrix columns, i.e.

$$\langle \underline{\underline{\mathbf{\Lambda}}}_h, \underline{\mathbf{R}} \rangle = 0 \quad h = 1 \dots n - m, \quad (2.135)$$

or, equivalently,

$$\underline{\underline{\mathbf{\Lambda}}}^\top \underline{\mathbf{R}} = \underline{\mathbf{0}}. \quad (2.136)$$

The system of constrained equilibrium equations, and its solution. Alternative form.

We consider the nodal equilibrium equations as expressed in Eq. 2.127. If constraints are applied, we have

$$\underline{\underline{\mathbf{K}}} (\underline{\underline{\mathbf{\Lambda}}} \underline{\mathbf{r}} + \underline{\underline{\mathbf{\Delta}}}) = \underline{\mathbf{F}} + \underline{\mathbf{R}} \quad (2.137)$$

and

$$\underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{\Lambda}}} \underline{\mathbf{r}} = (\underline{\mathbf{F}} - \underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{\Delta}}}) + \underline{\mathbf{R}}, \quad (2.138)$$

where the inhomogeneous part of the constraint equations is *de facto* assimilated to a further contribution to the external loads, which may be rationalized as the elastic nodal reactions raised when i) all the retained DOF are kept fixed at their initial position, and ii) each tied DOF is displaced of an amount equal to the inhomogeneous term of the tying equation.

By projecting the equations on the subspace of allowed configurations

$$\underbrace{\underline{\underline{\mathbf{\Lambda}}}^\top \underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{\Lambda}}}}_{\underline{\underline{\mathbf{K}}}_R} \underline{\mathbf{r}} = \underbrace{\underline{\underline{\mathbf{\Lambda}}}^\top (\underline{\mathbf{F}} - \underline{\underline{\mathbf{K}}} \underline{\underline{\mathbf{\Delta}}})}_{\underline{\mathbf{F}}_R} + \underbrace{\underline{\underline{\mathbf{\Lambda}}}^\top \underline{\mathbf{R}}}_{=0}, \quad (2.139)$$

the contribution of the unknown reaction forces, that are normal to such a subspace – see Eq. 2.136, vanishes.

The linear system of *constrained* nodal DOF equilibrium equations is then set as

$$\underline{\underline{\mathbf{K}}}_R \underline{\mathbf{r}} = \underline{\mathbf{F}}_R \quad (2.140)$$

and it may be solved for the retained DOF vector $\underline{\mathbf{r}}$.

Once the solution vector $\underline{\mathbf{r}}^*$ is found in terms of displacements at retained DOFs, the overall displacement vector and the unknown reaction forces may be derived as

$$\underline{\mathbf{d}}^* = \underline{\underline{\mathbf{\Lambda}}} \underline{\mathbf{r}}^* + \underline{\underline{\mathbf{\Delta}}}; \quad (2.141)$$

and

$$\underline{\mathbf{R}}^* = \underline{\mathbf{K}} \left(\underline{\mathbf{\Lambda}} \underline{\mathbf{r}}^* + \underline{\mathbf{\Delta}} \right) - \underline{\mathbf{F}}. \quad (2.142)$$

2.7.5 Retrieval of element based results

Once the problem is solved in terms of the $\underline{\mathbf{d}}^*$ structure nodal displacements, we may extract for each j -th element the associated local DOFs vector as

$$\underline{\mathbf{d}}_{ej}^* = \underline{\mathbf{P}}_{ej} \underline{\mathbf{d}}^*. \quad (2.143)$$

We may in turn derive the strains at the reference plane, and the curvatures as

$$\underline{\mathbf{e}} = \underline{\mathbf{B}}_{ej}^e(\xi, \eta) \underline{\mathbf{d}}_{ej}^* \quad \underline{\mathbf{\kappa}} = \underline{\mathbf{B}}_{ej}^\kappa(\xi, \eta) \underline{\mathbf{d}}_{ej}^* \quad (2.144)$$

or directly the TT, IP strain components as

$$\underline{\mathbf{\epsilon}} = \left(\underline{\mathbf{B}}_{ej}^e(\xi, \eta) + \underline{\mathbf{B}}_{ej}^\kappa(\xi, \eta)z \right) \underline{\mathbf{d}}_{ej}^*. \quad (2.145)$$

IP stresses may be then derived according to the material constitutive law, see Eq. 2.13. The OOP tranverse shear strain components may be derived as

$$\underline{\mathbf{\gamma}}_z = \underline{\mathbf{B}}_{ej}^\gamma(\xi, \eta) \underline{\mathbf{d}}_{ej}^*. \quad (2.146)$$

All the cited quantities are customarily sampled at the gaussian integration points, and possibly extrapolated at nodes.

2.8 Notable Multi Point Constraints

2.8.1 Rigid body link RBE2

A master (or retained, control, independent, etc.) C node is considered, whose coordinates are defined as x_C, y_C, z_C in a (typically) global reference system, along with a set of n P_i nodes whose coordinates are x_i, y_i, z_i .

A kinematic link is to be established such that the DOFs – or a subset of them – associated to the P_i nodes follow the rototranslations of the C control according to the rigid body motion laws.

In the case of a fully constrained P_i node we have

$$\begin{bmatrix} u_i \\ v_i \\ w_i \\ \theta_i \\ \phi_i \\ \psi_i \end{bmatrix} = \underbrace{\begin{bmatrix} 1 & 0 & 0 & 0 & +(z_i - z_C) & -(y_i - y_C) \\ 0 & 1 & 0 & -(z_i - z_C) & 0 & +(x_i - x_C) \\ 0 & 0 & 1 & +(y_i - y_C) & -(x_i - x_C) & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}}_{\underline{\underline{L}}_i} \cdot \begin{bmatrix} u_C \\ v_C \\ w_C \\ \theta_C \\ \phi_C \\ \psi_C \end{bmatrix} \quad (2.147)$$

where u, v, w (θ, ϕ, ψ) are the translation (rotation) vector components with respect to the x, y, z cartesian reference system. A subset of the above DOF dependency relations may be cast to obtain a partial constraining of the P_i node; a free relative motion of such node with respect to the rigid body is allowed at the unconstrained DOFs.

External actions that are applied to tied P_i DOFs are reduced to the master node in form of a statically equivalent counterpart; the contributions deriving from each P_i node are finally accumulated.

2.8.2 Distributed load / averaged motion link RBE3

A *reference C* node, whose coordinates are x_C, y_C, z_C . A distribution of n *weighted* nodes P_i, q_i is considered, whose coordinates are x_i, y_i, z_i . The nodal weight q_i is usually determined with some degree of arbitrariness, e.g. based on partitioning the attached elements into nodal influence domains, and associating to each node a weight which is proportional to pertaining volumes, areas or edge lengths.

The RBE3 multi-DOF constraint may be described based on i) the imposed kinematic relations and ii) on the nature of the associated reaction force.

Starting from the latter, a generic load applied at C , namely three force components U_C, V_C, W_C and three moment components Ω_C, Φ_C, Ψ_C . A suitable set of reaction forces is induced that balance at C the applied actions, and distributes them at the P_i nodes based on the relation

$$\begin{bmatrix} U_i \\ V_i \\ W_i \end{bmatrix} = q_i \left(\begin{bmatrix} a \\ b \\ c \end{bmatrix} + \begin{bmatrix} 0 & d & -f \\ -d & 0 & e \\ f & -e & 0 \end{bmatrix} \begin{bmatrix} x_i \\ y_i \\ z_i \end{bmatrix} \right), \quad (2.148)$$

with a, b, c, d, e, f coefficients that are defined based on the static equivalence of the applied load at C , and its distributed counterpart; in particular the system of six linear equations

$$\begin{bmatrix} U_C \\ V_C \\ W_C \end{bmatrix} = \sum_i \begin{bmatrix} U_i \\ V_i \\ W_i \end{bmatrix}, \quad \begin{bmatrix} \Theta_C \\ \Phi_C \\ \Psi_C \end{bmatrix} = \sum_i \begin{bmatrix} U_i \\ V_i \\ W_i \end{bmatrix} \wedge \begin{bmatrix} x_i - x_C \\ y_i - y_C \\ z_i - z_C \end{bmatrix} \quad (2.149)$$

is solved for the aforementioned unknown parameters.

In the case a reference system is employed whose x, y, z axis are principal of inertia with respect to the same distribution, a more substantial description may be provided as follows... TODO.

2.9 Advanced modeling tools

2.9.1 Inertia relief

Inertia relief⁵⁴ refers to an analysis procedure that allows unconstrained systems – or systems otherwise susceptible to stress-free motions – to be subjected to a quasi-static analysis by taking rigid body inertia forces into account.

Conventional static analysis cannot be performed for such systems since, in the absence of constraints, the stiffness matrix is singular. The structure response is measured relative to a steady state accelerating frame, whose motion is induced by the (usually nonzero) external load resultants.

The inertia relief solution procedure provides for three steps, namely i) the rigid body mode evaluation, ii) the assessment of the inertia relief loads, and iii) the solution of a supported, self-equilibrated static loadcase within the moving frame.

A set of nodal DOFs is supplied, one each expected rigid body motion, whose *imposed* displacements values uniquely define the structure positioning in space; also, they may be employed in supporting the structure to untangle the stiffness matrix rank-deficiency.

The \underline{t}_l rigid body modes are evaluated by sequentially setting each of these *support* DOF to unity, while retaining the others to zero, and solving for the constrained system of nodal equilibrium equations in the absence of further external loads. Since the tied/retained condition of the structure DOFs does not vary throughout the sequence of aforementioned loadcases, comprised of the final step introduced in the following, a single $\underline{\underline{L}} \underline{\underline{L}}^\top$ Cholesky system matrix decomposition is required by the procedure, whose computational burden is thus not significantly increased with respect to the usual static solution.

A rigid body, steady state acceleration field is defined as the linear combination of the so defined \underline{t}_l rigid body modes

$$\ddot{\underline{d}} = \underbrace{[\cdots \quad \underline{t}_l \quad \cdots]}_{\underline{\underline{T}}} \underbrace{\begin{bmatrix} \vdots \\ \alpha_l \\ \vdots \end{bmatrix}}_{\underline{\alpha}}, \quad (2.150)$$

⁵⁴XXX some cut and paste from the MSC.Marc vol A manual, please rewrite as required to avoid copyright infringement.

whose α_l coefficients define the modal acceleration vector $\underline{\alpha}$. Those acceleration terms are then evaluated according to the inertial equilibrium of the structure under the applied \underline{F} external loads, condition, this, that may be stated as

$$\underline{\mathbf{T}}^\top \underline{\mathbf{M}} \underline{\mathbf{T}} \underline{\alpha} = \underline{\mathbf{T}}^\top \underline{\mathbf{F}} \quad (2.151)$$

The projection of the equilibrium equations onto the subspace defined by the linear span of the \underline{t}_l rigid body mode vectors – i.e. the left multiplication of both the equation sides by the $\underline{\mathbf{T}}^\top$ matrix, is solved in place of the overdetermined linear system

$$\underline{\mathbf{M}} \underline{\mathbf{T}} \underline{\alpha} = \underline{\mathbf{F}} [+ \underline{\mathbf{R}}_l]$$

since the $\underline{\mathbf{R}}_l$ reaction forces associated to the rigid body constraints balance the equilibrium residual components that are orthogonal⁵⁵ to such allowed configuration subspace.

The inertia relief forces may then be quantified as $\underline{\mathbf{M}} \underline{\mathbf{T}} \underline{\alpha}$, and superposed to the initial external loads, thus leading to a self equilibrated loading condition in the context of the steady state accelerating frame; by employing the support DOFs to establish a positioning constraint set, the elastic problem may finally be solved in the form

$$\underline{\mathbf{K}} \underline{\mathbf{d}} = \underline{\mathbf{F}} - \underline{\mathbf{M}} \underline{\mathbf{T}} \underline{\alpha}, \quad (2.152)$$

The $\underline{\mathbf{d}}$ displacement components are expressed with respect to a reference frame that clings to the possibly accelerating structure through the support DOFs; due to the self-equilibrated nature of the applied loads in the moving frame, reaction forces at supports are zero.

As a closing comment, the MSC.Marc solver employs a lumped definition for the system mass matrix for evaluating inertia relief forces.

⁵⁵We note that $\underline{\mathbf{T}}^\top \underline{\mathbf{R}}_l = \underline{\mathbf{0}}$ is a *smooth* or *ideal* constraint condition, i.e. the $\underline{\mathbf{R}}_l$ reactions are work-orthogonal to the allowed motions.

2.9.2 Harmonic response analysis

The equilibrium equations of a multiple DOF system subject to elastic, inertial and viscous actions may be stated in the general form

$$\underline{\underline{M}} \ddot{\underline{d}} + \underline{\underline{C}} \dot{\underline{d}} + \underline{\underline{K}} \underline{d} = \underline{f}(t), \quad \underline{d} = \underline{d}(t) \quad (2.153)$$

where:

- $\underline{\underline{M}}$ is the mass matrix, which is symmetric and positive definite;
- $\underline{\underline{C}}$ is the viscous damping matrix, which is symmetric and positive semidefinite;
- $\underline{\underline{K}}$ is the elastic stiffness matrix, which is symmetric and positive semidefinite: complex terms may appear within the stiffness matrix to represent structural damping contributions;
- $\underline{f}(t)$ is the vector of the external (generalized) forces;
- $\underline{d}(t)$ collects the system DOFs, which vary in time.

The system response is assumed linear – a strong assumption, this, that hardly holds in complex structures as the automotive chassis under scrutiny. The lack of nonlinear analysis tools whose modeling and computational effort is comparable with respect to the one presented in the present section, pushes for some laxity in the linearity prerequisite check, and for the acceptance of a certain extent of error.

The applied force is assumed periodic in time, and so is the long term solution, if linearity holds. Moreover, Fourier decomposition may be applied, and there is no lack in generality in further assuming an harmonic forcing term, and hence an harmonic solution. We have

$$\underline{f}(t) = \frac{\bar{\underline{f}} e^{j\omega t} + \underline{\bar{f}}^* e^{-j\omega t}}{2} = \text{Re}(\bar{\underline{f}} e^{j\omega t}) \quad (2.154)$$

where the asterisk superscript denotes the complex conjugate variant of the base vector. We recall that the compact notation

$$\underline{f}(t) = \bar{\underline{f}} e^{j\omega t} \quad (2.155)$$

extensively employed below defines a complex form for the driving force, whose real part is the portion which is physically applied to the nodes over time, i.e.

$$\text{Re}(\underline{\bar{f}} e^{j\omega t}) = \text{Re}(\underline{\bar{f}}) \cos \omega t - \text{Im}(\underline{\bar{f}}) \sin \omega t \quad (2.156)$$

This compact formalism is not rigorous but still it is effective, and hence commonly employed. Any phase difference amongst the applied nodal excitations may be described by resorting to the complex nature of the $\underline{\bar{f}}$ vector terms.

In the neglect of the transient response, the harmonic tentative solution

$$\underline{d}(t) = \underline{\bar{d}} e^{j\omega t} \quad (2.157)$$

is substituted within Eq. 2.153, thus obtaining

$$(-\omega^2 \underline{\underline{M}} + j\omega \underline{\underline{C}} + \underline{\underline{K}}) \underline{\bar{d}} = \underline{\bar{f}} \quad (2.158)$$

where the $e^{j\omega t}$ time varying, generally nonzero factors are simplified away.

Expression 2.159 defines a system of linear complex equations, one each DOF, in the complex unknown vector $\underline{\bar{d}}$; equivalently, each complex equation and each unknown term may be split into the associated real and imaginary parts, thus leading to a system of linear, real equations whose order is twice the number of the discretized structure DOFs.

The system matrix varies with the ω parameter, and in particular its stiffness contribute $\underline{\underline{K}}$ is dominant for low ω values, whereas the $\underline{\underline{C}}, \underline{\underline{M}}$ terms acquire relevance with growing ω .

In distributed inertia systems, however, it is a misleading claim that the stiffness matrix contribution becomes negligible with high ω values, since – with the notable exception of external loads that are directly applied to concentrated masses or rigid bodies – the pulsation is unphysically high above which such behaviour arises.

Since Eqns. 2.159 are independently solved for each ω value, it constitutes no added complexity to let $\underline{\underline{M}}, \underline{\underline{C}}, \underline{\underline{K}}$ and $\underline{\bar{f}}$ vary according to the same parameter.

Finally, in the absence of the damping-related imaginary terms within the system matrix, the Eq. 2.159 problem algebraic order is led back to the bare number of system DOFs; in fact, two independent

real system of equations – that share a common $\underline{\underline{L}} \underline{\underline{L}}^\top$ matrix decomposition – may be cast for the real and the imaginary parts of $\underline{\underline{d}}$ and $\underline{\underline{f}}$.

2.9.3 Modal analysis

The present paragraph briefly deals with the structure's natural modes, i.e. those periodic⁵⁶ motions that are allowed according to Eq. 2.153, in the further absence of externally applied loads.

A necessary condition for a motion to endure in the absence of a driving load is the absence of dissipative phenomena; it is hence necessary to have a zero $\underline{\underline{C}}$ damping matrix, whereas the $\underline{\underline{K}}$ stiffness matrix must be free of imaginary terms. This hypothesis holding, Eq. 2.159 is reduced to the following real-term algebraic form

$$(-\omega^2 \underline{\underline{M}} + \underline{\underline{K}}) \underline{\underline{d}} = \underline{\underline{0}} \quad (2.159)$$

whose nontrivial solutions constitute a set of $(\omega_i^2, \hat{\underline{\underline{d}}}_i)$ *generalized* eigenvalue/eigenvector pairs, one each system DOF, if eigenvalue multiplicity is taken into account.

In the context of each $(\omega_i^2, \hat{\underline{\underline{d}}}_i)$ pair, ω_i is the natural pulsation ($\omega_i = 2\pi f_i$, where f_i is the natural frequency), whereas the $\hat{\underline{\underline{d}}}_i$ vector of generalized displacements is named natural mode.

The extraction of the Eq. 2.159 nontrivial solutions reduces to a *standard* eigenvalue problem is the algebraic form is left-multiplied by the mass matrix inverse, i.e.

$$(\underline{\underline{M}}^{-1} \underline{\underline{K}} - \omega^2 \underline{\underline{I}}) \hat{\underline{\underline{d}}} = \underline{\underline{0}}; \quad (2.160)$$

the availability of solvers that specifically approach the generalized problem avoid such computationally uneconomical preliminary.

It is worth to recall that in the case of eigenvalues with non-unit multiplicity – concept, this, that is to be contextualized within the limited precision floating point arithmetics⁵⁷ – the associated eigenvectors must be considered only through their linear combination; the specific selection of the base elements for representing such a subspace (i.e.,

⁵⁶*harmonic* in the context of linearly behaving systems

⁵⁷XXX

each single eigenvector) derives in fact from the unpredictable interaction between the truncation error and the inner mechanics of the numerical procedure.

Also, the eigenvectors that are associated to eigenvalues of unit multiplicity are returned by the numerical solver in the misleading form of a definite vector, whereas an arbitrary (both in sign and magnitude) scaling factor has to be prepended.

In particular, any speculation which is not robust with respect to such arbitrary scaling (or combination) is of no engineering relevance, and must be avoided.

Finally, in continuous elasticity, no upper bound exists for natural frequencies; in FE discretized structure, an apparent upper bound exists, which depends on local element size⁵⁸.

A common normalizing rule for the natural modes is the one that produces a unit modal mass m_i , i.e.

$$m_i = \underline{\hat{\mathbf{d}}}_i^\top \underline{\underline{\mathbf{M}}}_i \underline{\hat{\mathbf{d}}}_i = 1 \quad (2.161)$$

this rule is e.g. adopted by the MSC.Marc solver in its default configuration.

The resonant behaviour of the system in correspondence with a natural frequency may be investigated by substituting the following tentative solution

$$\underline{\mathbf{x}}(t) = a \underline{\hat{\mathbf{d}}}_i \sin(\omega_i t) \quad (2.162)$$

within the dynamic equilibrium equations 2.153, with

$$f(t) = \underline{\hat{\mathbf{f}}}_i \cos(\omega_i t), \quad (2.163)$$

and thus obtaining

$$\underbrace{(-\omega_i^2 \underline{\underline{\mathbf{M}}}_i + \underline{\underline{\mathbf{K}}}_i)}_{=0} \underline{\hat{\mathbf{d}}}_i a_i \sin(\omega_i t) + \omega_i a_i \underline{\underline{\mathbf{C}}}_i \underline{\hat{\mathbf{d}}}_i \cos(\omega_i t) = \underline{\hat{\mathbf{f}}}_i \cos(\omega_i t). \quad (2.164)$$

By simplifying away the generally nonzero time modulating factors, and by left-multiplying both equation sides by $\underline{\hat{\mathbf{d}}}_i^\top$ – i.e. by projecting

⁵⁸In particular, the natural oscillation period for the highest dynamic mode is estimated with order of magnitude precision as the minimum time it takes a pressure wave to travel between two different nodes in the discretized structure.

the equation residual along the subspace defined by the eigenvector itself, we obtain an amplitude term in the form

$$a_i = \frac{\hat{\underline{\mathbf{d}}}^\top \bar{\underline{\mathbf{f}}}}{\omega_i \hat{\underline{\mathbf{d}}}^\top \underline{\underline{\mathbf{C}}} \hat{\underline{\mathbf{d}}}_i} \quad (2.165)$$

whose singularity is prevented only a) in the presence of a damping matrix that associates nonzero and non-orthogonal viscous reactions to the motion described by the natural mode under scrutiny, or b) if the driving load is strictly orthogonal to such natural mode, i.e. it is unable to perform periodic work on such a motion. The nature of the expression 2.165 numerator will be further discussed in the following paragraph.

2.9.4 Harmonic response through mode superposition

In the case the eigenvalues associated with the dynamic modes are all distinct⁵⁹, the following orthogonality conditions hold

$$\hat{\underline{\mathbf{d}}}_j^\top \underline{\underline{\mathbf{M}}} \hat{\underline{\mathbf{d}}}_i = m_i \delta_{ij} \quad \hat{\underline{\mathbf{d}}}_j^\top \underline{\underline{\mathbf{K}}} \hat{\underline{\mathbf{d}}}_i = m_i \omega_i^2 \delta_{ij} \quad (2.166)$$

where δ_{ij} is the Kronecker delta function, and $m_i = 1$ is the i -th modal mass, which is unitary due to the the $\hat{\underline{\mathbf{d}}}_i$ unit modal mass normalization.

It is further assumed that it is possible to describe the elastic body motion through a linear combination of a (typically narrow) subset of the dynamic natural modes. Such assumption may be rationalized in two equivalent ways: on one hand, the contribution of the neglected modes is assumed negligible, and hence ignored; on the other hand, it is imagined that a set of kinematic constraints is imposed, that rigidly impede any additional system motion with respect to the chosen set. According to this latter explanation, reaction forces will be raised that absorb any equilibrium residual term which is orthogonal with respect to the allowed displacements.

The subset defined by the first m eigenvectors ($1 \leq m \ll n$) are commonly employed, whereas different assortments are possible; a con-

⁵⁹condition, this, that is assumed to hold; a slightly perturbed FE discretization may be effective in separating the instances of a theoretically multiple natural frequency.

tol calculation performed with a wider base may be employed for error estimation.

By stacking those first m normalized column eigenvectors into the $\underline{\underline{\Xi}}$ matrix below,

$$\underline{\underline{\Xi}} = [\hat{\underline{\underline{d}}}_1 \quad \cdots \quad \hat{\underline{\underline{d}}}_l \quad \cdots \quad \hat{\underline{\underline{d}}}_m], \quad (2.167)$$

any $\bar{\underline{\underline{d}}}$ configuration belonging to the linear span of the selected modes may be expressed through a vector of m modal coordinates $\bar{\underline{\underline{\xi}}}$, as in

$$\bar{\underline{\underline{d}}} = \underline{\underline{\Xi}} \bar{\underline{\underline{\xi}}} \quad (2.168)$$

Due to the natural modes orthogonality conditions 2.166, the $\underline{\underline{\Xi}}$ transformation matrix diagonalizes both the mass and the stiffness matrices, since

$$\underline{\underline{\Xi}}^\top \underline{\underline{M}} \underline{\underline{\Xi}} = \underline{\underline{I}} \quad \underline{\underline{\Xi}}^\top \underline{\underline{K}} \underline{\underline{\Xi}} = \underline{\underline{\Omega}} = \text{diag}(\omega_l^2); \quad (2.169)$$

by applying such transformation to the damping matrix, however, a dense matrix is generally obtained.

The *Rayleigh* or *proportional* damping matrix definition assumes that the latter may be passably represented as a linear combination of the mass matrix and of the stiffness matrix: in particular

$$\underline{\underline{C}} = \alpha \underline{\underline{M}} + \beta \underline{\underline{K}} \quad (2.170)$$

where α and β are commonly named *mass* and *stiffness matrix multipliers*, respectively; according to such assumption, the damping matrix is also diagonalized by the $\underline{\underline{\Xi}}$ transformation matrix.

Equation 2.159 algebraic problem may be cast in terms of the m ξ_l modal unknowns, thus obtaining

$$\underline{\underline{\Xi}}^\top (-\omega^2 \underline{\underline{M}} + j\omega \underline{\underline{C}} + \underline{\underline{K}}) \underline{\underline{\Xi}} \bar{\underline{\underline{\xi}}} = \underline{\underline{\Xi}}^\top \bar{\underline{\underline{f}}} \quad (2.171)$$

which reduces to the diagonal form

$$(-\omega^2 \underline{\underline{I}} + j\omega (\alpha \underline{\underline{I}} + \beta \underline{\underline{\Omega}}) + \underline{\underline{\Omega}}) \bar{\underline{\underline{\xi}}} = \underline{\underline{\Xi}}^\top \bar{\underline{\underline{f}}}, \quad (2.172)$$

or, equivalently, to the set of m independent complex equations

$$(-\omega^2 + j\omega (\alpha + \beta\omega_l^2) + \omega_l^2) \xi_l = q_l, \quad j = 1 \dots m \quad (2.173)$$

where $q_l = \langle \hat{\underline{d}}_l, \bar{\underline{f}} \rangle$ is the coupling factor between the external load and the l -th natural mode.

The algebraic equation above may be interpreted as the characteristic equation of an harmonically driven single DOF oscillator that exhibits the following properties:

- its mass is unity;
- its natural frequency equals that of the l -th natural mode ω_l ;
- its damping ratio ζ_l is a combination of the two Rayleigh damping coefficients, i.e.

$$\zeta_l = \frac{1}{2} \left(\frac{\alpha}{\omega_l} + \beta \omega_l \right);$$

- the external load real(imaginary) term is defined as the cyclic work that the external load performs upon a system motion described as the sinusoidal (cosinusoidal) modulation in time of the l -th modal shape, divided by π .⁶⁰

The uncoupled equations 2.173 may be solved resorting to complex division arithmetics, thus leading to the definition of the $\bar{\xi}_l$ modal amplitude and phase terms; in particular we have that the l -th modal shape is modulated in time according to the function

$$\begin{aligned} \xi_l(t) &= \text{Re}(\bar{\xi}_l) \cos \omega t - \text{Im}(\bar{\xi}_l) \sin \omega t \\ &= |\bar{\xi}_l| \cos(\omega t + \psi_l - \phi_l) \end{aligned}$$

whose terms are detailed in the following.

The auxiliary parameters

$$a_l = 1 - r_l^2 \qquad b_l = 2\zeta_l r_l \qquad r_l = \frac{\omega}{\omega_l}$$

are first defined; we then have the oscillation amplitude and phase

⁶⁰In the case of a concentrated load that act on a single DOF, q_j equates the product of the load magnitude with the associated component in $\hat{\underline{d}}_l$, i.e. the generalized displacement at the specific node, as shown by the FE postprocessor.

terms

$$|\bar{\xi}_l| = \frac{|\bar{q}_l|}{\omega_l^2} \frac{1}{\sqrt{a_l^2 + b_l^2}}$$

$$\psi_l = \arg(\bar{q}_l)$$

$$\phi_l = \arg(a_l + jb_l)$$

or, equivalently, the real and imaginary parts

$$\operatorname{Re}(\bar{\xi}_l) = \frac{1}{\omega_l^2} \frac{a_l \operatorname{Re}(\bar{q}_l) + b_l \operatorname{Im}(\bar{q}_l)}{a_l^2 + b_l^2}$$

$$\operatorname{Im}(\bar{\xi}_l) = \frac{1}{\omega_l^2} \frac{a_l \operatorname{Im}(\bar{q}_l) - b_l \operatorname{Re}(\bar{q}_l)}{a_l^2 + b_l^2}.$$

2.9.5 Linearized pre-buckling analysis

A few notes.

According to the linearized pre-buckling analysis, the structure is considered in an oxymoronic configuration which is both *pre-stressed* and *undeformed*.

The $\underline{\sigma}^0$ *pre-stress* condition is evaluated through a linear preliminary analysis of the structure subject to a set of applied loads, and potentially inhomogeneous constraints; both the preload and the associate stress field may be scaled by a common λ amplification factor, and the structure behaviour is parametrically examined with varying λ .

The displacement and rotation fields associated this preliminary analysis are not however retained in the subsequent step, in contrast to the pre-stress; such looseness is commonly justified based on the assumed smallness of such deflections.

For each element of the structure, the stiffness matrix is derived by a) taking into account the contribution of the $\underline{\sigma}^0$ pre-stress to the internal virtual work, and b) by employing a second order, nonlinear, *large rotation* formulation for the $\underline{\underline{B}}$ matrix that derives the strain tensor from nodal DOFs. Details are here omitted⁶¹, and only the following placeholder formula for the internal virtual work is proposed

$$\begin{aligned} \delta U_i &= \iiint_V \delta \underline{\epsilon}^\top (\underline{\sigma}_0 + \underline{\underline{D}} \underline{\epsilon}) dV \\ &= \iiint_V [\underline{\underline{B}}(\underline{d}) \delta \underline{d}]^\top (\underline{\sigma}_0 + \underline{\underline{D}} \underline{\underline{B}}(\underline{d}) \underline{d}) dV \\ &= \dots \\ &= \delta \underline{d} \left((\underline{\underline{K}}_{ej}^M + \underline{\underline{K}}_{ej}^G) \underline{d} + o(\underline{d}) \right). \end{aligned}$$

The resulting element stiffness matrix is obtained as the sum of two distinct contributions; the first contribution $\underline{\underline{K}}_{ej}^M$ is named *material* stiffness matrix and, in the absence of large element reorientation in space, it coincides with the customary definition of element stiffness matrix. The second contribution $\underline{\underline{K}}_{ej}^G$ is named *geometric* stiffness matrix and it embodies the corrective terms due to the interaction of the pre-stress with the rotations; such term is invariant with the

⁶¹see e.g. reference [11]

material properties, and it scales with the pre-stress itself, i.e. with the λ amplification factor. This second contribution embodies the *stress stiffening* and *stress softening* effects.

Both the two terms are obtained by relying on the initial coordinates of the element nodes, thus effectively neglecting the preload-induced deflections.

The elemental material and geometric stiffness matrix are then assembled into their global counterparts, and constraints are applied that are consistent⁶² with the ones employed in deriving the pre-stress.

The following relation is thus obtained in the neighborhood of a λ -scaled, pre-stressed configuration

$$\left(\underline{\underline{\mathbf{K}}}^{\text{M}} + \lambda \underline{\underline{\mathbf{K}}}^{\text{G}} \right) \delta \underline{\underline{\mathbf{d}}} = \delta \underline{\underline{\mathbf{F}}} \quad (2.174)$$

that relates a small variation in the externally applied actions $\delta \underline{\underline{\mathbf{F}}}$ with the required adjustments in the structure configuration $\delta \underline{\underline{\mathbf{d}}}$ for the sake of equilibrium; the cumulative $\underline{\underline{\mathbf{K}}}^{\text{m}} + \lambda \underline{\underline{\mathbf{K}}}^{\text{g}}$ term is named *tangent stiffness matrix* upon its role in locally orienting the equilibrium path.

Of a particular interest is the case of a nonzero variation in configuration for which equilibrium is preserved in the absence of external load variation; such condition is a prerequisite for a bifurcation of the equilibrium path. We have in particular an homogenous system of equations

$$\left(\underline{\underline{\mathbf{K}}}^{\text{M}} + \lambda_i \underline{\underline{\mathbf{K}}}^{\text{G}} \right) \delta \hat{\underline{\underline{\mathbf{d}}}}_i = 0 \quad (2.175)$$

whose nontrivial solutions are in form of generalized⁶³ eigenpairs $(\lambda_i, \delta \hat{\underline{\underline{\mathbf{d}}}}_i)$, with λ_i values that zero the determinant of the tangent stiffness matrix, and are hence named *critical* pre-stress (or preload, or load) amplification factor.


⁶²not strictly equal in theory, since some variations are allowed with respect in particular positioning and symmetry constraints. FE packages may however limit such theoretically allowed redefinition of constraints.

⁶³an equivalent, standard

$$\left(\underline{\underline{\mathbf{A}}} - \eta_i \underline{\underline{\mathbf{I}}} \right) \underline{\underline{\mathbf{v}}}_i = 0$$

eigenproblem may be defined with


$$\underline{\underline{\mathbf{A}}} = \left[\underline{\underline{\mathbf{K}}}^{\text{M}} \right]^{-1} \underline{\underline{\mathbf{K}}}^{\text{G}}, \quad \lambda_i = -1/\eta_i, \quad \underline{\underline{\mathbf{v}}}_i = \delta \hat{\underline{\underline{\mathbf{d}}}}_i.$$



$$N_{AB} = N_{CA} = +\frac{F}{\sqrt{3}}$$

$$N_{BC} = -\frac{F}{2\sqrt{3}}$$


$$N_{\text{crit},i} = -\frac{\pi^2 i^2 EJ}{l^2}$$



$$\lambda_1 = -\frac{\pi^2 EJ \sqrt{3}}{l^2 F}$$

moltepl. 2

minimum λ_i in absolute value



$$\lambda_2 = +\frac{\pi^2 EJ 2\sqrt{3}}{l^2 F}$$

minimum $\lambda_i > 0$

Figure 2.17: In the case the load that induces the pre-stress state is subject to inversion, the minimum amplification factor in modulus is to be considered. On the other hand, if a load inversion may be excluded, the minimum among the positive amplification factors is to be considered.

In correspondence of critical λ_i values, the elastic reactions are unable to restrain an arbitrary scaled $\delta \hat{\underline{d}}_i$ perturbation of the structure configuration, and the related variation in stress/strain values, thus obtaining a *indifferent equilibrium* condition.

Bibliography

- [1] A. E. H. Love, *A treatise on the mathematical theory of elasticity*. Cambridge university press, 2013.
- [2] S. Timoshenko, S. Timoshenko, and J. Goodier, *Theory of Elasticity, by S. Timoshenko and JN Goodier,...* McGraw-Hill book Company, 1951.
- [3] S. Vlachoutsis, “Shear correction factors for plates and shells,” *International Journal for Numerical Methods in Engineering*, vol. 33, no. 7, pp. 1537–1552, 1992.
- [4] T. Chow, “On the propagation of flexural waves in an orthotropic laminated plate and its response to an impulsive load,” *Journal of Composite Materials*, vol. 5, no. 3, pp. 306–319, 1971.
- [5] V. Birman and C. W. Bert, “On the choice of shear correction factor in sandwich structures,” *Journal of Sandwich Structures & Materials*, vol. 4, no. 1, pp. 83–95, 2002.
- [6] C. Hua, “An inverse transformation for quadrilateral isoparametric elements: analysis and application,” *Finite elements in analysis and design*, vol. 7, no. 2, pp. 159–166, 1990.
- [7] B. M. Irons and A. Razzaque, “Experience with the patch test for convergence of finite elements,” in *The mathematical foundations of the finite element method with applications to partial differential equations*, pp. 557–587, Elsevier, 1972.
- [8] C. Militello and C. A. Felippa, “The individual element test revisited,” in *The finite element method in the 1990’s*, pp. 554–564, Springer, 1991.

- [9] R. MacNeal, *Finite Elements*. CRC Press, 1993.
- [10] T. J. Hughes and T. Tezduyar, “Finite elements based upon mindlin plate theory with particular reference to the four-node bilinear isoparametric element,” *Journal of applied mechanics*, vol. 48, no. 3, pp. 587–596, 1981.
- [11] J. Oden, “Calculation of geometric stiffness matrices for complex structures.,” *AIAA Journal*, vol. 4, no. 8, pp. 1480–1482, 1966.